

- Babin JP, Carre M, Martin C. Possible embryofetopathy caused by a beta- blocker (sotalol) taken throughout the pregnancy. *Pediatric* 1985;40:129-36.
- Bachrach WH, Hofmann AF. Ursodeoxycholic acid in the treatment of cholesterol cholelithiasis. Part I *Dig Dis Sci* 1982;27:737-761.
- Backes CR, Cordero L. Withdrawal symptoms in the neonate from presumptive intrauterine exposure to diazepam: report of case. *J Am Osteopath Assoc* 1980;79: 584-585.
- Baden E. Environmental pathology of the teeth. In Thomas Oral Pathology. Gorlin & Goldman. S Louis 1970.
- Baeder C. Embryotoxicological/teratological investigation, including effects on postnatal development, of the new oral antidiabetic glimepiride after oral administration to rats and rabbit. *Kiso to Rinsho* 1993;27:45-60.
- Baer MR, Ozer H, Foon KA. Interferon-alpha therapy during pregnancy in chronic myelogenous leukaemia and hairy cell leukaemia. *Br J Haematol* 1992;81:167-169.
- Baerts W, Fretter WP, Hop WC et al. Cerebral lesions in preterm infants after tocolytic indomethacin. *Dev Med Child Neurol* 1990;32:910-918.
- Baethge BA, Wolf RE. Successful pregnancy with scleroderma renal disease and pulmonary hypertension in a patient using angiotensin converting enzyme inhibitors. *Ann Rheum Dis* 1989;48:776-778.
- Bagdon WJ, Clark RL, Minsker DH, Robertson Jr RT. Developmental toxicity studies of lisinopril in mice and rabbits. *Yakuri to Chiryō* 1993b;21:2113-2120.
- Bagdon, WJ, Clark RL, Minsker DH, Robertson Jr RT. Reproductive and developmental toxicity studies of lisinopril in rats. *Yakuri to Chiryō* 1993a;21:2093-2111.
- Bailey RR, Bishop V, Peddie BA. Comparison of single dose with a 5-day course of co-trimoxazole for asymptomatic (covert) bacteriuria of pregnancy. *Aust N Z J Obstet Gynaecol* 1983;23:139-141.
- Bailey RR. Single-dose antibacterial treatment for bacteriuria in pregnancy. *Drugs* 1984;27:183-186.
- Baillie M, Allen ED, Elkington AR. The congenital warfarin syndrome: a case report. *Br J Ophthalmol* 1980;64:633-635.
- Baiocco PJ, Korelitz BI. The influence of inflammatory bowel disease and its treatment in pregnancy and fetal outcome. *J Clin Gastroenterol* 1984;6:211-216.
- Baker ER, Flanagan MF. Fetal atrial flutter associated with maternal beta-sympathomimetic drug exposure. *Obstet Gynecol* 1997;89:861.
- Bakri YN, Given FT. Normal pregnancy and delivery following conservative surgery and chemotherapy for ovarian endodermal sinus tumor. *Gynecol Oncol* 1984;19:222.
- Balasch J, Carmona F, Lopez-Soto A, et al. Low-dose aspirin for prevention of pregnancy losses in women with primary antiphospholipid syndrome. *Hum Reprod* 1993;8:2234-2239.
- Balasubramaniam J. Nimesulide and neonatal renal failure. *Lancet* 2000;355:575.
- Balde MD, Breitbach GP, Weittstein A et al. Tetralogy of Fallot following coumarin administration in early pregnancy -an embryopathy? *Geburtsh Frauenheilkd* 1988; 48,182.
- Baldwin J, Ridings J. Teratogenicity in rats of two dopaminergic agonists. *Toxicology* 1986;42:291-302.
- Baldwin JA, Davidson EJ, Goodwin J, et al. Fertility and general reproductive performance and peri- and post-natal toxicity studies with subcutaneous administration in rats. *Kiso to Rinsho* 1990;24:5055-5069.
- Baldwin JA, Davidson EJ, Goodwin J, et al. Intravenous administration study during organogenesis in rats and rabbits. *Kiso to Rinsho* 1990;24:5043-5053.
- Baldwin JA, Goodwin J, Davidson EJ et al. Toxicity study of granisetron hydrochloride: reproduction studies in rats by oral administration. *Yakuri to Chiryō* 1993;21:1753-1769.
- Ball MC, Sagar HJ. Levodopa in pregnancy. *Mov Disord* 1995;10:115.
- Balocco R, Bonati M. Mefloquine prophylaxis against malaria for female travellers of childbearing age. *Lancet* 1992;340:309-310.

- Balter MB, Mahneimer DI, Mellinger GD et al. A cross-national comparison of antianxiety/sedative drug use. *Curr Med Res Opin* 1984;8:5-20.
- Bamonte F, Albiero L, Ongini E. Reproductive and teratological studies with a new aminoglycoside: netilmicin (Sch 20569). *Acta Pharmacol Toxicol* 1979;45:145-151.
- Ban Ismail M, Abid F, Trabelsi S, et al. Cardiac valve prostheses, anticoagulation and pregnancy. *Br Heart J* 1986;55:101-105.
- Bancks BA, Cnaan A, Morgan MA, et al. Multiple courses of antenatal corticosteroids and outcome of premature neonates. *Am J Obstet Gynecol* 1999;181:709-717.
- Bandim JM, Ventura LO, Miller MT, et al. Autism and Meobius sequence: an exploratory study of children in north eastern Brazil. *Arq Neuropsiquiatr* 2003;61:181-185.
- Bannwarth B, Lagrange F, Pehourcq F, et al. Keptoprofen accumulation in premature neonate with renal failure who were exposed to the race mate during pregnancy. *Br J Clin Pharmacol* 1999;47:459-460.
- Bar J, Davidi O, Goshen Y, Hod M, et al. Pregnancy outcome in women treated with doxorubicin for childhood cancer. *Am J Obstet Gynecol* 2003;189:853-857.
- Bar J, Stahl B, Hod M et al. Is immunosuppression therapy in renal allograft recipients teratogenic ? *Am J Med Genet* 2003;116A:31-36.
- Barbero P, Lotersztejn V, Bronberg R, et al. Acitretin embryopathy: a case report. *Birth Defects Res A Clin Mol Teratol* 2004;70: 831-833.
- Barbero P, Lotersztejn V, Bronberg R, et al. Acitretin embryopathy: a case report. *Birth Defects Res A Clin Mol Teratol* 2004;70: 831-833.
- Barbero P, Ricagni C, Mercado G, et al. Choanal atresia associated with prenatal methimazole exposure: three new patients. *Am J Med Genet A* 2004;129: 83-86.
- Barbero P, Ricagni C, Mercado G, et al. Choanal atresia associated with prenatal methimazole exposure: three new patients. *Am J Med Genet A* 2004;129: 83-86.
- Barclay WR. Primary infection tuberculosis during pregnancy. *JAMA* 1981;246:389.
- Barlow AM. *Br Med J* 1963;2:1308, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Barnas C, Bergung A, Hummer M, et al. Clozapine concentrations in maternal and fetal plasma, amniotic fluid, and breast milk. *Am J Psychiatry* 1994;151:945.
- Barni S, Ardizzola A, Zanetta G et al. Weekly doxorubicin chemotherapy for breast cancer in pregnancy. A case report. *Tumori* 1992;78:349-350.
- Baroffio R, Tisi G, Borsellino G, Minnici G. Reciprocal supraventricular paroxysmal tachycardia in pregnancy. Apropos of a case. *Minerva Ginecol* 1996;48:327-30.
- Baron A. *Endokrynol Pol* 1975;26:537. In Rosa FW. Ovulation induction and neural tube defects. *Lancet* 1990;336:1327.
- Baroncini A, Calzolari E, Calabrese O, Zanetti A. First-trimester exposure to ciprofloxacin (abstract). *Teratology* 1996;53:24.
- Bar-Oz B, Moretti ME, Bishai R, Mareels G, et al. Pregnancy outcome after in utero exposure to itraconazole: a prospective cohort study. *Am J Obstet Gynecol* 2000;183: 617-620.
- Barr M jr, Cohen MM Jr. ACE inhibitor fetopathy and hypocalvaria: the kidney-skull connection. *Teratology* 1991;44:485-495.
- Barr M jr, Poznanski AK, Schmickel RD. Digital hypoplasia and anticonvulsants during gestation: a teratogenic syndrome? *J Pediatr* 1974;84:254-256.
- Barr M jr. Fetal effects of angiotensin converting enzyme inhibitor. *Teratology* 1990;41:536.
- Barr M jr. Teratogen update: angiotensin-converting enzyme inhibitors. *Teratology* 1994;50:399-409.
- Barrat J, Leger D. The outcome in pregnancies resulting after the induction of ovulation 519 pregnancies. *J Gynecol Obstet Biol Reprod* 1979;8:333-342.
- Barrett C, Hakim C. Anencephaly, ovulation stimulation, subfertility and illegitimacy. *Lancet* 1973;2:916-917.
- Barrou BM, Gruessner AC, Sutherland DE, Gruessner RW. Pregnancy after pancreas transplantation in the cyclosporine era: report from the International Pancreas Transplant Registry. *Transplantation* 1998;65:524-527.
- Barry JE, Danks DM. Anticonvulsant and congenital abnormalities. *Lancet* 1974;2:48-49.

- Barry WS, Meinzinger MM, Howse CR. Ibuprofen overdose and exposure in utero: results from a postmarketing voluntary reporting System. *Am J Med* 1984;77:35-39.
- Barry WS, St Clair SM. Exposure to benzodiazepines in utero. *Lancet* 1987;i:1436-1437.
- Barson AJ. Malformed infant. *Br Med J* 1972;2:45.
- Bartoshesky LE, Bhan I, Nagpaul K, Pashayan H. Severe cardiac and ophthalmologic malformations in an infant exposed to diphenylhydantoin in utero. *Paediatrics* 1982; 69:202-203.
- Baruch Y, Weiner Z, Enat R, Ronen N, Blumenfeld Z. Pregnancy after liver transplantation. *Int J Gynecol Obstet* 1993;41:273-276.
- Barwell J, Fox GF, Round J, Berg J. Choanal atresia: the result of maternal thyrotoxicosis or fetal carbimazole? *Am J Med Genet* 2002;111:55-56.
- Basso M, Ghio M, Filaci G, et al. A case of successful pregnancy in a woman with systemic sclerosis treated with cyclosporin. *Rheumatology* 2004; 43: 1310-1311.
- Basso M, Ghio M, Filaci G, et al. A case of successful pregnancy in a woman with systemic sclerosis treated with cyclosporin. *Rheumatology* 2004; 43: 1310-1311.
- Ba-Thike. Non-hodgkin's lymphoma in pregnancy. *Asia Oceania J Obstet Gynaecol* 1990;16:229-232.
- Battino D, Mamoli D, Messina S, et al. Malformations in the offspring of pregnant women with epilepsy. Presentation of an international registry of antiepileptic drugs and pregnancy (EURAP). *Rev Neurol* 2002;34:476-480.
- Batton DG, Roberts C, Trese M, Maisels MJ. Severe retinopathy of prematurity and steroid exposure. *Pediatrics* 1992;90:543-546.
- Bauer JH, Pape B, Zajicek J. Propranolol in human plasma and breast milk. *Am J Cardiol* 1979;43:860-862.
- Bauherz G. Pregnancy and Parkinson's disease. A case report. *N Trends Clin Neuropharmacol* 1994;8:142 in von Graeventiz KS, Shulman LM, Revell SP. Levodopa in pregnancy. *Mov Disord* 1996;11:115-116.
- Baum AL, Misri S. Selective serotonin-reuptake inhibitors in pregnancy and lactation. *Harv Rev Psychiatry* 1996;4:117-125.
- Bauman WA, Yalow RS. Transplacental passage of insulin complexed to antibody. *Proc Natl Acad Sci USA* 1981;78:4588-90.
- Bawle EV, Conard JV, Weiss L. Adult and two children with fetal methotrexate syndrome. *Teratology* 1998;57:51-55.
- Baxi LV, Rho RB. Pregnancy after cardiac transplantation. *Am J Obstet Gynecol* 1993;169:33-34.
- **Bayer R.** Reproductive hazards in the workplace: bearing the burden of fetal risk. *Milbank Mem Fund Q Health Soc* 1982;60:633-656.
- Bayhan G, Aban M, Yayla M, et al. Cis-platinum combination chemotherapy during pregnancy for mucinous cystadenocarcinoma of the ovary. Case report. *Eur J Gynaecol Oncol* 1999;20:231-232.
- Baykal C, Al A, Demiroglu A, et al. Twin pregnancy after ICSI in a patient with ovarian cancer complicated with maternal hepatitis C: case report. *Eur J Obstet Gynecol Reprod Biol* 2002;102:96-97.
- Bayliss H, Churchill D, Beevers M, Beevers DG. Anti-hypertensive drugs in pregnancy and fetal growth: evidence for "pharmacological programming" in the first trimester? *Hypertens Pregnancy* 2002;21:161-174.
- Baynes TLS, Crickmay GF, Vaughan Jones R. Pregnancy in a case of chronic lymphatic leukaemia. *Br J Obstet Gynaecol* 1968;75:1165-1168.
- Beard CM, Melton LJ 3rd, O'Fallon WM, et al. Cryptorchism and maternal estrogen exposure. *Am J Epidemiol* 1984;120:707-716.
- Beard CM, Noller KL, O'Fallon WM et al. Lack of evidence for cancer due to use of metronidazole. *N Engl J Med* 1979;301:519-522.
- Beaufilet M, Uzan S, Donsimoni R, Colau JC. Prevention of preeclampsia by early antiplatelet therapy. *Lancet* 1985;i:840-842.
- Becerra JE, Khoury MJ, Cordero JF, Erickson JD. Diabetes mellitus during pregnancy and the risks for specific birth defects: a population-based case-control study. *Pediatrics* 1990;85:1-9.

- Beck RB et al. Ultrastructural Findings in fetal Penicillamine syndrome. Presentation and abstract March of Dimes 14th Annual Birth Defects Conference, San Diego CA 1981;6:16.
- Beckers NG, Macklon NS, Devroey P, et al. First live birth after ovarian stimulation using a chimeric long-acting human recombinant follicle-stimulating hormone (FSH) agonist (recFSH-CTP) for in vitro fertilization. *Fertil Steril* 2003;79:621-623.
- Becks GP, Burrow GN. Thyroid disease and pregnancy. *Med Clin North Am* 1991;75:121-150.
- Beckwith-Turkel S. Malformation complex. *Am J Dis Child* 1980;134:42-45.
- Beeley L. Adverse effects of drugs in the first trimester of pregnancy. *Clin Obstet Gynecol* 1981;8:261-274.
- Beghi Q. Riv Sper Freniatria 1963;87:829, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Belafsky HA, Breslow S, Hirsch LM et al. Meprobamate during pregnancy. *Obstet Gynecol* 1969;34:378-386.
- Belfort MA, Saade GR, Moise KJ. Nimodipine in the management of pre-eclampsia: maternal and fetal effects. *Am J Obstet Gynaecol* 1994;171:417-424.
- Bell CM, Habal FM. Safety of topical 5-aminosalicylic acid in pregnancy. *Am J Gastroenterol* 1997;92:2201-2202.
- Bellantuono C, Reggi V, Tognoni G, Garattini S. Benzodiazepines: clinical pharmacology and therapeutic use. *Drugs* 1980;19:195-219.
- Belton EM, Jones RV. Hemolytic anaemia due to nalidixic acid. *Lancet* 1965;2:691.
- Ben David S, Einarson T, Ben David Y et al. The safety of nitrofurantoin during the first trimester of pregnancy: meta-analysis. *Fundam Clin Pharmacol* 1995;9:503-507.
- Ben Ismail M, Abid F, Trabelsi S, et al. Cardiac valve prostheses, anticoagulation, and pregnancy. *Br Heart J* 1986;55:101-105.
- Ben Muze A, Smith CS. Neonatal effects of maternal clomipramine therapy. *Arch Dis Child* 1979;54:405.
- Benedetti TJ. Maternal complications of parental  $\beta$ -sympathomimetic therapy for premature labor. *Am J Obstet Gynecol* 1983;145:1-6.
- Benigni A, Gregorini G, Frasca T et al. Effect of low dose aspirin on fetal and maternal generation of thromboxane by platelets in women at risk for pregnancy induced hypertension. *N Engl J Med* 1989;321:357-362.
- Benini D, Fanos V, Cuzzolin L, Tato L. In utero exposure to nonsteroidal anti-inflammatory drugs: neonatal renal failure. *Pediatr Nephrol* 2004;19:232-234.
- Benini D, Fanos V, Cuzzolin L, Tato L. In utero exposure to nonsteroidal anti-inflammatory drugs: neonatal renal failure. *Pediatr Nephrol* 2004; 19: 232 – 234. Epub 2003 Nov 25.
- Benini D, Fanos V, Cuzzolin L, Tato L. In utero exposure to nonsteroidal anti-inflammatory drugs: neonatal renal failure. *Pediatr Nephrol* 2004;19:232-234.
- Benini D, Fanos V, Cuzzolin L, Tato L. In utero exposure to nonsteroidal anti-inflammatory drugs: neonatal renal failure. *Pediatr Nephrol* 2004; 19: 232 – 234. Epub 2003 Nov 25.
- Benke PJ. The isotretinoin teratogen syndrome. *JAMA* 1984;251:3267-3269.
- Bental T, Fejgin M, Keysary A, et al. Chronic Q fever of pregnancy presenting as Coxiella burnetii placentitis: successful outcome following therapy with erythromycin and rifampin. *Clin Infect Dis* 1995;21:1318-1321.
- Berardinelli L, Dallatana R, Beretta C, et al. Pregnancy in kidney recipients under cyclosporine. *Transplant Int* 1992;5 (S):480-481.
- Bergamaschi P, Berlingieri D. Neuroleptic treatment at the onset of pregnancy and sacro-coccygeal teratoma of the fetus. *Bull Fed Soc Gynecol Obstet Lang Fr* 1968;20:316-318.
- Berget A, Weber T. Metronidazole and pregnancy. *Ugerskr Laeger* 1972;134:2085-2089.
- Bergh T, Bakos O. Exposure to antiandrogen during pregnancy: case report. *Br Med J* 1987;294:677-678.
- Bergh T, Nillius SJ, Larsson SG, Wide L. Effects of bromocriptine-induced pregnancy on prolactin-secreting pituitary tumors. *Acta Endocrinol* 1981;98:333.

- Bergh T, Nillius SJ, Wide L. Clinical course and outcome of pregnancy in amenorrhic women with hyperprolactinaemia and pituitary tumours. *Br Med J* 1978;1:875-880.
- Bergman U, Boethius G, Swartling PG et al. Teratogenic effects of benzodiazepines use during pregnancy. *J Pediatr* 1990;116:490-491.
- Bergman U, Rosa FW, Baum C et al. Effects of exposure to benzodiazepine during fetal life. *Lancet* 1992;340:694-696.
- Berkane N, Cocheton JJ, Brehier D, et al. Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: A retrospective study of 19 cases. *Acta Obstet Gynecol Scand* 2000;79:941-946.
- Berkovitch M, Diav-Citrin O, Greenberg R et al. First – trimester exposure to amoxicillin/clavulanic acid: a prospective, controlled study. *Br J Clin Pharmacol* 2004; 58: 298- 302.
- Berkovitch M, Diav-Citrin O, Greenberg R et al. First – trimester exposure to amoxicillin/clavulanic acid: a prospective, controlled study. *Br J Clin Pharmacol* 2004; 58: 298- 302.
- Berkovitch M, Diav-Citrin O, Greenberg R, et al. First-trimester exposure to amoxicillin/clavulanic acid: a prospective, controlled study. *Br J Clin Pharmacol* 2004; 58:298-302.
- Berkovitch M, Diav-Citrin O, Greenberg R, et al. First-trimester exposure to amoxicillin/clavulanic acid: a prospective, controlled study. *Br J Clin Pharmacol* 2004; 58:298-302.
- Berkovitch M, Elbirt D, Addis A, et al. Fetal effects of metoclopramide therapy for nausea and vomiting of pregnancy. *N Engl J Med* 2000;343:445-446.
- Berkovitch M, Mazzota P, Greenberg R, et al. Metoclopramide for nausea and vomiting of pregnancy: a prospective multicenter international study. *Am J Perinatol* 2002;19: 311-316.
- Berkovitch M, Pastuszak A, Gazarian M, et al. Safety of the new quinolones in pregnancy. *Obstet Gynecol* 1994;84:535-538.
- Berkovitch M, Segal-Socher I, Greenberg R, et al. First trimester exposure to cefuroxime: a prospective cohort study. *Br J Clin Pharmacol* 2000;50:161-165.
- Berkowitz RL, Coustan DR, Mochizuki TK. *Handbook for Prescribing Medications during Pregnancy*. Little & Brown Co 1981.
- Berman P. Congenital abnormalities associated with maternal clomiphene ingestion. *Lancet* 1975;2:878.
- Bernhardt ID, Dorsey DJ. Hypervitaminosis A and congenital renal anomalies in a human infant. *Obstet Gynecol* 1974;43:750.
- Berrebi A, Cohen M, Ayoubi JM. Creutzfeldt-Jakob disease and pregnancy. *J Gynecol Obstet Biol Reprod* 1997;26:755-759.
- Berrebi A, Schattner A, Molgilner BM. Disseminated Burkitt's lymphoma during pregnancy. *Acta Haematol* 1983;70:139-140.
- Berry DL, Theriault RL, Holmes FA, et al. Management of breast cancer during pregnancy using a standardized protocol. *J Clin Oncol*. 1999;17:855-861.
- Bertollini R, Kallen B, Mastroiacovo P, Robert E. Anticonvulsant drugs in monotherapy. Effect on the fetus. *Eur J Epidemiol* 1987;3:164-171.
- Berwaerts J, Verhelst J, Mahler C, Abs R. Cushing's syndrome in pregnancy treated by ketoconazole: case report and review of the literature. *Gynecol Endocrinol* 1999;13: 175-182.
- Bescoby-Chambers N, Forster P, Bates G. 'Foetal valproate syndrome and autism: additional evidence of an association'. *Dev Med Child Neurol* 2001;43:847.
- Besinger RE, Niebyl JR, Keyes WG et al. Randomized comparative trial of indomethacin and ritodrine for the long-term treatment of preterm labor. *Am J Obstet Gynecol* 1991; 164:981-982.
- Bessieres MH, Berrebi A, Rolland M, Bloom MC, et al. Neonatal screening for congenital toxoplasmosis in a cohort of 165 women infected during pregnancy and influence of in utero treatment on the results of neonatal tests. *Eur J Obstet Gynecol Reprod Biol* 2001;94:37-45.
- Bestetti A, Giuliani P, Nunziata A, et al. Safety and Toxicological profile of the new antitussive levodropropizine. *Arzneimittelforschung* 1988;38:1150-1155.

- Bettendorf e Lehman. WHO symposium, Mosca 1976 in Rosa FW. Ovulation induction and neural tube defects. *Lancet* 1990;336:1327.
- Bhatt-Mehta V, Deluga KS. Fetal exposure to lisinopril: neonatal manifestations and management. *Pharmacotherapy* 1993;13:515-518.
- Biale Y, Leventhal H, Altaras M, Ben-Aderet N. Anencephaly and Clomiphene induced pregnancy. *Acta Obstet Gynecol Scand* 1978;57:483-484.
- Biale Y, Lewenthal H, Aderet NB. Congenital malformations due to anticonvulsant drugs and congenital abnormalities. *Obstet Gynecol* 1975;45:439-442.
- Bielawski D, Hiatt IM, Hegyi T. Betamethasone-induced leukemoid reaction in pre-term infant. *Lancet* 1978;1:218-219.
- Bierman PJ, Bagin RG, Jagannath S et al. High-dose chemotherapy followed by autologous hematopoietic rescue in Hodgkin's disease: Long-term follow up in 128 patients. *Ann Oncol* 1993;4:767-773.
- BIF: Bollettino d'Informazione sui Farmaci, Ministero della Sanità Italiano, Anno XII agosto 1988.
- Bigazzi M, Del Pozo E. Trattamento con Bromocriptina durante tutta la gravidanza: effetti clinici e ormonali in sette gravidanze con otto neonati. *Triangolo* 1978;16:88-91.
- Bilski-Pasquier G, Charon P, Bousser J. Leukosis and pregnancy. *Nouv Rev Fr Hematol* 1962;2:289-311.
- Birger M, Homberg R, Insler V. Clinical evaluation of fetal movements. *Int J Gynaecol Obstet* 1980;18:377-382.
- Birkhead HA, Briggs GB, Saunders LZ. Toxicology of cefazolin in animals. *J Infect Dis* 1973;128 (S):379-388.
- Bishai R, Arbour L, Lyons C, Koren G. Intrauterine exposure to clomiphene and neonatal persistent hyperplastic primary vitreous. *Teratology* 1999;60:143-145.
- Biswas PN, Wilton LV, Shakir SW. The safety of valsartan: results of a postmarketing surveillance study on 12881 patients in England. *J Hum Hypertens* 2002;16:795-803.
- Bitnun S. Possible effect of chlordiazepoxide on the fetus. *Can Med Assoc J* 1969;100:351.
- Bitsch M, Emmrich J, Hary J, et al. Obstetrical analgesia with tramadol. *Fortschr Med* 1980;98:632-634.
- Bivins HA Jr, Newmann RB, Fyfe DA et al. Randomized comparative trial of indomethacin and terbutaline for the long term treatment of preterm labor. *Am J Obstet Gynecol* 1993;168:1065-1070.
- Bjerkedal T, Bahna SL. The course and outcome of pregnancy in women with epilepsy. *Acta Obstet Gynecol Scand* 1973;52:245-248.
- Bjerkedal T, Czeizel A, Goujard J, et al. Valproic acid and spina bifida. *Lancet* 1982;2:1096.
- Black HE, Szot RJ, Arthaud LE, et al. Preclinical safety evaluation of the benzodiazepine quazepam. *Arzneimittelforschung* 1987;37:906-913.
- Blackhurst G, Strachan MW, Collie D, et al. The treatment of a thyrotropin-secreting pituitary macroadenoma with octreotide in twin pregnancy. *Clin Endocrinol (Oxf)* 2002;57:401-404.
- Blanche S, Tardieu M, Rustin P, et al. Persistent mitochondrial dysfunction and perinatal exposure to antiretroviral nucleoside analogues. *Lancet* 1999;354:1084-1089.
- Blatt J, Mulvihill JJ, Ziegler JL et al. Pregnancy outcome following cancer chemotherapy. *Am J Med* 1980;69:828-832.
- Blaw ME, Woody RC. Valproic acid embryopathy? *Neurology* 1983;33:255.
- Blinick G, Jerez E, Wallach RC. Methadone maintenance, pregnancy and progeny. *J Am Med Assoc* 1973;225:477-479.
- Bloem BR, Lammers GJ, Roofthoof DW, et al. Clomipramine withdrawal in newborns. *Arch Dis Child Fetal Neonatal* 1999;81:77.
- Bloem BR, Roofthoof DW, Lammers GJ, et al. Withdrawal symptoms in a neonate following exposure to venlafaxine during pregnancy. *Ned Tijdschr Geneesk* 2003;147:1885-1886.
- Blondheim DS, Klein R, Ben-Dror G, Schick G. Trichinosis in southern Lebanon. *Isr J Med Sci* 1984;20:141-144.

- Blum M, Schweizer A. Avantage du traitement avec une seule dose contre l'infection vaginale a *Candida albicans*. *Rev Fr Gynecol Obstet* 1988;84:15-17.
- Board JA, Lee HM, Draper DA, Hume DM. Pregnancy following kidney homotransplantation from a non-twin. Report of a case with concurrent administration of azathioprine and Prednisone. *ObstetGynecol* 1967;29:318-323.
- Bobrowithz ID. Ethambutol in pregnancy. *Chest* 1974;66:20-24.
- Bode G, Lexa P, Sterz H, et al. Peri- and postnatal toxicity study with carvedilol in rats, drug administration per os. *Kiso To Rinsho* 1991c;25:199-219.
- Bode G, Lexa P, Sterz H, et al. Reproductive toxicology study (fertility) with carvedilol in rats, drug administration per os. *Kiso To Rinsho* 1991b;25:161-189.
- Bode G, Lexa P, Sterz H, et al. Reproductive toxicology study (teratogenicity) with carvedilol in rats, drug administration per os. *Kiso To Rinsho* 1991a;25:127-133.
- Bodin NO, Flodh H, Magnusson G et al. Toxicological studies on metoprolol. *Acta Pharmacol Toxicol* 1975;36:96-103.
- Boehm F, Growdon JH. The effects of scopolamine and ancillary analgesics upon the fetal heart rate recording. *Am J Obstet Gynecol* 1974;120:1099-1104.
- Boerrigter PJ, de Bie JJ, Mannaerts BM, et al. Obstetrical and neonatal outcome after controlled ovarian stimulation for IVF using the GnRH antagonist ganirelix. *Hum Reprod.* 2002;17:2027-2034.
- Bogdanoff B, Rorke LB, Yanoff M, Warren WS. Brain and eye abnormalities. Possible sequelae to prenatal use of multiple drugs including LSD. *Am J Dis Child* 1972;123:145-148.
- Bolletti M, Croatto L. Deafness in a five-year old girl resulting from streptomycin therapy during pregnancy. *Acta Paediatr Lat* 1958;11:1-15.
- Bomba-Opon DA, Wiczynska-Zayac A et al. The effectiveness of prenatal steroid and ambroxol therapy for the prevention of respiratory distress syndrome in newborns of diabetic mothers. *Ginekol Pol* 2000;71:887-892.
- Bomford JAL, Ledger JC, O'Keefe BJ, Reiter CH. Ciprofloxacin use during pregnancy. *Drugs* 1993;45:461-462.
- Bonati M, Nannini S, Addis A. Vitamin A supplementation during pregnancy in developed countries. *Lancet* 1995;345:736-737.
- Bongiovanni AM, McFadden AJ. Steroids during pregnancy and possible fetal consequences. *Fertil Steril* 1960;11:181-184.
- Bonnar J. Anticoagulants and heart valve replacement in pregnancy. In *Poller: Recent Advances in Blood Coagulation*, Churchill Livingstone, Edinburgh 1977.
- Bonner G. The role of kinins in the antihypertensive and cardioprotective effects of ACE inhibitors. *Drugs* 1997;54:23-30.
- Bonnot O, Vollset SE, Godet PF, et al. In utero exposure to benzodiazepine. Is there a risk for anal atresia with lorazepam? *Encephale* 2003;29:553-559.
- Bonnot O, Vollset SE, Godet PF, et al. Maternal exposure to lorazepam and anal atresia in newborns? Results from a hypothesis generating study of benzodiazepines and malformations. *Teratology* 1999;59:439-440.
- Bony C, Zyka F, Tiran-Rajaofera I, et al. Warfarin fetopathy. *Arch Pediatr* 2002;9:705-708.
- Borba EF, Turrini-Filho JR, Kuruma KA, et al. Chloroquine gestational use in systemic lupus erythematosus: assessing the risk of child ototoxicity by pure tone audiometry. *Lupus.* 2004;13(4):223-227.
- Borba EF, Turrini-Filho JR, Kuruma KA, et al. Chloroquine gestational use in systemic lupus erythematosus: assessing the risk of child ototoxicity by pure tone audiometry. *Lupus.* 2004;13(4):223-227.
- Boringa JB, De Jong GM, Touw DJ. Neonatal withdrawal symptoms following the use of clomipramine during pregnancy. *Ned Tijdschr Geneesk* 1992;136:1473-1475.
- Born D, Martinez EE, Almeida AM, et al. Pregnancy in patients with prosthetic heart valves: the effects of anticoagulation on mother, fetus and neonate. *Am Heart J* 1992;124:413-417.
- Boros SJ, Reynolds JW. Intrauterine growth retardation following third-trimester exposure to busulfan. *Am J Obstet Gynecol* 1977;129:111-112.

- Bost RG. Metronidazole: Toxicology and teratology. In Finegold SM ed: Metronidazole: Proceedings of the International Metronidazole Conference, 1976. NY Excerpta Medica 1977.
- Bostrom B, Nesbit ME Jr. Hodgkin disease in a child with fetal alcohol-hydantoin syndrome. *J Pediatr* 1983;103:760-762.
- Bothamley G. Drug treatment for tuberculosis during pregnancy: safety considerations. *Drug Saf* 2001;24:553-565.
- Botta RM. Congenital malformations in infants of 517 pregestational diabetic mothers. *Ann Ist Super Sanità* 1997;33:307-311.
- Bott-Kanner G, Schweitzer A, Schoenfeld A, et al. Treatment with propranolol and hydralazine throughout pregnancy in a hypertensive patient. A case report. *Isr J Med Sci* 1978;14:466-468.
- Botto LD, Loffredo C, Scanlon KS, et al. Vitamin A and cardiac outflow tract defects. *Epidemiology* 2001;12:491-496.
- Boue JB, Boue A. Increased frequency of chromosomal anomalies in abortions after induced ovulation. *Lancet* 1973;1:679-680.
- Bourke GM. Antidepressant teratogenicity? *Lancet* 1974;1:98.
- Bourlière M, Bernuau J, Rueff B, Benhamou JP. Quinidine phenylethylbarbiturate-induced fulminant hepatitis in a pregnant woman. A case report. *J Hepatol* 1988;6:214-216.
- Boutroy MJ, Morselli PL, Bianchetti G et al. Betaxolol: a pilot study of its pharmacological and therapeutic properties in pregnancy. *Eur J Clin Pharmacol* 1990;38:535-539.
- Boutroy MJ, Vert P, Hurault de Ligny B, Miton A. Captopril administration in pregnancy impairs fetal angiotensin converting enzyme activity and neonatal adaptation. *Lancet* 1984;2:935-936.
- Boutry MJ, Gissona CR, Legagneur M. Clonidine: placental transfer and neonatal adaptation. *Early Hum Dev* 1988;17:275-286.
- Boyadzhieva N, Ovcharov R. Investigation of the drug Bioshik (tinidazole) for embryotoxic and teratogenic effects. *Farmatsiya* 1987;37:61-65.
- Boyer JC, Hernandez F, Estorc J et al. Management of maternal Amanita Phalloides poisoning during the first trimester of pregnancy: a case report and review of the literature. *Clin Chem* 2001;47:971-974.
- Bozeman G, Bissada NK, Abboud MR, Laver J. Adult Wilm's tumor: prognostic and management considerations. *Urology* 1995;45:1055-1058.
- Bracero LA, Leikin E, Kirshbenbaum N, et al. Comparison of nidepine and ritrodine for the treatment of preterm labor. *Am Obstet Perinatol* 1991;8:365-369.
- Bracken MB, Holford TR, White C, Kelsey JL. Role of oral contraception in congenital malformations of offspring. *Int J Epidemiol* 1978;7:309-317.
- Bracken MB, Holford TR. Exposure to prescribed drugs in pregnancy and association with congenital malformations. *Obstet Gynecol* 1981;58:336-344.
- Bracken MB. Drug use in pregnancy and congenital heart disease in offspring. *N Engl J Med* 1986;314:1120.
- Bracken MB. Oral contraception and congenital malformations in offspring: a review and meta-analysis of the prospective studies. *Obstet Gynecol* 1990;76:552-557.
- Brackley KJ, Ismail KM, Wright JG, Kilby MD. The resolution of fetal hydrops using combined maternal digoxin and dexamethasone therapy in a case of isolated complete heart block at 30 weeks gestation. *Fetal Diagn Ther* 2000;15:355-358.
- Bradley BS, Kumar SP, Metha PN, et al. Neonatal cushingoid syndrome resulting from serial courses of antenatal betamethasone. *Obstet Gynecol* 1994;83:869-872.
- Brambell CE, Fitzpatrick VP, Hunter RE. Prolonged anticoagulant therapy during the antenatal period. *Trans N Engl Obstet Gynaecol Soc* 1951;5:27.
- Brandner M, Nussle D. Aminopterin-induced fetopathy with congenital stenosis of the medullary space of the long tubular bones. *Ann Radiol* 1969;12:703-710.
- Brazy JE, Little V, Grimm J, et al. Risk: benefit considerations for the use of isoxsuprine in the treatment of premature labor. *Obstet Gynecol* 1981;58:297-303.

- Brazy JE, Little V, Grimm J. Isoxsuprine in the perinatal period. II. Relationships between neonatal symptoms, drug exposure, and drug concentration at the time of birth. *J Pediatr* 1981;98:146-151.
- Brazy JE, Pupkin MJ. Effects of maternal isoxsuprine administration on preterm infants. *J Pediatr* 1979;94:444-448.
- Brearley BF. The management of pregnancy in diabetes mellitus. *Practitioner* 1975; 215:644-652.
- Breccia M, Cimino G, Alimena G, et al. AIDA treatment for high-risk acute leucemia in a pregnant woman at 21 weeks of gestation. *Haematologica* 2002;87:12.
- Bredow V. Use of tramadol versus pethidine versus denaverine suppositories in labor - a contribution to noninvasive therapy of labor pain. *Zentralbl Gynakol* 1992;114:551-554.
- Brent L. Analysis of the Data Base for the Collaborative Perinatal Project: Aspirin use within 10 days before delivery and neonatal and maternal bleeding. Comment RPT3 Docket 77N-0094. Dockets Management Branch.
- Brent NB, Wisner KL. Fluoxetine and carbamazepine concentrations in a nursing mother/infant pair. *Clin Pediatr* 1998;37:41-44.
- Brent RL, Beckman DA. Angiotensin-converting enzyme inhibitors, an embryopathic class of drugs with unique properties: information for clinical teratology counselors. *Teratology* 1991;43:543-546.
- Brent RL. Teratogen update: reproductive risks of leflunomide (Arava); a pyrimidine synthesis inhibitor: counseling women taking leflunomide before or during pregnancy and men taking leflunomide who are contemplating fathering a child. *Teratology* 2001; 63:10-12.
- Bricaire F, Salmon D, Danis M, Gentilini M. Antimalarials and pregnancy. *Bull Soc Pathol Exot* 1991;84:721-738.
- Briggs GG, Freeman RK, Yaffe SJ. *Drugs in Pregnancy and Lactation*. Ed Williams & Wilkins Philadelphia, 2002.
- Briggs GG, Nageotte MP. Fatal fetal outcome with the combined use of valsartan and atenolol. *Ann Pharmacother* 2001;35:859-861.
- Brinton LA, Kruger Kjaer S, Thomsen BL, et al. Childhood tumor risk after treatment with ovulation-stimulating drugs. *Fertil Steril* 2004; 81: 1083-1091.
- Brinton LA, Kruger Kjaer S, Thomsen BL, et al. Childhood tumor risk after treatment with ovulation-stimulating drugs. *Fertil Steril* 2004; 81: 1083-1091.
- Brittinger WD, Schwarzbeck A, Wittenmeier KW, et al. Klinisch-Experimentelle Untersuchungen über die Blutdruckende Wirkung von Verapamil. *Dtsch Med Wochenschr* 1970;95:1871-1877.
- Brocklehurst P, Kinghorn G, Carney O, et al. A randomised placebo controlled trial of suppressive acyclovir in late pregnancy in women with recurrent genital herpes infection. *Br J Obstet Gynaecol* 1998;105:275-280.
- Brocklehurst P. Antibiotics for gonorrhoea in pregnancy. *Cochrane Database Syst Rev*. 2002;2:98.
- Brock-Utne JG, Dow TGB, Welman S et al. The effect of metoclopramide on the lower oesophageal sphincter in late pregnancy. *Anaesth Intensive Care* 1978;6:26-29.
- Brogden RN, Sorkin EM. Isradipine. An update of its pharmacodynamic and pharmacokinetic properties and therapeutic efficacy in the treatment of mild to moderate hypertension. *Drugs* 1995;49:618-649.
- Bromiker R, Kaplan M. Apparent intrauterine fetal withdrawal from clomipramine hydrochloride. *JAMA* 1994;272:1722-1723.
- Broughton Pipkin F, Baker PN, Symonds EM. ACE inhibitors in pregnancy. *Lancet* 1989; 2:967.
- Broughton Pipkin F, Symonds EM, Turner SR: The effect of captopril (SQ14,225) upon mother and fetus in the chronically cannulated ewe and in the pregnant rabbit. *J Physiol* 1982;323:415-422.
- Brown HL, Hiatt AK, Britton K, Mahaffey D. Methadone maintenance in pregnancy: a reappraisal. *Am J Obstet Gynaecol* 1997;124:176.
- Brown HM, Storey G. Treatment of allergy of the respiratory tract with beclomethasone dipropionate steroid aerosol. *Postgrad Med J* 1975;51:59-64.

- Brown JH, Maxwell AP, McGeown MG. Outcome of pregnancy following renal transplantation. *Ir J Med Sci* 1991;160:255-256.
- Bruel H, Guillemant V, Saladin-Thiron C, et al. Anémie hémolytique chez un nouveau-né après prise maternelle de nitrofurantoïne en fin de grossesse. *Arch Pediatr* 2000;7:745-747.
- Bruel H, Poinot J, Charbrolle JP. Neonatal neutropenia caused by trimethoprim-sulfamethoxazole administered to the mother. *Arch Pediatr* 1999;6:107-108.
- Brumfitt W, Pursell R. Double-blind trial to compare ampicillin, cephalexin, cotrimoxazole, and trimethoprim in treatment of urinary infection. *Br Med J* 1972;2:673-676.
- Brumfitt W, Pursell R. Trimethoprim/Sulphamethoxazole in the treatment of urinary infection. *Med J Aust* 1973;1 (SS):44-48.
- Brunaud M, Navarro J, Salle J, Siou G. Pharmacological, toxicological and teratological studies on dipotassium chlorazepate, 4306 cb, a new tranquilizer. *Arzneim Forsch* 1970;20:123-125.
- Brunel P, Vial T, Roche I, et al. Follow-up of 151 pregnant women exposed to antidepressant treatment (MAOI excluded) during organogenesis. *Thérapie* 1994;49:117-122.
- Brunet S, Sureda A, Mateu R, Domingo-Albos A. Full-term pregnancy in a patient diagnosed with acute leukemia treated with a protocol including VP-16. *Med Clin (Barc)* 1993;100:757-758.
- Brunner G, Meyer H, Athmann C. Omeprazole for peptic ulcer disease in pregnancy. *Digestion* 1998;59:651-654.
- Brunozzi LT, Meniconi L, Chiocchi P et al. Propafenone in the treatment of chronic ventricular arrhythmias in a pregnant patient. *Br J Clin Pharmacol* 1988;26:489-490.
- Brunskill PJ. The effects of fetal exposure to danazol. *Br J Obstet Gynecol* 1992;99:212-215.
- Buchanan NMM, Toubi E, Khamashta MA, Lima F, et al. The safety of hydroxychloroquine in lupus pregnancy: experience in 27 pregnancies (abstract). *Br J Rheumatol* 1995;109:573.
- Buckley LM, Bullaboy CA, Leichtman L, Marquez M. Multiple congenital anomalies associated with weekly low-dose methotrexate treatment of the mother. *Arthritis Rheum* 1997; 40: 971- 973.
- Buckley LM, Bullaboy CA, Leichtman L, Marquez M. Multiple congenital anomalies associated with weekly low-dose methotrexate treatment of the mother. *Arthritis Rheum* 1997; 40: 971- 973.
- Buckley LM, Bullaboy CA, Leichtman L, Marquez M. Multiple congenital anomalies associated with weekly low-dose methotrexate treatment of the mother. *Arthritis Rheum* 1997;40:971-973.
- Buckshee K, Takkar D, Aggarwal N. Micronized flavonoid therapy in internal hemorrhoids of pregnancy. *Int J Gynaecol Obstet* 1997;572:145-151.
- Buderus S, Thomas B, Fahnenstich H, Kowalewski S. Renal failure in two preterm infants: toxic effect of prenatal maternal indomethacin treatment? *Br J Obstet Gynaecol* 1993;100:97-98.
- Budnick IJ, Leiken S, Hoeck LE. Effect in the newborn infant of reserpine administered ante partum. *AMA J Dis Child* 1955;90:286-289.
- Buechler AA, Palmer SK. Intrapartum fetal death associated with propranolol; case report and review of physiology. *Wis Med J* 1982;81:23-25.
- Buelke-Sam JB, Byrd RA, Johnson JA, et al. Developmental toxicity of the dopamine agonist pergolide mesylate in cd-1 mice. I: Gestational exposure. *Neurotoxicol Teratol* 1991;13:283-295.
- Buelke-Sam JB, Hagopian GS, Probst KS, et al. Nizatidine: Teratogenicity study in rats. *Yakuri to Chiryō* 1989A;17:547-570.
- Buelke-Sam JB, Tizzano JP, Probst KS, et al. Nitazidine: Perinatal and postnatal study in rats. *Yakuri to Chiryō* 1989B;17:571-589.
- Buller RE, Darrow V, Manetta A et al. Conservative surgical management of dysgerminoma concomitant with pregnancy. *Obstet Gynecol* 1992;79:887-890.

- Bullock JL, Harris RE, Yung R. Treatment of thyrotoxicosis during pregnancy with propranolol. *Am J Obstet Gynecol* 1975;121:242-245.
- Bunde CA, Bowles DM. A technique for controlled survey of case records. *Curr Ther Res Clin Exp* 1963;5:245-248.
- Bung P, Molitor D, Spannbrucker N. Pregnancy, labor and postpartum development after kidney transplantation and triple therapy with cyclosporin A - follow-up in relation to literature review. *Z Geburtshilfe Perinatol* 1991;195:43-45.
- Burday F. Skeleton changes in different cartilage and bone staining in fetuses exposed to propylphenazone. *Teratology* 2001;63:263.
- [Burgess AMC](#), Vere [DW](#). Teratogenic effects of some calcium channel blocking agents in xenopus embryos. *Pharmacol Toxicol* 1989;64:78-82.
- Burleson RL, Sunderji SG, Aubry RH, et al. Renal allotransplantation during pregnancy. Successful outcome for mother, child, and kidney. *Transplantation* 1983;36:334-335
- Burnier AM. Discussion. *Am J Obstet Gynecol* 1982;143:42-43.
- Burr WA. Prescribing in pregnancy. Thyroid disease. *Clin Obstet Gynaecol* 1981;8:341-351.
- Burrow GN. The management of thyrotoxicosis in pregnancy. *N Engl J Med* 1985;313:562-565.
- Burrows RF, Burrows EA. Assessing the teratogenic potential of angiotensin-converting enzyme inhibitors in pregnancy. *Aust NZ J Obstet Gynaecol* 1998;38:306-311.
- Burstein R, Wasserman HC. The effect of provera on the fetus. *Obstet Gynecol* 1964;23:931-934.
- Burstein Y, Rausen AR, Peterson CM. Duration of thrombocytosis in infants of polydrug (including methadone) users. *J Pediatr* 1982;100:506.
- Burtin P, Taddio A, Ariburnu O, Einarson TR, et al. Safety of metronidazole in pregnancy: a meta-analysis. *Am J Obstet Gynecol* 1995;172:525-529.
- Bush MR, Rosa C. Azithromycin and erythromycin in the treatment of cervical chlamydial infection during pregnancy. *Obstet Gynecol* 1994;84:61-63.
- Bustamante SA, Stumpff LC. Fetal hydantoin syndrome in triplets. A unique experiment of nature. *Am J Dis Child* 1978;132:978-979.
- Buttar HS. An overview of the influence of ACE inhibitors on fetal-placental circulation and perinatal development. *Mol Cell Biochem* 1997;176:61-71.
- Butters L, Kennedy S, Rubin PC. Atenolol in essential hypertension during pregnancy. *BMJ* 1990;301:587-589.
- Bye P. Comments on "Conception during 'diane' therapy a successful outcome". *Br J Dermatol* 1986;114:516.
- Byer AJ, Taylor TR, Semmer JR. Acetaminophen overdose in the third trimester of pregnancy. *JAMA* 1982;247:3114-3115.
- Byisma-Howell M, Riggs KW, MCMorland GH et al. Placental transport of metoclopramide: assessment of maternal and neonatal effects. *Can Anaesth Soc J* 1983;30:487-92.
- Byrd DC, Pitts SR, Alexander CK. Hydroxyurea in two pregnant women with sickle cell anemia. *Pharmacotherapy* 1999;19:1459-1462.
- Byrd RA, Gries CL, Buening MK. Developmental toxicology studies of vancomycin hydrochloride administered intravenously to rats and rabbits. *Fundam Appl Toxicol* 1994;23:590-597.
- Byron MA. Treatment of rheumatic diseases. *Br Med J* 1987;294:236-238.