

- Cahill DJ, Fountain SA, Fox R, et al. Outcome of inadvertent administration of a gonadotrophin-releasing hormone agonist (buserelin) in early pregnancy. *Hum Reprod* 1994;9:1243-1246.
- Caldrony RD. Beta-blockers in pregnancy. *N Engl J Med* 1982;306:810.
- Caldwell AP, Seegmiller RE. Evaluation of the teratogenic potential of topically applied all-trans retinoic acid (RA) in mice. *Teratology* 1991;43:443.
- Caligiuri MA, Mayer RJ. Pregnancy and leukemia. *Seminars in Oncology* 1989;16:388-396.
- Callies F, Arlt W, Scholz HJ, Reincke M, et al. Management of hypoparathyroidism during pregnancy-report of twelve cases. *Eur J Endocrinol* 1998;139:284-289.
- Calmelet P, Coumaros D, Viville B, Raiga J et al. Ursodeoxycholic acid, new approach to the treatment of gravidic cholestasis? Three case reports. *J Gynecol Obstet Biol Reprod* 1998;27:617-621.
- Calzolari E, Contiero MR, Roncarati E, et al. Aetiological factors in hypospadias. *J Med Genet* 1986;23:333-337.
- Camarasa A, Monfort A. Josamicin proprionate for treatment of toxoplasmosis in women at gestational age. *Rapporto Shering s.p.a. SS 4.4/1-12, 55-57, 1982.*
- Camera G, Pregliasco P. Ear malformation in baby born to mother using tretinoin cream. *Lancet* 1992;339:687.
- Cameron OG, Landon SG: Lithium carbonate treatment of mania associated with Klinefelter's syndrome. *JAMA* 1980;234:1712.
- Campagnoli C, Belforte L, Bruno M, et al. Evoluzione di 15 gravidanze indotte con terapia bromocriptinica in pazienti con amenorrea-galattorrea. *Min Ginecol* 1980;32: 400-404.
- Campbell DM, MacGillivray I. The effect of low-calorie diet of a thiazide on the incidence of pre-eclampsia and on birth weight. *Br J Obstet Gynaecol* 1975;82:572-577.
- Campbell GD. Chlorpropamide and foetal damage. *Br Med J* 1963;1:59-60.
- Campbell GD. Possible teratogenic effect of tolbutamide in pregnancy. *Lancet* 1961;1: 891-892.
- Campbell JW. A possible teratogenic effect of propranolol. *New Engl J Med* 1985;313: 518.
- Campbell-Brown M, McFadyen IR. Bacteriuria in pregnancy treated with single dose of cephalexin. *Br J Obstet Gynaecol* 1983;90:1054-1059.
- Campomori A, Bonati M. Fluconazole treatment for vulvovaginal candidiasis during pregnancy. *Ann Pharmacother* 1997;31:118-119.
- Canadian Department of National Health and Welfare: Letter of notification to physicians. Ottawa december 7, 1960.
- Canales ES, Garcia IC, Ruiz JE, Zarate A. Bromocriptine as prophylactic therapy in prolactinoma during pregnancy. *Fertil Steril* 1981;36:524-526.
- Candela G, Romano F. Su alcuni aspetti terapeutici in tema di cervico-vaginiti batteriche micotiche e protozoarie. *Min Ginecol* 1968;20:1626-1629.
- Candelpergher G, Buchberger R, Suozzi GL, Padrini R. Transplacental passage of Amiodarone: electrocardiographic evidence in a newborn. *G Ital Cardiol* 1982;12:79-82.
- Canger R, Battino D, Canevini Mp et al. Malformations in offspring of women with epilepsy: a prospective study. *Epilepsia* 1999;40:1231-1236.
- Cantini E, Yanes B. Acute myelogenous leukemia in pregnancy. *South Med J* 1984;77: 1050-1052.
- Cantu JM, Garcia-Cruz D. Midline facial defects as a teratogenic effect of metronidazole. *Birth Defects* 1982;18:85-88.
- Caplan RM, Dossetor JB, Maughan GB. Pregnancy following cadaver kidney homotransplantation. *Am J Obstet Gynecol* 1970;106:644-648.
- Capra A, Paggi G. Impiego del flavoxato nel trattamento della minaccia d'aborto e della minaccia di parto premature. *Min Ginecol* 1972;24:400-404.
- Carbonne B, Jannet D, Touboul C et al. Nicardipine treatment of hypertension during pregnancy. *Obstet Gynecol* 1993;81:908-914.
- Card RT, Holmes IH, Sugarman RG, et al. Successful pregnancy after high dose chemotherapy and marrow transplantation for treatment of aplastic anemia. *Exp Hematol* 1980;8:57-60.

- Carey JC, Klebanoff MA, Hauth JC et al. Metronidazole to prevent preterm delivery in pregnant women with asymptomatic bacterial vaginosis. National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units. *N Engl J Med* 2000; 342:534-540.
- Cariati A. A case of acute hematocytoblastic leukemia and pregnancy. *Riv Ostet Ginecol* 1955;10:785-796.
- Carlan SJ, O'Brien WF, O'Leary TD et al. A randomized comparative trial of indomethacin and sulindac for the treatment of refractory preterm labor (abstract). *Am J Obstet Gynecol* 1992;79:223-228.
- Carlier P, Choulika S, Efthymiou ML. Clomiphene-exposed pregnancies—analysis of 39 information requests including 25 cases with known outcome. *Terapie* 1996;51:532-536.
- Carmichael SL, Shaw GM. Maternal corticosteroid use and risk of selected congenital anomalies. *Am J Med Genet* 1999;86:242-244.
- Carmona F, Cararach V, Bedini JL, et al. Successful pregnancy after combined pancreas-kidney transplantation. *Eur J Obstet Gynecol Reprod Biol* 1993;52:143-145.
- Caron P, Gerbeau C, Pradayrol L, et al. Successful pregnancy in an infertile woman with a thyrotropin-secreting macroadenoma treated with somatostatin analog (octreotide). *J Clin Endocrinol Metab* 1996;81:1164-1168.
- Caro-Patón T, Carvajal A, Martin de Diego I, Martin-Arias LH et al. Is metronidazole teratogenic? A meta-analysis. *Br J Clin Pharmacol* 1997;44:179-182.
- Carradice D, Austin N, Bayston K, Ganly PS. Successful treatment of acute promyelocytic leukaemia during pregnancy. *Clin Lab Haematol* 2002;24:307-311.
- Carrasco E, Sepulveda R. The acceptability, safety and efficacy of nedocromil sodium in long-term clinical use in patients with perennial asthma. *J Int Med Res* 1988;16:394-401.
- Carroll JJ, Moir RS: use of promethazine (Phenergan) hydrochloride in obstetrics. *JAMA* 1958;168:2218-2224.
- Carter BS, Stewart JM. Valproic acid prenatal exposure. Association with lipomyelomeningocele. *Clin Ped* 1988;28:81-85.
- Caruso A, De Carolis S, Ferrazzani S, et al. Pregnancy outcome in women with cardiac valve prosthesis. *Eur J Obstet Gynecol Reprod Biol* 1994;54:7-11.
- Carvajal A, Sánchez A, Hurtarte G . Metronidazole during pregnancy. *Int J Gynaecol Obstet* 1995;48:323.
- Casanegra P, Aviles G, Maturana G, et al. Cardiovascular management of pregnant women with a heart valve prosthesis. *Am J Cardiol* 1975;36:802-806.
- Casba IF, Sulyok E, Ertl T. Relationship of maternal treatment with indomethacin to persistence of fetal circulation syndrome. *J Pediatr* 1978;92:484.
- Case MT, Smith JK, Nelson RA. Reproductive, acute and subacute toxicity studies with nefopam in laboratory animals. *Toxicol Appl Pharmacol* 1975;33:46-51.
- Casele HL, Windley KC, Prieto JA et al. Felodipine use in pregnancy. Report of three cases. *J Reprod Med* 1997;42:378-381.
- Casper RC, Fleisher BE, Lee-Ancayas JC, et al. Follow-up of children of depressed mothers exposed or not exposed to antidepressant drugs during pregnancy. *J Pediatr* 2003;142:402-408.
- Caspi E, Ronen J, Schreyer P, Goldberg MD. The outcome of pregnancy after gonadotrophin therapy. *Br J Obstet Gynaecol* 1976;83:967-973.
- Caspi E, Weinraub Z. A case of sacrococcygeal teratoma in a newborn after maternal treatment with human gonadotropins. In: *Drugs and Fetal Development*. Klingberg, A. Abramovici, J. Chemke. Eds. Plenum Press, New York, 1972.
- Castilla EE, Orioli IM. Teratogenicity of Misoprostol: data from the Latin-American Collaborative Study of Congenital Malformations (ECLAMC). *Am J Med Genet* 1994; 51:161-162.
- Castro-Magana M, Cheruvanky T, Collipp PJ, et al. Transient adrenogenital syndrome due to exposure to danazol in utero. *Am J Dis Child* 1981;135:1032-1034.
- Catalan JL, Santonja J, Martinze L, Jimenez NV. Oligoamnios associated with the use of magnesium dipyrone. *Med Clin Barc* 1995;104:541-543.
- Catalán JL, Santonja J, Martínze L, Jiménez NV. Oligoamnios associated with the use of magnesium dipyrone. *Med Clin (Barc)* 1995;104:541-543.

- Catanzarite VA, Ferguson JE. Acute leukemia and pregnancy: a review of management and outcome, 1972-1982. *Obstet Gynecol Survey* 1984;39:663-678.
- Catione FA, Romano F. *La Riforma Medica* 19668;82:1764, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Cavallaro Am, Lilleby K, Majolino I et al. Three to six year follow-up of normal donors who received recombinant human granulocyte colony-stimulating factor. *Bone Marrow Transplant* 2000;25:86-89.
- Cavenagh JD, Richardson DS, Cahill MR et al. Treatment of acute myeloid leukaemia in pregnancy. *Lancet* 1995;346:441-442.
- Cavenee MR, Farris JR, Spalding TR, et al. Treatment of gonorrhoea in pregnancy. *Obstet Gynecol* 1993;81:33-38.
- CDC. 1998 guidelines for treatment of sexually transmitted diseases. *MMWR* 1998;47: 1-111.
- CDC. Accutane Exposed Pregnancies - California 1999. *MMWR* 2000/49:28-31.
- CDC. Centers for Disease Control & Prevention. Hepatitis B Virus: A Comprehensive Strategy for Eliminating Transmission in the United States Through Universal Childhood Vaccination: Recommendations of the Immunization Practices Advisory Committee (ACIP). *MMWR* 40 (No. RR-13): 4, 1991.
- CDC. Centers for Disease Control & Prevention. Prevention of Varicella: Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 45 (No. RR-11): 19, 1996.
- CDC. Evaluation of an association between loratadine and hypospadias--United States, 1997-2001. *MMWR* 2004;53:219-221.
- CDC. Measles, mumps, and rubella-vaccine use and strategies for elimination of measles, rubella, and congenital rubella syndrome and control of mumps. Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 1998;47:1-57.
- CDC. Recommendations for the prevention of malaria among travellers. *MMWR* 1990; 39:1-10.
- CDC. Recommendations for the prevention of malaria in travellers. *MMWR* 1988;37:17.
- Celleno D, Capogna G, Sebastiani M, et al. Epidural analgesia during and after cesarean delivery. Comparison of five opioids. *Reg Anesth* 1991;16:79-83
- Celo JS, Kim HC, Houlijian C et al. Acute promyelocytic leukaemia in pregnancy: all-trans retinoic acid as a newer therapeutic option. *Obstet Gynecol* 1994;83:808-811.
- Cengir SD, Ortac F, Soylemez F. Treatment and results of chronic toxoplasmosis. *Gynecol Obstet Invest* 1992;33:105-108.
- Centers for Disease Control & Prevention. Hepatitis B virus: A comprehensive Strategy for Eliminating Transmission in the United States Through Universal Childhood Vaccination: Recommendations of the Immunization Practices Advisory Committee (ACIP). *MMWR* 40 (No. RR - 13): 4, 1991.
- Cerqueira MJ, Olle C, Bellart J et al. Intoxication by benzodiazepines during pregnancy. *Lancet* 1988;1:1341.
- Cestari AN, Vieira Filho JP, Yonenaga Y. A case of human reproductive abnormalities possibly induced by Colchicine treatment. *Rev Bras Biol* 1965;25:253-256.
- Ceviz N, Ozkan B, Eren S, Ors R, et al. A case of isotretinoin embryopathy with bilateral anopia and Taussig-Bing malformation. *Turk J Pediatr* 2000;42:239-241.
- Chabala S, Williams M, Amenta R, Ognjan AF. Confirmed rabies exposure during pregnancy: treatment with human rabies immune globulin and human diploid cell vaccine. *Am J Med* 1991;91:423-424.
- Chahoud I, Lofberg B, Mittmann B, Nau H. Teratogenicity and pharmacokinetics of vitamin A acid (tretinoin, all-trans retinoic acid) after dermal application in the rat. *Naunyn Schmiedebergs Arch Pharmacol* 1989;339:30.
- Chahoud I, Nau H, Tzimas G et al. Teratogenicity and pharmacokinetics of tretinoin after topical and oral application in the rat. *Teratology* 1991;44:15.
- Chajek T, Friedman G, Berry EM, Abramsky O. Treatment of acute hepatic encephalopathy with L-dopa. *Postgrad Med J* 1977;53:262-265.
- Challis RE, Scopes JW. Late withdrawal symptoms in babies born to methadone addicts. *Lancet* 1977;2:1230.

- Chambers CD, Dick LM, Felix RJ, et al. Pregnancy outcome in women who use sertraline. *Teratology* 1999;59:376.
- Chambers CD, Johnson KA, Dick LM, et al. Birth outcomes in pregnant women taking fluoxetine. *N Engl J Med* 1996;335:1010-1015.
- Chan A, Hanna M, Abbott M, Keane RJ. Oral retinoids and pregnancy. *Med J Aust* 1996;165:164-167.
- Chan WS, Anand S, Ginsberg JS. Anticoagulation of pregnant women with mechanical heart valves: a systematic review of the literature. *Arch Intern Med* 2000;160:191-196.
- Chandra PC, Patel H, Schiavello HJ, et al. Successful pregnancy outcome after complicated varicella pneumonia. *Obstet Gynecol* 1998;92:680-682.
- Chang CL, Chao AS, Wu CD, et al. Ultrasound recognition and treatment of fetal supraventricular tachycardia with hydrops: a case report. *Changcheng Yi Xue Za Zhi* 1998;21:217-221.
- Chang SY, Soong YK. Unexpected pregnancies exposed to leuprolide acetate administered after the mid-luteal phase for ovarian stimulation. *Hum Reprod* 1995;10: 204-206.
- Chapman SW, Bradsher RW, Campbell GD, et al. Practice guidelines for the management of patients with blastomycosis. Infectious Diseases Society of America. *Clin Infect Dis* 2000;30:679-683.
- Chapman WS, Lithium use during pregnancy. *J Fla Med Assoc* 1989;76:454-456.
- Char VC et al. Letter: Polyhydramnios and neonatal renal failure – a possible association with maternal acetaminophen ingestion. *J Pediatr* 1975;86: 638-639.
- Char VC et al. Letter: Polyhydramnios and neonatal renal failure – a possible association with maternal acetaminophen ingestion. *J Pediatr* 1975;86: 638-639.
- Char VC, Chandra R, Fletcher AB, Avery GB. Polyhydramnios and neonatal renal failure - a possible association with maternal acetaminophen ingestion. *J Pediatr* 1975;86:638.
- Charache S, Terrin ML, Moore RD, et al. Effect of hydroxyurea on the frequency of painful crises in sickle cell anemia. *N Engl J Med* 1995;332:1317-1322.
- Chardonens D, Sylvan K, Walker D, et al. Triptorelin acetate administration in early pregnancy: case reports and review of the literature. *Eur J Obstet Gynecol Reprod Biol* 1998;80:143-149.
- Chasnoff IJ, Burns KA, Burns WJ, Schnoll SH. Prenatal drug exposure: effects on neonatal and infant growth and development. *Neurobehav Toxicol Teratol* 1986;8:357-362.
- Chasnoff IJ, Hatcher R, Burns WJ, Schnoll SH. Pentazocine and tripeleminamine ('T's and blue's'): effects on the fetus and neonate. *Dev Pharmacol Ther* 1983;6:162-169.
- Chassagne P, Lechat P, Georges Janet L. Embryonal and neonatal risks connected with treatments used during pregnancy. *Rev Prat* 1965;15:1329-1340.
- Chatterjee R, Mills W, Katz M et al. Induction of ovarian function by using short-term human menopausal gonadotropin in patients with ovarian failure following cytotoxic chemotherapy for haematological malignancy. *Leuk Lymph* 1993;10:383-386.
- Chaube S, Murphy ML. The teratogenic effects of the recent drugs active in cancer chemotherapy. In: *Advances in Teratology*. DHM Woolam. New York, Academic Press, 1968.
- Chavez CJ, Ostrea EM, Stryker JC, Strauss ME. Ocular abnormalities in infants as sequelae of prenatal drug addiction. *Pediatr Res* 1979;13:367.
- Chazotte C, Andersen HF, Cohen WR. Disseminated herpes simplex infection in an immunocompromised pregnancy: treatment with intravenous acyclovir. *Am J Perinatol* 1987;4:363-364.
- Check JH, Rankin A, Teichman M. The risk of fetal anomalies as a result of progesterone therapy during pregnancy. *Fertil Steril* 1986;45:575-577.
- Chen C, Jensen BK, Mistry G, Wyss R, et al. Negligible systemic absorption of topical isotretinoin cream: implications for teratogenicity. *J Clin Pharmacol* 1997;37:279-284.
- Chen CP, Wang KG. Cryptococcal meningitis in pregnancy. *Am J Perinatol* 1996;13:35-36.
- Chen DT. Human pregnancy experience with the retinoids. *Retinoids: new trends in research and therapy retinoid symp*. Geneva 1984;398-406. Ed Saurat; Karger Basel 1985.
- Chen WWC, Chan CS, Lee PK et al. Pregnancy in patients with prosthetic heart valves: an experience with 45 pregnancies. *Q J Med* 1982; 203: 358-365.
- Chevallier B, Baudet V, Doumaz Y, et al. Neonatal renal insufficiency secondary to niflumic acid administration in pregnancy. *Arch Fr Pediatr* 1992;49:841.

- Childress CH, Katz VL. Nifedipine and its indications in obstetrics and gynecology. *Obstet Gynecol* 1994;83:616-624.
- Chin RK. Pregnancy and Wilson's disease. *Am J Obstet Gynecol* 1991;165: 488-489.
- Chin SO, Brodsky NL, Bhandari V. Antenatal steroid use is associated with increased gastroesophageal reflux in neonates. *Am J Perinatol* 2003;20:205-213.
- Chinayon P, Sakornpant P. Successful pregnancy after heart-lung transplantation: a case report. *Asia Oceania J Obstet Gynaecol* 1994;20:275-278.
- Chisholm CA, Chescheir NC, Kennedy M. Reversible oligohydramnios in a pregnancy with angiotensin-converting enzyme inhibitor exposure. *Am J Perinatol* 1997;14:511-513.
- Chitayat D, McGillivray B, Bamforth S, Hall JG. Prospective study and follow up of women with valproate exposure during pregnancy. *Teratology* 1987;35:69A.
- Chong MKB, Harvey D, Deswiet M. Follow-up study of children whose mothers were treated with warfarin during pregnancy. *Br J Obstet Gynecol* 1984;91:1070-1073.
- Choo YC, Chan SYW, Wong LC, Ma HK. Ovarian dysfunction in patients with gestational trophoblastic neoplasia treated with short intensive courses of etoposide (VP-16-213). *Cancer* 1985;55:2348-2352.
- Chotivittayatarakorn P, Uerpairojkit B, Khonphatthanayothin A, et al. Atrial flutter in fetuses and early childhood: a report of eight cases. *J Med Assoc Thai* 2001;84 (S):39-45.
- Chotmongkol V, Siricharoensang S. Cryptococcal meningitis in pregnancy: a case report. *J Med Assoc Thai* 1991;74:421-422.
- Chotmongkol V, Sookprasert A. Itraconazole in cryptococcal meningitis in pregnancy: a case report. Unpublished report of Janssen, 1990.
- Christensen HD. Establishment of a relevant dose of antenatal hypericum for neurobehavioral development study. *Neurotoxicology and teratology* 1998;20:369.
- Christian MS, Mitala JJ, Powers WJ Jr et al. A developmental toxicity study of tretinoin emollient cream (Renova) applied topically to New Zealand white rabbits. *J Am Acad Dermatol* 1997;36 (S):67-76.
- Christian MS. Reproductive toxicity and teratology evaluation of naltrexone. *J Clin Psychiatr* 1984;45:7-10.
- Christianson AL, Chesler N, Kromberg JG. Fetal valproate syndrome: clinical and neurodevelopmental features in two sibling pairs. *Dev Med Child Neurol* 1994;36:361-369.
- Christman JE, Teng NN, Lebovic GS, Sikic BI. Delivery of a normal infant following cisplatin, vinblastine, and bleomycin (PVB) chemotherapy for malignant teratoma of the ovary during pregnancy. *Gynecol Oncol* 1990;37:292-295.
- Chung NA, Lip GYH, Beevers M, Beevers DG. Angiotensin-II-receptor inhibitors in pregnancy. *Lancet* 2001;357:1620-1621.
- Church MW, Tilak JP. Differential effects of prenatal cocaine and retinoic acid on activity level throughout day and night. *Pharmacol Biochem Behav* 1996;55:595-605.
- Chutivongse S, Wilde H, Benjavongkulchai M, et al. Postexposure rabies vaccination during pregnancy: effect on 202 women and their infants. *Clin Infect Dis* 1995;20:818-820.
- Chutivongse S, Wilde H. Postexposure rabies vaccination during pregnancy: experience with 21 patients. *Vaccine* 1989;7:546-548.
- Cimaz R, Meregalli E, Biggioggero M, et al. Alterations in the immune system of children from mothers treated with immunosuppressive agents during pregnancy. *Toxicol Lett* 2004;149:155-162.
- Cimaz R, Meregalli E, Biggioggero M, et al. Alterations in the immune system of children from mothers treated with immunosuppressive agents during pregnancy. *Toxicol Lett* 2004;149:155-162.
- Cinkotai KI, Wood P, Donnai P, et al. Pregnancy after treatment with hydroxyurea in a patient with primary thrombocythemia and a history of recurrent abortion. *J Clin Pathol* 1994;47:769-770.
- Cipriani S, Conti R, Vella G. Ranitidine in pregnancy. Report on three cases. *GLAXO* Novembre 1986.
- Cissoko H, Jonville-Bera AP, Autret-Leca E. New antiepileptic drugs in pregnancy: outcome of 12 exposed pregnancies. *Therapie* 2002;57:397-401.
- Claahsen HL, Semmekrot BA, Van Dongen PW, Mattijssen V. Successful fetal outcome after exposure to idarubicin and cytosine-arabioside during the second trimester of pregnancy - a case report. *Am J Perinatol* 1998;15:295-297.

- Clark JN, Pulliam JD, Daurio CP. Safety study of a beef-based chewable tablet formulation of ivermectin and pyrantel pamoate in growing dogs, pups, and breeding adult dogs. *Am J Vet Res* 1992;53:608-612.
- Clark RL, Robertson RT, Minsker DH et al. Diflunisal induced maternal anemia as a cause of teratogenicity in rabbits. *Teratology* 1984;30:319-332.
- Claussen U, Breuer HW. The teratogenic effects in rabbits of doxycycline, dissolved in polyvinylpyrrolidone, injected into the yolk sac. *Teratology* 1975;12:297-302.
- Clay SA, McVie R, Chen H. Possible teratogenic effect of valproic acid. *J Pediatr* 1981; 99:828.
- Clayton-Smith J, Donnai D. Fetal valproate syndrome. *J Med Genet* 1995;32:724-727.
- Cleary JE, Burke WM, Baxi LV. Pregnancy after avascular necrosis of the femur complicating Gaucher's disease. *Am J Obstet Gynecol* 2001;184:233-234.
- Cleary JE, Burke WM, Baxi LV. Pregnancy after avascular necrosis of the femur complicating Gaucher's disease. *Am J Obstet Gynecol* 2001;184:233-234.
- Cleary MF. Fluphenazine decanoate during pregnancy. *Am J Psychiatry* 1977;134:15-16.
- Clementi M, Di Gianantonio E, Pelo E, et al. Methimazole embryopathy: delineation of the phenotype. *Am J Med Genet* 1999;83:43-46.
- Clementi M, Giavini E, Mantovani A. Avoidance of bioflavonoid supplements during pregnancy. *Lancet* 2003;361:261-262.
- Cleves MA, Savell VH Jr, Raj S, et al.. Maternal use of acetaminophen and nonsteroidal anti-inflammatory drugs (NSAIDs), and muscular ventricular septal defects. *Birth Defects Res A Clin Mol Teratol* 2004;70:107-113.
- Clewell HJ III, Andersen ME, Wills RJ, Latriano L. A physiologically based pharmacokinetic model for retinoic acid and its metabolites. *J Am Acad Dermatol* 1997; 36(S):77-85.
- Cnattingius S, Signorello LB, Anneren G et al. Caffeine intake and the risk of first-trimester spontaneous abortion. *N Engl J Med* 2000;343:1839-1845.
- Coates A. Cyclophosphamide in pregnancy. *Aust N Z J Obstet Gynaecol* 1970;10:33-34.
- Cochrane WA. Overnutrition in prenatal and neonatal life: A problem? *Can Med Assoc J* 1965;93:893-899.
- Coddington CC, Albrecht RC, Cefalo RC. Gouty nephropathy and pregnancy. *Obstet Gynecol* 1979;133:107-108.
- Coelho KE, Sarmiento MF, Veiga CM, et al. Misoprostol embryotoxicity: clinical evaluation of fifteen patients with arthrogyrosis. *Am J Med Genet* 2000;95:297-301.
- Coen G, Cugin P, Gerlini G, et al. Successful treatment of longlasting severe hypertension with captopril during a twin pregnancy. *Nephron* 1985;40:498-500.
- Coers RJ. Chronic myeloid leukaemia during pregnancy successfully treated with busulfan. *Ned Tijdschr Geneesk* 1959;103:1935-1936.
- Coetzee EJ, Jackson WP. Diabetes newly diagnosed during pregnancy: a 4-year study at Groote Schuur Hospital. *S Afr Med J* 1979;56:467-475.
- Coetzee EJ, Jackson WP. Metformin in management of pregnant insulin-independent diabetics. *Diabetologia* 1979;16:241-245.
- Coetzee EJ, Jackson WP. Oral hypoglycaemics in the first trimester and fetal outcome. *S Afr Med J* 1984;65:635-637.
- Coetzee EJ, Jackson WP. Pregnancy in established non- insulin-dependent diabetics. A five-and-a-half year study at Groote Schuur Hospital. *S Afr Med J* 1980;58:795-802.
- Coetzee EJ, Jackson WP. The management of non-insulin-dependent diabetes during pregnancy. *Diabetes Res Clin Pract* 1985;1:281-287.
- Coggiola F. Preliminary results of treatment of symptomatic and asymptomatic bacteriuria in pregnancy with a new chemotherapeutic agent. *Minerva Ginecol* 1973;25:165-169.
- Cohen MA, Gerbie AB, Nadler HL. Chromosomal investigation in pregnancies following chemotherapy for choriocarcinoma. *Lancet* 1971;2:219.
- Cohen MM, Levy M, Eliakim M. A cytogenetic evaluation of long-term Colchicine therapy in the treatment of familial Mediterranean fever (FMF). *Am J Med Sci* 1977;274:147-152.
- Cohen DL, Orzel J, Taylor A. Infants of mothers receiving gold therapy. *Arthritis Rheum* 1981;24:104-105.

- Cohen I. Absence of congenital infection and teratogenesis in three children born to mothers with blastomycosis and treated with amphotericin B during pregnancy. *Pediatr Infect Dis J* 1987;6:76-77.
- Cohen M, Rubinstein A, Li JK, Nathenson G. Thymic hypoplasia associated with isotretinoin embryopathy. *Am J Dis Child* 1987;141:263-266.
- Cohen J, Mayaux MJ, Guihard-Moscato ML. Pregnancy outcomes after in vitro fertilisation. A collaborative study on 2342 pregnancies. *Ann NY Acad Sci* 1988;541:1-6.
- Cohen I, Veille JC, Calkins BM. Improved pregnancy outcome following successful treatment of chlamydial infection. *JAMA* 1990;263:3160-3163.
- Cohen S, Amar D, Pantuck CB, et al. Adverse effects of epidural 0.03% bupivacaine during analgesia after cesarean section. *Anesth Analg* 1992b;75:753-756.
- Cohen S, Amar D, Pantuck CB, et al. Epidural patient-controlled analgesia after cesarean section: buprenorphine-0.015% bupivacaine with epinephrine versus fentanyl-0.015% bupivacaine with and without epinephrine. *Anesth Analg* 1992a;74:226-230.
- Cohen M. Tretinoin: a review of preclinical toxicological studies. *Drug Dev Res* 1993;30:244-251.
- Cohen LS, Friedman JM, Jefferson JW, et al. A reevaluation of risk of in utero exposure to Lithium. *JAMA* 1994;271:146-150.
- Cohen LS, Heller VL, Bailey JW, et al. Birth outcomes following prenatal exposure to fluoxetine. *Biol Psychiatry* 2000;48:996-1000.
- Cohlman SQ, Bevelander G, Bross S. Growth inhibition of prematures receiving tetracycline. *Am J Dis Child* 1963;105:453-461.
- Cohlman SQ, Bevelander G, Tiamsic T. Effect of tetracycline on bone growth in the premature infant. *Antimicrob Agents Chemother* 1961;340:347.
- Cohlman SQ. Tetracycline staining of teeth. *Teratology* 1977;15:127-129.
- Colao A, Merola B, Ferone D, Lombardi G. Acromegaly. *J Clin Endocrinol Metab* 1997;82:2777-2781.
- Colbert N, Najman A, Gorin NC et al. Acute leukemia during pregnancy: favourable course of pregnancy in two patients treated with cytosine arabinoside and anthracyclines. *Nouv Presse Med* 1980;9:175-178.
- Colina-Chourio JA, Godoy N, Oliveros-Palacios M et al. Successful pregnancy in a severe hypertensive patient treated with nitrendipine. Case report. *Invest Clin* 1992;33:61-67.
- Collaborative Group on Antenatal Steroid Therapy. Effects of antenatal dexamethasone administration in the infant: long term follow-up. *J Pediatr* 1984;104:259-267.
- Colley SMJ, Walpole I, Fabian VA, Kakulas BA. Topical tretinoin and fetal malformations. *Med J Aust* 1998;168:467.
- Collignon P, Hehir J, Mitchell D. Successful treatment of falciparum malaria in pregnancy with mefloquine. *Lancet* 1989;1:967.
- Collins E, Turner G. Maternal effects of regular salicylate ingestion in pregnancy. *Lancet* 1975;2:335-337.
- Collins E. Maternal and fetal effects of acetaminophen and salicylates in pregnancy. *Obstet Gynecol* 1981;58(S):57-62.
- Collins FS, Mahoney MJ. Hydrocephalus and abnormal digit after failed first-trimester prostaglandin abortion. *J Pediatr* 1983;102:620-623.
- Collins MD, Mao GE. Teratology of retinoids. *Annu Rev Pharmacol Toxicol* 1999;39:399-430.
- Colombel JF, Brabant G, Gubler MC et al. Renal insufficiency in infant: side effect of prenatal exposure to mesalazine? *Lancet* 1944;344:620-621.
- Colomina MT, Gomez M, Domingo JL et al. Concurrent ingestion of laccate and aluminium can result in developmental toxicity in mice. *Res Commun Chem Pathol Pharmacol* 1992;77:95-106.
- Committee on Adverse Drug Reactions of New Zealand Fourth Annual report. *Nz Med J* 1969;70:118-120.
- Connaughton M, Jenkins BS. Successful use of flecainide to treat new onset maternal ventricular tachycardia in pregnancy. *Br Heart J* 1994;72:297.
- Connoley G, Menahem S. A possible association between neonatal jaundice and long-term maternal lithium ingestion. *Med J Aust* 1990;152:272-273.

- Connor EM, Sperling RS, Gelber R et al. Reduction of maternal-infant transmission of human immunodeficiency virus type 1 with zidovudine treatment. *N Engl J Med* 1994; 331:1173-80.
- Consoli U, Figuera A, Milone G, et al. Acute promyelocytic leukemia during pregnancy: report of 3 cases. *Int J Hematol.* 2004; 79: 31-36.
- Consoli U, Figuera A, Milone G, et al. Acute promyelocytic leukemia during pregnancy: report of 3 cases. *Int J Hematol.* 2004; 79: 31-36.
- Constantine G, Beevers DG, Reynolds AL, Luesley DM. Nifedipine as a second line antihypertensive drug in pregnancy. *Br J Obstet Gynaecol* 1987;94:1136-1142.
- Conway DP, De Goosh C, Chalquest RR. Clinical studies of the anthelmintic pyrantel tartrate in horses. *Vet Med Small Anim Clin* 1970;65:899-902.
- Conway M, Birt BD. Streptomycin in pregnancy: effect on the foetal ear. *Br Med J* 1965; 2:260-263.
- Cook DG, Klawans HL. Levodopa during pregnancy. *Clin Neuropharmacol* 1985;8:93-95.
- Cooper K, Stafford J, Warwick MT. Wegener's granuloma complicating pregnancy. *J Obstet Gynecol Br Commonw* 1970;77:1028-1030.
- Coopersmith H and Kerbal NC. Drugs and congenital anomalies. *Can Med Ass J* 1962; 87:193.
- Coopland AT, Friesen WJ, Galbraith PA. Acute leukaemia in pregnancy. *Am J Obstet Gynecol* 1969;105:1288-1289.
- Copper WO, Ray WA, Griffin MR. Prenatal Prescription Of Macrolide Antibiotics and Infantile Hypertrophic Pyloric Stenosis. *Obstetrics and Gynecology* 2002;100:101-106.
- Corackci A, Karabacak O, Himmetoglu O, et al. A pregnancy complicated with intrahepatic cholestasis managed by ursodeoxycholic acid. *Jinekoloji Obstet Bul* 1998; 7:120-123.
- Corazza GR, Gasbarrini G, Di Nisio et al. Cimetidine (Tagamet) in peptic ulcer therapy during pregnancy: a report of three cases. *Clin Trials J* 1982;19:91-93.
- Corby DG. Aspirin in pregnancy: Maternal and fetal effects. *Pediatrics* 1978;62:930-945.
- Cornel MC, Ten Kate LP, Te Meerman GJ. Ovulation induction, in-vitro fertilisation, and neural tube defects. *Lancet* 1989;2:1530.
- Corner BD. Congenital malformations. Clinical considerations. *Med J Southwest* 1962; 77:46-52.
- Correa-Villasenor R, Ferencz C, Neill CA, et al. Ebstein's malformation of the tricuspid valve: genetic and environmental factors. *Teratology* 1994;50:137-147.
- Correy JF, Newman NM; Collins JA, et al. Use of prescription drugs in the first trimester and congenital malformations. *Aust N Z J Obstet Gynaecol* 1991;31:340-344.
- Cosgrove MD, Benton B, Henderson BE. Male genitourinary abnormalities and maternal diethylstilbestrol. *J Urol* 1977;117:220-222.
- Costedoat-Chalumeau N, Amoura Z, Le Thi Hong D, et al. Questions about dexamethasone use for the prevention of anti-SSA related congenital heart block. *Ann Rheum Dis* 2003;62:1010-1012.
- Costei A, Ho T, Kozer E, et al. Perinatal outcome following third trimester exposure to paroxetine. *Teratology* 2002;65:300.
- Costei AM, Kozer E, Ho T et al. Perinatal outcome following third trimester exposure to paroxetine. *Arch Pediatr Adolesc Med* 2002;156:1129-1132.
- Cotrufo M, De Luca TSL, Calabro R. Coumarin anticoagulation during pregnancy in patients with mechanical valve prostheses. *Eur J Cardiothorac Surg* 1991;5:300-305.
- Cotton DB, Jones MM, Longmire S, et al. Role of intravenous nitroglycerin in the treatment of severe pregnancy-induced hypertension complicated by pulmonary edema. *Am J Obstet Gynecol* 1986;154:91-93.
- Cotton DB, Longmire S, Jones MM, et al. Cardiovascular alterations in severe pregnancy-induced hypertension: effects of intravenous nitroglycerine coupled with blood volume expansion. *Am J Obstet Gynecol* 1996;174:455.
- Cottrill CM, McAllister RG Jr, Gettes L, Noonan JA. Propranolol therapy during pregnancy, labor and delivery: evidence for transplacental drug transfer and impaired neonatal drug disposition. *J Pediatr* 1977;91:812-814.
- Courtens W, Vamos E, Hainaut M, Vergawen P. Moebius syndrome in an infant exposed in utero to benzodiazepines. *J Pediatr* 1992;121:833-834.

- Cowe L, Lloyd DJ, Dawling S. Neonatal convulsions caused by withdrawal from maternal clomipramine. *Br Med J* 1982;284:1837-1838.
- Cox DR, Martin L, Hall BD. Asplenia syndrome after fetal exposure to warfarin. *Lancet* 1977;2:1134.
- Cox RM, Anderson JM, Cox P. Defective embryogenesis with angiotensin II receptor antagonists in pregnancy. *BJOG* 2003;110:1038-1040.
- Cox SM, Bohman VR, Sherman ML, Leveno KJ. Randomized investigation of antimicrobials for the prevention of preterm birth. *Am J Obstet Gynecol* 1996;174:206-210.
- Cox SM, Phillips LE, De Paolo HD, Faro S. Treatment of disseminated herpes simplex virus in pregnancy with parenteral acyclovir. A Case report. *J Reprod Med* 1986;31: 1005-1007.
- Cozens DD, Barton SJ, Clark R, et al. Reproductive toxicity studies of ademetionine. *Arzneimittelforschung* 1988;38:1625-1629.
- Crawford JS, Johnson K, Jones KL. Pregnancy outcome after transplantation in women maintained on Cyclosporine immunosuppression. Fifth International Conference of Teratogen Information Services. San Diego California, 21-23 marzo 1992.
- Crawford JS, Johnson K, Jones KL. Pregnancy outcome after transplantation in women maintained on cyclosporine immunosuppression. *Reprod Toxicol* 1993;7:156.
- Crawford JS. Cimetidine in elective caesarean section. *Anaesthesia* 1981;36:641-642.
- Crawford JS. The effects of drugs used in labor on the fetus and newborn. *Clin Pharmacol Ther* 1963;4:628-653.
- Craxi A, Pagliarello F. Possible embryotoxicity of Sulfasalazine. *Arch Intern Med* 1980; 140:1674.
- Creasman WT, Rutledge F, Smith JP. Carcinoma of the ovary associated with pregnancy. *Obstet Gynecol* 1971;38:111-116.
- Creasas G, Pavlatos M, Lolis D, Kaskarelis D. A study of the kinetics of cephalosporin and cephalixin in pregnancy. *Curr Med Res Opin* 1980;7:43-46.
- Cree JE, Meyer J, Hailei DM. Diazepam in labour: its metabolism and effect on the clinical condition and thermogenesis of the newborn. *Br Med J* 1973;4:251-255.
- Crombie DL, Pinsent R, Fleming D et al. Fetal effects of tranquillizers in pregnancy. *N Engl J Med* 1975;293:198-199.
- Crombie DL, Pinsent R, Fleming D. Imipramine in pregnancy. *Br Med J* 1972;1:745
- Crombie DL, Pinsent R, Slater BC, et al. Teratogenic drugs. RCGPSurvey. *Br Med J* 1970;4:178-179.
- Crooks BN, Deshpande SA, Hall C, et al. Adverse neonatal effects of maternal labetalol treatment. *Arch Dis Child Fetal Neonatal* 1998;79:150-151.
- Crosignani P, Ferrari C, Mattei AM. Visual field defects and reduced visual acuity during pregnancy in two patients with prolactinoma: rapid regression of symptoms under bromocriptine. Case reports. *Br J Obstet Gynaecol* 1984;91:821-823.
- Crowley P. Cardiac failure in a hypertensive woman receiving salbutamol for premature labour. *Br Med J* 1980;281:227.
- Crowley P. Corticosteroids in pregnancy. The benefits outweigh the cost. *J Obstet Gynaecol* 1981;1:147-150.
- Crowther CA, Henderson-Smart DJ. Vitamin K prior to preterm birth for preventing neonatal periventricular haemorrhage. *Cochrane Database Syst Rev* 2001;(1): CD000229.
- Crump M, Wang XH, Sermer M, Keating A. Successful pregnancy and delivery during alpha-interferon therapy for chronic myeloid leukemia. *Am J Hematol* 1992;40:238-239.
- Cuadros A, Tatum H. The prophylactic and therapeutic use of bendroflumethiazide in pregnancy. *Am J Obstet Gynecol* 1964;89:891-897.
- Cubesi G. *Min Ginecol* 1969;21:1597, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Cuckle H, Wald N. Ovulation induction and neural tube defects. *Lancet* 1989;2:128.
- Cuckle HS, Wald NJ. Evidence against oral contraceptives as a cause of neural tube defects. *Br J Obstet Gynaecol* 1982;89:547-549.
- Culbertson C. Monistat: a new fungicide for treatment of vulvovaginal candidiasis. *Am J Obstet Gynecol* 1974;120:973-976.
- Cullins SL, Pridjian G, Sutherland CM. Goldenhar's syndrome associated with tamoxifen given to the mother during gestation. *JAMA* 1994;271:1905-1906.

- Culnane M, Fowler MC, Lee SS et al. Lack of long-term effects of in utero exposure to zidovudine among uninfected children born to HIV-infected women. *JAMA* 1999;281: 151-157.
- Cundy T, Grundy EN, Melville H, Sheldon J. Bromocriptine treatment of acromegaly following spontaneous conception. *Fertil Steril* 1984;42:134-136.
- Cunha GR, Taguchi O, Nanikawa R et al. Teratogenic effects of clomiphene, tamoxifen, and diethylstilbestrol on the developing female genital tract. *Hum Pathol* 1987;18:1132-1143.
- Cunniff C, Jones KL, Philipson J, et al. Oligohydramnios sequence and renal tubular malformation associated with maternal enalapril use. *Am J Obstet Gynecol* 1990;162: 187-189.
- Cunningham FG, Morris GB, Mickal A. Acute pyelonephritis of pregnancy: a clinical review. *Obstet Gynecol* 1973;42:112-117.
- Cunnington MC. The International Lamotrigine pregnancy registry update for the epilepsy foundation. *Epilepsia* 2004;45:1468.
- Cupryn JP, Kennedy A, Byrick RJ. Malignant hyperthermia in pregnancy. *Am J Obstet Gynecol* 1984;150:327-8
- Curole DN. Cryptococcal meningitis in pregnancy. *J Reprod Med* 1981;26:317-319.
- Curtin JP, Adcock LL. Pregnancy following treatment of endodermal sinus tumor of the ovary with combination chemotherapy, including cis-platinum. *Gynecol Oncol* 1986;24: 268-270.
- Cuvier C, Espie M, Extra JM, Marty M. Vinorelbine in pregnancy. *Eur J Cancer* 1997;33: 168-169.
- Czeizel AE. Diazepam, Phenytoin, and etiology of cleft lip and/or cleft palate. *Lancet* 1976;1:810.
- Czeizel A, Toth J, Erodi E. Aetiological studies of hypospadias in Hungary. *Hum Hered* 1979;29:166-171.
- Czeizel AE, Keller S, Bod M. An etiological evaluation of increased occurrence of congenital limb reduction abnormalities in Hungary, 1975-1978. *Int J Epidemiol* 1983; 12:445-449.
- Czeizel AE, Pazsy A, Pusztai J, Nagy M. Aetiological monitor of congenital abnormalities: a case-control surveillance system. *Acta Pediat Hung* 1983;24:91-99.
- Czeizel AE. Lack of evidence of teratogenicity of Benzodiazepine drugs in Hungary. *Reprod Toxicol* 1988;3:183-188.
- Czeizel AE, Metneki J. Evaluation of counselling for pregnant women exposed to potentially hazardous environmental factors. *Acta Pediat Hung* 1985;26:175-185.
- Czeizel AE, Lendvay A. In utero exposure to Benzodiazepines. *Lancet* 1987;1:628.
- Czeizel AE. Ovulation induction and neural tube defects. *Lancet* 1989;15:167.
- Czeizel AE. Teratogenicity of ergotamine. *J Med Genet* 1989;26:69-71.
- Czeizel A, Racz J. Evaluation of drug intake during pregnancy in the Hungarian Case-Control Surveillance of Congenital Anomalies. *Teratology* 1990;42:505- 512.
- Czeizel AE. Reserpine is not a human teratogen. *J Med Genet* 1990;25:787.
- Czeizel AE. A case control analysis of the teratogenic effects of cotrimoxazole. *Reprod Toxicol* 1990;4:305-313.
- Czeizel AE, Bod M, Halasz P. Evaluation of anticonvulsant drugs during pregnancy in a population-based Hungarian study. *Eur J Epidemiol* 1992;8:122-127.
- Czeizel AE, Tomcsik M, Timar L. Teratologic evaluation of 178 infants born to mothers who attempted suicide by drugs during pregnancy. *Obstet Gynecol* 1997;90:195-201.
- Czeizel AE, Rockenbauer M. Teratogenic study of doxycycline. *Obstet Gynecol* 1997; 89:524-528.
- Czeizel AE, Mosonyi A. Monitoring of early human fetal development in women exposed to large doses of chemicals. *Environ Mol Mutagen* 1997;30:240-244.
- Czeizel AE, Rockenbauer M. Population-based case-control study of teratogenic potential of corticosteroids. *Teratology* 1997;56:335-340.
- Czeizel AE, Rockenbauer M. Prevention of congenital abnormalities by vitamin A. *Int J Vitam Nutr Res* 1998;68:219-231.
- Czeizel AE, Rockenbauer M. A population based case-control teratologic study of oral metronidazole treatment during pregnancy. *Br J Obstet Gynaecol* 1998;105:322-327.

- Czeizel AE, Toth M. Birth weight, gestational age and medications during pregnancy. *Int J Gynecol Obstet* 1998;60:245-249.
- Czeizel AE, Rockenbauer M. A population based case-control teratologic study of furosemide treatment during pregnancy. *Clin Drug Invest* 1999 ;18(4) :307-315.
- Czeizel AE, Rockenbauer M, Sorensen HT, Olsen J. Teratogenic evaluation of oxacillin. *Scand J Infect Dis* 1999;31:311-312.
- Czeizel AE, Rockenbauer M, Sorensen HT, Olsen J. A population-based case-control teratologic study of oral erythromycin treatment during pregnancy. *Reprod Toxicol*. 1999;13:531-536.
- Czeizel AE, Toth M, Rockenbauer M. No teratogenic effect after clotrimazole therapy during pregnancy. *Epidemiology* 1999;10:437-440.
- Czeizel AE, Rockenbauer M. Tetanus toxoid and congenital abnormalities. *Int J Gynaecol Obstet* 1999;64:253-258.
- Czeizel AE, Rockenbauer M, Sorensen HT, Olsen J. A teratologic study of lincosamides. *Scand J Infect Dis* 2000;32:579-580.
- Czeizel AE, Rockenbauer M, Olsen J, Sorensen H. A case-control teratological study of spiramycin, roxithromycin, oleandomycin and josamycin. *Acta Obstet Gynecol Scand* 2000;79:234-237.
- Czeizel AE, Rockenbauer M, Olsen J, Sorensen HT. A teratological study of aminoglycoside antibiotic treatment during pregnancy. *Scand J Infect Dis* 2000;32: 309-313.
- Czeizel AE, Rockenbauer M. A population based case-control teratologic study of oral tetracycline treatment during pregnancy. *Eur J Obstet Gynec Reprod Biol* 2000;88:27-33.
- Czeizel AE, Rockenbauer M, Sorensen HT, Olsen J. A population-based case-control teratologic study of ampicillin treatment during pregnancy. *Am J Obstet Gynecol* 2001; 185:140-147.
- Czeizel AE, Rockenbauer M, Olsen J, Sorensen HT. A population-based case-control study of the safety of oral anti-tuberculosis drug treatment during pregnancy. *Int J Tuberc Lung Dis* 2001;5:564-568.
- Czeizel AE, Rockenbauer M, Sorensen HT, Olsen J. Augmentin treatment during pregnancy and the prevalence of congenital abnormalities: a population-based case-control teratologic study. *Eur J Obstet Gynecol Reprod Biol* 2001;97:188-192.
- Czeizel AE, Rockenbauer M, Sorensen HT, Olsen J. Nitrofurantoin and congenital abnormalities. *Eur J Obstet Gynecol Reprod Biol* 2001;95:119-126.
- Czeizel AE, Rockenbauer M, Sorensen HT, Olsen J. Use of cephalosporins during pregnancy and in the presence of congenital abnormalities: a population-based, case-control study. *Am J Obstet Gynecol* 2001;184:1289-1296.
- Czeizel AE, Vargha P. Case-control study of teratogenic potential of thiethylperazine, an anti-emetic drug. *BJOG* 2003;110:497-499.
- Czeizel AE, Metneki J, Kazy Z, Puho E. A population-based case-control study of oral griseofulvin treatment during pregnancy. *Acta Obstet Gynecol Scand* 2004;83:827-831.
- Czeizel AE, Fladung B, Vargha P. Preterm birth reduction after clotrimazole treatment during pregnancy. *Eur J Obstet Gynecol Reprod Biol* 2004; 116: 157-163.
- Czeizel AE, Kazy Z, Vargha P. Vaginal treatment with povidone-iodine suppositories during pregnancy. *Int J Gynaecol Obstet* 2004;84:83-85.
- Czeizel AE, Rockenbauer M, Sorensen HT, Olsen J. A population-based case-control study of oral chlordiazepoxide use during pregnancy and risk of congenital abnormalities. *Neurotoxicol Teratol* 2004;26:593-598.
- Czeizel AE, Rockenbauer M, Sorensen HT, Olsen J. A population-based case-control study of oral chlordiazepoxide use during pregnancy and risk of congenital abnormalities. *Neurotox Terat* 2004;26:593-598.
- Czeizel AE, Vargha P. A case-control study of congenital abnormality and dimenhydrinate usage during pregnancy. *Arch Gynecol Obstet* 2005;271:113-118.
- Czeszyńska MB, Wegrzynowski J, Czajkowski Z, Dawid G. Fetal and neonatal arrhythmia in one of the twins - a case history. *Acta Genet Med Gemell* 1998;47:197-200