

- Earle R Jr. Congenital Salicylate intoxication, report of a case. *N Engl J Med* 1961;265:1003-1004.
- Earll JM, May RL. Busulfan therapy of myelocytic leukaemia during pregnancy. *Am J Obstet Gynecol* 1965;92:580-581.
- Easmon CSF, Hastings MJG, Deeley J, Bloxham B, et al. The effect of intrapartum chemoprophylaxis on the vertical transmission of group B streptococci. *Br J Obstet Gynaecol* 1983;90:633-635.
- Easterling TR, Carr DB, Brateng D, et al. Treatment of hypertension in pregnancy: effect of atenolol on maternal disease, preterm delivery, and fetal growth. *Obstet Gynecol* 2001;98:427-433.
- Easterling TR, Carr DB, Davis C, et al. Low-dose, short-acting, angiotensin-converting enzyme inhibitors as rescue therapy in pregnancy. *Obstet Gynecol* 2000;96:956-961.
- Ebbesen F, Joergensen A, Hoseth E, et al. Neonatal hypoglycaemia and withdrawal symptoms after exposure in utero to valproate. *Arch Dis Child Fetal Neonatal* 2000;83:124-129.
- Ebenroth ES, Cordes TM, Darragh RK. Second-line treatment of fetal supraventricular tachycardia using flecainide acetate. *Pediatr Cardiol* 2001;22:483-487.
- Echols KT, Gilles JM, Diro M: Mycosis fungoides in pregnancy: remission after treatment with alpha-interferon in a case refractory to conventional therapy: a case report. *J Matern Fetal Med* 2001;10:68-70.
- Edison RJ, Muenke M. Mechanistic and epidemiologic considerations in the evaluation of adverse birth outcomes following gestational exposure to statins. *Am J Med Genet* 2004;131 A:287-298.
- Edison RJ, Muenke M. Mechanistic and epidemiologic considerations in the evaluation of adverse birth outcomes following gestational exposure to statins. *Am J Med Genet* 2004;131:287-298.
- Edison RJ, Muenke M. Mechanistic and epidemiologic considerations in the evaluation of adverse birth outcomes following gestational exposure to statins. *Am J Med Genet* 2004;131 A:287-298.
- Edison RJ, Muenke M. Mechanistic and epidemiologic considerations in the evaluation of adverse birth outcomes following gestational exposure to statins. *Am J Med Genet* 2004;131:287-298.
- Edmonds DK, Letchworth AT. Prophylactic oral salbutamol to prevent premature labour. *Lancet* 1982;1:1313.
- Edmonds LD, Oakley GP. Ebstein anomaly and maternal lithium exposure during pregnancy. Third International Conference of Teratogen Information Services, Park City, Utah, 26-28/02/1990
- Edwards JA, Reid YJ, Cozens DD. Reproductive toxicity studies with oxybutynin hydrochloride. *Toxicology* 1986;40:31-44.
- Edwards JG, Inman WH, Wilton L, Pearce GL. Prescription-event monitoring of 10,401 patients treated with fluvoxamine. *Br J Psychiatry* 1994;164:387-395.
- Edwards A, Peek MJ, Curren J. Transplacental flecainide therapy for fetal supraventricular tachycardia in a twin pregnancy. *Aust N Z J Obstet Gynaecol* 1999;39:110-112.
- Eggermont E, Logghe N, Van De Casseye W, et al. Haemorrhagic disease of the newborn in the offspring of rifampicin and isoniazid treated mothers. *Acta Paediatr Belg* 1976;29:87-90.
- Eggermont E. Withdrawal symptoms in neonate associated with maternal imipramine therapy. *Lancet* 1973;2:680.
- Eggers TR, Doyle LW, Pepperell RJ. Premature labour. *Med J Aust* 1979;1:213-216.
- Eguchi M, Yamaguchi R, Shiota E, Handa S. Fault of ossification and calcification and angular deformities of long bones in the mouse fetuses caused by high doses of ethane-1-hydroxy-1, 1-diphosphonate (EHDP) during pregnancy. *Cong Anomal* 1982;22:47-52.
- Ehrenbard LT, Chaganti RSK. Cancer in the fetal hydantoin syndrome. *Lancet* 1981;2:97.
- Eichner E. Clinical uses of 17 alfa-hydroxy-6alfa-methylprogesterone acetate in gynecologic and obstetric practice. *Am J Obstet Gynecol* 1963;86:171-176.

- Eikmeier G. Fetal malformations under lithium treatment. *Eur Psychiatry* 1996;11:376-377.
- Einarson A, Bailey B, Jung G, Spizzirri D, et al. Prospective controlled study of hydroxyzine and cetirizine in pregnancy. *Ann Allergy Asthma Immunol* 1997;78:157-159.
- Einarson A, Bailey B, Koren G. Pregnancy outcome of women exposed to pinaverium due to a dispensing error. *Ann Pharmacother* 1999;33:112-113.
- Einarson A, Fatoye B, Sarkar M, et al. Pregnancy outcome following gestational exposure to venlafaxine: a multicenter prospective controlled study. *Am J Psychiatry* 2001;158:1728-30.
- Einarson A, Lavigne S, Brochu J et al. Pregnancy outcome following exposure to trazodone and nefazodone: a prospective controlled multicentre study. *Teratology* 2000;61:521.
- Einarson A, Lyszkiewicz D, Koren G. The safety of dextromethorphan in pregnancy. Results of controlled study. *Chest* 2001;119:466-469.
- Einarson A, Maltepe C, Navioz Y, et al. The safety of ondansetron for nausea and vomiting of pregnancy: a prospective comparative study. *BJOG* 2004;111:940-943.
- Einarson A, Mastroiacovo P, Arnon J et al. Prospective, controlled, multicentre study of loperamide in pregnancy. *Can J Gastroenterol* 2000;14:185-187.
- Einarson A, Phillips E, Mawji F, et al. A prospective controlled multicentre study of clarithromycin in pregnancy. *Am J Perinatol* 1998;15:523-525.
- Einer-Jensen N. Antifertility properties of two diphenylethenes. *Acta Pharmacol* 1968; 26:1-97.
- Eisenach JC, Castro MI. Maternally-administered esmolol produces fetal beta-adrenergic blockade and hypoxemia in sheep. *Anesthesiology* 1989;71:718-722.
- Eisenstein Z, Weiss M, Katz Y, Bank H. Intellectual Capacity of subjects exposed to Methimazole or Propylthiouracil in utero. *Europ J Pediatr* 1992;151:558-559.
- Elatrous S, Novira S, Ouanes Besbes L, et al. Short-term treatment of severe hypertension of pregnancy; prospective comparison of nifedipine and labetalol. *Intensive Care Med* 2002;28:1281-1286.
- Eldridge RR, Ephross SA, Heffner CR et al. Monitoring pregnancy outcomes following prenatal drug exposure through prospective pregnancy registries and passive surveillance: a pharmaceutical company commitment. *Prim Care Update Ob Gyne* 1998;5:190-191.
- Eldridge RR, Ephross SA. Monitoring birth outcomes in the Sumatriptan Pregnancy Registry. *Prim Care Update Ob Gyns* 1998;5:190.
- Elefant E, Biour B, Blumberg, Tick J, et al. Administration of a gonadotropin-releasing hormone agonist during pregnancy: follow-up of 28 pregnancies exposed to triptoreline. *Fertil Steril* 1995;63:1111-1113.
- Elefant E, Boyer M, Roux C. Exposure to Mefloquine: follow-up of 218 pregnancies. IV<sup>o</sup> international Conference TIS, Chicago april 1991.
- El-Hennawy AS, Bassi T, Koradia N, Bocirnea A. Transient gestational diabetes insipidus: report of two cases and review of pathophysiology and treatment. *J Matern Fetal Neonatal Med* 2003;14:349-352.
- Eliahou HE, Silverberg DS, Reisin E, et al. Propranolol for the treatment of hypertension in pregnancy. *Br J Obstet Gynecol* 1978;85:431-436.
- Elit L, Bocking A, Kenyon C, Natale R: An endodermal sinus tumor diagnosed in pregnancy: Case report and review of the literature. *Gynecol Oncol* 1999;72:123-127.
- Eller JL, Morton JM: Bizarre deformities in offspring of users of lysergic acid diethylamide. *N Engl J Med* 1970;283:395-397.
- Ellingrod VL, Perry PJ. Venflaxine: a heterocyclic antidepressant. *Am J Hosp Pharm* 1994; 51:3033-3046.
- Elliot BD, Langer O, Schenker S, et al. Insignificant transfer of glyburide occurs across the human placenta. *Am J Obstet Gynecol* 1991;165:807-812.
- Elliot BD, Schenker S, Langer O et al. Comparative placental transport of oral hypoglycemic agents in humans: a model of human placental drug transfer. *Am J Obstet Gynecol* 1994;171:653-660.
- Ellis CJ. Antiparasitic agents in pregnancy. *Clin Obstet Gynecol* 1986;13:269-275.

- Elmazar MM, Nau H. Trimethoprim potentiates valproic acid-induced neural tube defects (NTDs) in mice. *Reprod Toxicol* 1993;7:249-254.
- Elstein D, Eisenberg V, Granovsky-Grisaru S, et al. Pregnancies in Gaucher disease: a 5-year study. *Am J Obstet Gynecol* 2004;190:435-441.
- Elstein D, Eisenberg V, Granovsky-Grisaru S, et al. Pregnancies in Gaucher disease: a 5-year study. *Am J Obstet Gynecol* 2004;190:435-441.
- Elstein D, Granovsky-Grisaru S, Rabinowitz R, et al. Use of enzyme replacement therapy for Gaucher disease during pregnancy. *Am J Obstet Gynecol* 1997; 177: 1509 - 1512.
- Elstein D, Granovsky-Grisaru S, Rabinowitz R, et al. Use of enzyme replacement therapy for Gaucher disease during pregnancy. *Am J Obstet Gynecol* 1997; 177: 1509 - 1512.
- Emerson DJ. Congenital malformations due to attempted abortion with aminopterin. *Am J Obstet Gynecol* 1962;84:356-357.
- Endler M, Derfler K, Schaller A, et al. Pregnancy and labor following kidney transplantation with cyclosporin A. Case report and review of the literature. *Gebursthilfe Frauenheilkd* 1987;47:660-663.
- Endres W. D-Penicillamine in pregnancy. To ban or not to ban? *Klin-Wochenshr* 1981; 59:535-537.
- Enns GM, Roeder E, Chan RT, et al. Apparent cyclophosphamide (Cytosan) embryopathy: a distinct phenotype? *Am J Med Genet* 1999;86:237-241.
- Ensom MH, Stephenson MD. Low-molecular-weight heparins in pregnancy. *Pharmacotherapy* 1999;19:1013-1025.
- Entman SS, Moise KJ. Anaphylaxis in pregnancy. *S Med J* 1984;77:402.
- Epstein MF, Nicholis E, Stubblefield PG. Neonatal hypoglycemia after beta-sympathomimetic tocolytic therapy. *J Pediatr* 1979;94:449.
- Erez S, Schifrin BS, Dirim O. Double-blind evaluation of hydroxyzine as an antiemetic in pregnancy. *J Reprod Med* 1971;7:57-59.
- Erhart NA, Sinatra FR. Biliary atresia, intestinal malrotation, partial abdominal heterotaxia, and craniofacial anomalies in a newborn with intrauterine opiate exposure. *J Pediatr Gastroenterol Nutr* 1994;18:478-480.
- Ericson A, Kallen B, Wiholm BE. Delivery outcome after the use of antidepressants in early pregnancy. *Eur J Clin Pharmacol* 1999;55:503-508.
- Ericson A, Kallen BA. Nonsteroidal anti-inflammatory drugs in early pregnancy. *Reprod Toxicol* 2001;15:371-375.
- Ericson A, Kullander B, Lindsten J. Lack of correlation between contraceptive pills and Down's syndrome. *Acta Obstet Gynecol Scand* 1983;62:511-514.
- Ernst CL, Goldberg JF. The reproductive safety profile of mood stabilizers, atypical antipsychotics and broad-spectrum psychotropics. *J Clin Psychiatry* 2002;63:42-55.
- Eronen M, Heikkilä P, Teramo K. Congenital complete heart block in the fetus: hemodynamic features, antenatal treatment, and outcome in six cases. *Pediatr Cardiol* 2001;22:385-392.
- Eronen M, Pesonen E, Kurki T et al. The effects of indomethacin and a  $\beta$ -sympathomimetic agent on the fetal ductus arteriosus during treatment of premature labour: a randomized double-blind study. *Am J Obstet Gynecol* 1991;164:141-146.
- Eros E, Czeizel AE, Rockenbauer M, et al. A population-based case-control teratologic study of nitrazepam, medazepam, tofisopam, alprazolam and clonazepam treatment during pregnancy. *Eur J Obstet Gynecol Reprod Biol* 2002;101:147-154.
- Esaki K, Nomura G, Iwaki T. Effects of intravenous administration of cefmetazole (CS-1170) on the fetus of the beagle dog. *Jitchuken Zenrinsho Kenkyuho* 1980;6:289-292.
- Esaki K, Sakai Y. Influence of oral administration of tamoxifen in the rabbit fetus. *Preclin Rep Cent Inst Exp Animal* 1980;6:217-238.
- Esaki K, Yanagita T. Effects of intravenous administration of disopyramide phosphate on the rabbit fetus. *Preclin Rep Cent Inst Exp Animal* 1981;7:189-198.
- Eskazan E, Aslan S. Antiepileptic therapy and teratogenicity in Turkey. *Int J Clin Pharmacol Ther Toxicol* 1992;30:261-264.

- Eskenazi B, Bracken MB. Bendectin (Debendox) as a risk factor for pyloric stenosis. *Am J Obstet Gynecol* 1982;144:919-924.
- Espin J, Greenspoon JS, Cheng E et al. Alglucerase infusions in pregnant type I Gaucher patients. *Blood* 1993; 82: 509.
- Espin J, Greenspoon JS, Cheng E et al. Alglucerase infusions in pregnant type I Gaucher patients. *Blood* 1993; 82: 509.
- European Multicentre Trial. Cyclosporin A as sole immunosuppressive agent in recipients of kidney allografts from cadaver donors. Preliminary results of a European multicentre trial. *Lancet* 1982;2:57-60.
- Evans DJ, Kofinas AD, King K. Intraoperative amniocentesis and indomethacin treatment in the management of an immature pregnancy with completely dilated cervix. *Obstet Gynecol* 1992;79:881-882.
- Evans EA, Brooke OG, West RJ. The ingestion by pregnant women of substances toxic to the fetus. *Practitioner* 1980;224:315-319.
- Evans K, Hickey-Dwyer MU. Cleft anterior segment with maternal hypervitaminosis A. *Br J Ophthalmol* 1991;75:691-692.
- Evens RP, Leopold JC. Scopolamine toxicity in a newborn. *Pediatrics* 1980;66:329-330.
- Everett DW, Franz TJ, Chando TJ, et al. Percutaneous absorption of [<sup>3</sup>H] tretinoin and systemic exposure to mequinol after dermal application of 2% mequinol/0.01% [<sup>3</sup>H]tretinoin (Solage R) solution in healthy volunteers. *Biopharm Drug Dispos* 1999; 20:301-308.
- Evron S, Samueloff A, Mor-Yosef S, et al. Pulmonary edema occurring after isoxsuprine and dexamethasone treatment for preterm labor: case report. *J Perinat Med* 1983;11:272-277.
- Ewan JTC, Koch RL, McLafferty MA et al. Relationship between metronidazole metabolism and bactericidal activity. *Antimicrob Agents Chemother* 1980;18:566.
- Ezaki H, Yokohama S, Takahashi N, Takamatsu M: Teratogenicity study on fluticasone propionate in rabbits by subcutaneous administration. *Jpn Pharmacol Ther* 1992;20: 1643-1656.