

- Gabbe SG, Mestman JH, Freeman RK et al. Management and outcome of pregnancy in diabetes mellitus, classes B to R. *Am J Obstet Gynecol* 1977;129:723-732.
- Gaily E, Kantola-Sorsa E, Hiilesmaa V, et al. Normal intelligence in children with prenatal exposure to carbamazepine. *Neurology* 2004;62:28-32.
- Gaily E. Distal phalangeal hypoplasia in children with prenatal phenytoin exposure: results of a controlled anthropometric study. *Am J Med Gen* 1990;35:574-578.
- Gaily EK, Granstrom ML, Hiilesma VK, Bardy A. Minor anomalies in offspring of epileptic mothers. *J Ped* 1988;4: 520-529.
- Gaily EK, Granstrom ML, Hiilesma VK. Head circumference in children of epileptic mothers: contributions of drug exposure and genetic background. *Epilepsy Res* 1990; 5:217-222.
- Gainer JV, Morrow JD, Loveland A, et al. Effect of bradykinin-receptor blockade on the response to angiotensin-converting-enzyme inhibitor in normotensive and hypertensive subjects. *N Engl J Med* 1998;339:1285-1292.
- Gait JE. Hemolytic reactions to nitrofurantoin in patients with glucose-6-phosphate dehydrogenase deficiency: theory and practice. *DICP* 1990;24:1210-1213.
- Gal I, Sharman IM, Pryse-Davies J, Moore T. Vitamin A as possible factor in human teratology. *Proc Nutr Soc* 1969;28:9-10A.
- Gal I, Sharman IM, Pryse-Davies J. Vitamin A in relation to human congenital malformations. *Adv Teratol* 1972;5:143.
- Gal P, Ravenel SD. Congenital contractures and hydrocephalus with Penicillamine and maternal hypotension. *J Clin Dysmorphol* 1984;2:9-12.
- Gallery EDM, Ross MR, Gyory AZ. Antihypertensive treatment in pregnancy: analysis of different responses to oxprenolol and methyldopa. *Br Med J* 1985;291:563-566.
- Gallery EDM, Saunders DM, Hunyor SN, Gyory AZ. Randomized comparison of methyldope and oxprenolol for treatment of hypertension in pregnancy. *Br Med J* 1979;1:1591-1594.
- Gamissans O, Esteban-Altiribba J, Maiques V. Inhibition of human myometrial activity by a new beta-adrenergic drug (DU 21220). *J Obstet Gynaecol Br Commonw* 1969; 70:656.
- Gangemi M, Meneghetti G, Benato M, et al. Hyperprolactinemia and pregnancy: Clinical series. *Clin Exp Obstet Gynecol* 1983;10:108-114.
- Ganguin G, Rempt E. Streptomycinbehandlung in der Schwangerschaft und ihre Auswirkung auf das Gehör des Kindes. *Z Laringol Rhinol Otol* 1970;49:496-503.
- Garbis H, Elefant E, Bertolotti E, et al. Pregnancy outcome after periconceptional and first-trimester exposure to methoxsalen photochemotherapy. *Arch Dermatol* 1995;131: 492-493.
- Garbis H, Elefant E, Diav-Citrin O, Mastroiacovo P, et al. Pregnancy outcome after exposure to ranitidine and other H2-blockers. A collaborative study of the European Network of Teratology Information Services. *Reprod Toxicol* 2005;19:453-458.
- Garcia V, San Miguel J, Borrasca AL. Doxorubicin in the first trimester of pregnancy. *Ann Intern Med* 1981;94:547.
- Gardner LI, Assemany SR, Neu RL. 46, XY female: anti-androgenic effect of oral contraceptive? *Lancet* 1970;2:667-668.
- Gardner RJM, Clarkson JE. A malformed child whose previously alcoholic mother had taken Disulfiram. *NZ Med J* 1981;93:184-186.
- Gardner TM. Jefferson Medical College 1996, in Briggs GG, Freeman RK, Yaffe SJ: *Drugs in Pregnancy and Lactation*. Ed Williams & Wilkins 2002.
- Garrett MJ. Teratogenic effects of combination chemotherapy. *Ann Intern Med* 1974; 80:667.
- Garrettson LK, Procknal JA, Levy G. Fetal acquisition and neonatal elimination of a large amount of salicylate. Study of a neonate whose mother regularly took therapeutic doses of Aspirin during pregnancy. *Clin Pharmacol Ther* 1975;17:98.
- Gartner B, Moreno C, Marinero A, et al. Accidental exposure to daily long-acting gonadotrophin-releasing hormone analogue administration and pregnancy in an in-vitro fertilization cycle. *Hum Reprod* 1997;12:2557-2559.

- Gautier E. Demonstrations cliniques, embryopathie de l'aminopterin, kwashiorkor, enfant maltraite, listeriose congenitale et saturnisme, maladie de weil. *Schweiz Med Wochenschr* 1969;99:33-42.
- Gautier J, Monnet P, Salle B. Ectromelic type defects. Discussion of the teratogenic role of medications during pregnancy. *Pediatrics* 1965;20:489-493.
- Geier A, Lunenfeld B, Pariente C, Kotev-Emeth S, Shadmi A, Kokia E, et al. Estrogen receptor binding material in blood of patients after clomiphene citrate administration: determination by a radioreceptor assay. *Fertil Steril* 1987;47:778-784.
- Geier A, Lunenfeld B, Pariente C, Kotev-Emeth S, Shadmi A, Kokia E, et al. Estrogen receptor binding material in blood of patients after clomiphene citrate administration: determination by a radioreceptor assay. *Fertil Steril* 1987;47:778-784.
- Geiger JM, Baudin M, Saurat JH. Teratogeni crisk with etretinate and acitrenin treatment. *Dermatology* 1994;189:109-116.
- Gellis SS, Feingold MM. Aminopterin embryopathy syndrome. *Am J Dis Child* 1979;133:1189-1190.
- Gembruch U, Manz M, Bald R, et al. Repeated intravascular treatment with amiodarone in a fetus with refractory supraventricular tachycardia and hydrops fetalis. *Am Heart J* 1989;118:1335-1338.
- Gemelli M, De Luca F, Manganaro R, et al. Transient electrocardiographic changes suggesting myocardial ischaemia in newborn infants following tocolysis with beta-sympathomimetics. *Eur J Pediatr* 1990;149:730-733.
- General Practitioner Research Group. Drugs in pregnancy survey. *Practitioner* 1963;191:775-780.
- Genest DR, Di Salvo D, Rosenblatt MJ, Holmes LB. Terminal transverse limb defects with tethering and omphalocele in a 17 week fetus following first trimester misoprostol exposure. *Clin Dysmorphol* 1999;8:53-58.
- Genot MT, Golan HP, Porter PJ, Kass EH. Effect of administration of tetracycline in pregnancy on the primary dentition of the offspring. *J Oral Med* 1970;25:75-79.
- Georges A, Deneff J. Les anomalies digitales manifestations teratogeniques derives xanthique chez le rat. *Arch Int Pharmacodyn Ther* 1968;172:219-222.
- Gerard J, Blazquez G, Mounac M, et al. Treatment of pregnancy-induced hypertension with an alpha-beta blocking agent. 58 cases treated by labetalol. *Rev Fr Gynecol Obstet* 1984;79:713-717.
- Gerhardsson M, Alfredsson L. In utero exposure to Benzodiazepines. *Lancet* 1987;1:628.
- German J, Kowal A, Ehlers KH. Trimethiadione and human teratogenesis. *Teratology* 1970;3:349-362.
- Germann N, Goffinet F, Goldwasser F. Anthracyclines during pregnancy: embryo-fetal outcome in 160 patients. *Ann Oncol*. 2004; 15: 146-150.
- Gerola O, Focchi S, Rondini G. Antidepressant therapy in pregnancy: A review from the literature and report of a suspected paroxetine withdrawal syndrome in a newborn. *Rivista Italiana di Pediatria*, 1999;25:216-218.
- Gevers RH, Hintzen AHJ, Kalff MW et al. Pregnancy following kidney transplantation. *Eur J Obstet Gynecol* 1971;4:147-157.
- Ghazi DM, Kemmann E, Hammond JM. Normal pregnancy outcome after early maternal exposure to gonadotropin releasing hormone agonist. A case report. *J Reprod Med* 1991;36:173-174.
- Giacalone PL, Laffargue F, Benos P. Chemotherapy for breast carcinoma during pregnancy: A French national survey. *Cancer* 1999;86:2266-2272.
- Giagounidis AA, Beckmann MW, Giagounidis AS, et al. Acute promyelocytic leukaemia and pregnancy. *Eur J Haematol* 2000;64:267-71.
- Giannakopoulou C, Manoura A, Hatzidaki E, et al. Multimodal cancer chemotherapy during the first and second trimester of pregnancy: a case report. *Eur J Obstet Gynecol Reprod Biol* 2000;91:95-97.
- Gibson GT, Colley DP, McMichael AJ, Hartshorne JM. Congenital anomalies in relation to the use of doxylamine/dicyclomine and other antenatal factors: an ongoing prospective study. *Med J Aust* 1981;1:410-414.

- Gierup J, Lundkvist K, et al. Gastroschisis: a pilot study of its incidence and the possible influence of teratogenic factors. *Z Kinderchir* 1979;28:39-42.
- Gilbeau JA. *Am J Obstet Gynecol* 1953;115:227, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Gilbert-Barness E, Drut RM. Association of sympathomimetic drugs with malformations. *Vet Hum Toxicol* 2000;42:168-171.
- Gilchrist DM, Friedman JM, Werker D. Life-threatening status asthmaticus at 12.5 weeks' gestation. *Chest* 1991;100:285-286.
- Gililland J, Weinstein L. The effects of cancer chemotherapeutic agents on the developing fetus. *Obstet Gynecol Surv* 1983;38:6-13.
- Gill EJ, Contos MJ, Peng TC. Acute fatty liver of pregnancy and acetaminophen toxicity leading to liver failure and postpartum liver transplantation. A case report. *J Reprod Med* 2002;47:584-586.
- Gillbert C. "Floppy infant syndrome" and maternal diazepam. *Lancet* 1977;2:244.
- Gillett GB, Watson JD, Langford RM. Prophylaxis against acid aspiration syndrome in obstetric practice. *Anesthesiology* 1984;60:525.
- Gilson GJ, Knieriem KJ, Smith JF et al. Short-acting beta- adrenergic blockade and the fetus. A case report. *J Reprod Med* 1992;37:277-279.
- Gimes G, Peter F. Clinical significance of betadine vaginal suppository treatment in pregnancy. *Acta Pharm Hung* 1997;67:249-253.
- Gin T. Intravenous omeprazole before emergency caesarean section. *Anesth Analog* 1995;80:848
- Ginopoulos PV, Michail GD, Kourounis GS. Pregnancy associated breast cancer: a case report. *Eur J Gynaecol Oncol*. 2004; 25: 261-263.
- Ginopoulos PV, Michail GD, Kourounis GS. Pregnancy associated breast cancer: a case report. *Eur J Gynaecol Pncol* 2004; 25: 261 – 263.
- Ginopoulos PV, Michail GD, Kourounis GS. Pregnancy associated breast cancer: a case report. *Eur J Gynaecol Oncol*. 2004; 25: 261-263.
- Ginopoulos PV, Michail GD, Kourounis GS. Pregnancy associated breast cancer: a case report. *Eur J Gynaecol Pncol* 2004; 25: 261 – 263.
- Ginzler AM, Cherner C. Toxic manifestations in the newborn infant following placental transmission of sulfanilamide. With a report of 2 cases simulating erythroblastosis fetalis. *Am J Obstet Gynecol* 1942;44:46-55.
- Giurgiovich AJ, Anderson LM, Jones AB et al. Transplacental cisplatin exposure induces persistent fetal mitochondrial and genomic DNA damage in Patas monkeys. *Reproductive Toxicology* 1997;11:95-100.
- Giustini. *W Va Med J* 1977;73:47, in Rosa 1990.
- Glade G, Saccar CL, Pereira GR: Cimetidine in pregnancy: apparent transient impairment in the newborn. *Am J Dis Child* 1980;134:87-88.
- Gladstone DJ, Bologa M, Maguire C, et al. Course of pregnancy and fetal outcome following maternal exposure to carbamazepine and phenytoin: a prospective study. *Reprod Toxicol* 1992;6:257-261.
- Gladstone GR, Hordof A, Gerson WM. Propranolol administration during pregnancy: Effects on the fetus. *J Pediatr* 1975;86:962-964.
- Glass L, Rajegowda BK, Bowne E, Evans HE. Exposure to quinine and jaundice in a glucose-6-phosphate dehydrogenase-deficient newborn infant. *Pediatrics* 1973;82:734-735.
- Glassemberg R, Cohen H. Intravenous dantrolene in a pregnant malignant hyperthermia susceptible (MHS) patient. *Anesthesiology* 1984;61:A404.
- Glaxo Wellcome. Acyclovir Pregnancy Registry and Valacyclovir Pregnancy Registry 2000. Final study report 1 June 1984 through 30 April 1999.
- Glaxo Wellcome. Bupropion Pregnancy Registry. Final study report 1 september 1997 through 31 August 2002. Issued Dec 2002. Research Triangle Park, North Carolina.
- Glock JL, Morales WJ. Efficacy and safety of nifedipine versus magnesium sulphate in the management of preterm labour: a randomized study. *Am J Obstet Gynecol* 1993;169:960-964.
- Gloor JM, Muchant DG, Norling LL. Prenatal maternal indomethacin use resulting in prolonged neonatal renal insufficiency. *J Perinatol* 1993;13:425-427.

- Glorioso DV, Molloy PJ, Van Thiel DH, et al. Successful empiric treatment of HSV hepatitis in pregnancy. Case report and review of the literature. *Dig Dis Sci* 1996;41: 1273-1275.
- Glueck CJ, Philips H, Cameron D et al. Continuing metformin throughout pregnancy in women with polycystic ovary syndrome appears to safely reduce first-trimester spontaneous abortion: a pilot study. *Fertil Steril* 2001;75:46-52.
- Glueck CJ, Wang P, Goldenberg N, Sieve-Smith L. Pregnancy outcomes among women with polycystic ovary syndrome treated with metformin. *Hum Reprod* 2002;17:2858-2864.
- Glueck CJ, Wang P, Kobayashi S, et al. Metformin therapy throughout pregnancy reduces the development of gestational diabetes in women with polycystic ovary syndrome. *Fertil Steril* 2002;77:520-525.
- Godet PF, Marie-Cardine M. Neuroleptics, schizophrenia and pregnancy. Epidemiological and teratologic study. *Encephale* 1991;17:543-547.
- Goeschen K, Jäger A, Saling E. Value of treatment with dihydroergotamine for hypotension in pregnancy. *Geburtshilfe Frauenheilkd* 1984;44:351-355.
- Goetsch C. An evaluation of aminopterin as an abortifacient. *Am J Obstet Gynecol* 1962;83:1474-1477.
- Goetz RL, Bain RV. Neonatal withdrawal symptoms associated with maternal use of pentazocine. *J Pediatr* 1974;84:887-888.
- Goisis M, Cavalli P. *Min Ginecol* 1962;14:908, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Gokal R, Durrant J, Baum JD, Bennett MJ: Successful pregnancy in acute monocytic leukaemia. *Br J Cancer* 1976;34:299-302.
- Golan A, Ron-el R, Herman A, et al. Fetal outcome following inadvertent administration of long-acting DTRP6 GnRH microcapsules during pregnancy: case report. *Hum Reprod* 1990;5:123-124.
- Golbe LI. Parkinson's disease and pregnancy. *Neurology* 1987;37:1245-1249.
- Golby M: Fertility after renal transplantation. *Transplantation* 1970;10:201.
- Golden NL, King KC, Sokol RJ. Propoxyphene and acetaminophen: possible effects on the fetus. *Clin Pediatr* 1982;21:752-754.
- Golden SM, Perman KI. Bilateral clinical anophthalmia: drugs as potential factors. *Sout Med J* 1980;73:1404-1407.
- Goldenberg RL, Davis RO, Baker RC. Indomethacin-induced oligohydramnios. *Am J Obstet Gynecol* 1989;160:1196-1197.
- Goldfarb AS, Morales A, Rakoff AE, Protos P. Critical review of 160 clomiphene-related pregnancies. *Obst Gynecol* 1968;31:342-345.
- Golding J, Vivian S, Baldwin JA. Maternal antinauseants and cleftsof lip and palate. *Hum Toxicol* 1983;2:63-73.
- Goldman AS. Experimental congenital lipoid adrenal hyperplasia: prevention of anatomic defects produced by aminoglutethimide. *Endocrinology* 1970;87:889-893.
- Goldman J, Menkes J, Peleg D. Effect of corticosteroids on pregnancy, the fetus and the newborn of the asthmatic woman. *Harefuah* 1978;94:81-82.
- Goldman P. Metronidazole. *N Engl J Med* 1980;303:1212-1218.
- Goldman P. Metronidazole: proven benefits and potential risks. *Johns Hopkins Med J* 1980;147:1-9.
- Goldstein D, Williams M, Pearson D. Fluoxetine-exposed pregnancies. *Clin Res* 1991;39:768A.
- Goldstein D. Outcome of fluoxetine-exposed pregnancies. *Am J Hum Genet* 1990;47:A136.
- Goldstein DJ, Corbin LA, Sundell KL. Effects of first- trimester fluoxetine exposure on the newborn. *Obstet Gynecol* 1997;89:713-718.
- Goldstein DJ, Marvel DE. Psychotropic medications during pregnancy: risk to the fetus. *JAMA* 1993;270:2177.
- Goldstein DJ. Effects of third trimester Fluoxetine exposure on the newborn. *J Clin Psychopharmacol* 1995;15:417-420.
- Gomez MR. Possible teratogenicity of valproic acid. *J Pediatr* 1981;98:508-509.

- Gonen Y, Dirnfeld M, Abramovici H. Outcome of pregnancies inadvertently exposed to gonadotropin-releasing hormone analogues (GnRh-a) in early gestation. *J Assist Reprod Genet* 1993; 10: 437-439.
- Gonzales CHL, Jimenez PG, Pezzotti y R MA, et al. Hipertension pulmonar persistente en el recién nacido por uso prenatal de inhibidores de las prostaglandinas (indometacina). Informe de un caso. *Ginecol Obstet Mex* 1980; 48: 103-110.
- Gonzales Ochoa A. Trimethoprim and sulphamethoxazole in pregnancy. *JAMA* 1971; 217: 1244.
- [Gonzalez CH](#), [Marques-Dias MJ](#), [Kim CA](#), et al. Congenital abnormalities in Brazilian children associated with misoprostol misuse in first trimester of pregnancy. *Lancet* 1998; 351: 1624-1627.
- Gonzalez CH, Vargas FR, Perez ABA, et al. Limb deficiency with or without Mobius sequence in seven Brazilian children associated with misoprostol use in the first trimester of pregnancy. *Am J Med Genet* 1993; 47: 59-64.
- Goodenday LS, Gordan GS. Fetal safety of vitamin D during pregnancy. *Clin Res* 1971; 19: 200.
- Goodenday LS, Gordon GS. No risk from vitamin D in pregnancy. *Ann Intern Med* 1971; 75: 807.
- Goodlin RC. Beta blockers in pregnancy-induced hypertension. *Am J Obstet Gynecol* 1982; 143: 237.
- Goodman & Gilman's. *The Pharmacological basis of Therapeutics*. Mc Graw-Hill, Inc., NY 1996.
- Goodman RA, Orenstein WA, Hinman A. Polio vaccination during pregnancy. *JAMA* 1984; 249: 2018-2019.
- Goormans E, Beek JM, Declercq JA et al. Efficacy of econazole (gyno-pevaryl 150) in vaginal candidosis during pregnancy. *Curr Med Res Opin* 1985; 9: 371-377.
- Goudie BM, Dossetor JFB. Effect on the fetus of indomethacin given to suppress labour. *Lancet* 1979; 2: 1187-1188.
- Goujard J, Rumeau-Roquette C. First trimester exposure to progestagen/ oestrogen and congenital malformations. *Lancet* 1977; 1: 482-483
- Gouyon JB, Petion AM, Sandre D, et al. Neonatal kidney insufficiency and intrauterine exposure to ketoprofen. *Arch Fr Pediatr* 1991; 48: 347-348
- Grabowsky JR. Action of tofranil on the human embryo. *Rev Bras Med* 1966; 23: 220.
- Gracious BL, Wisner KL. Phenelzine use throughout pregnancy and the puerperium: case report, review of the literature, and management recommendations. *Depress Anxiety* 1997; 6: 124-128.
- Gradoni L, Gaeta GB, Pellizzer G, et al. Mediterranean visceral leishmaniasis in pregnancy. *Scand J Infect Dis* 1994; 26: 627-629.
- Graf WD, Shepard TH. Uterine contraction in the development of Meobius syndrome. *J Child Neurol* 1997; 12: 225-227.
- Graham JM, Marin-Padilla M, Hoefnagel D. Jejunal atresia associated with cafergot ingestion during pregnancy. *Clin Pediatr* 1983; 22: 226-228.
- Granati B, Grella PV, Pettenazzo A et al. The prevention of respiratory distress syndrome in premature infants: efficacy of antenatal aminophylline treatment versus prenatal glucocorticoid administration. *Pediatr Pharmacol* 1984; 4: 21-24.
- Granstrom ML, Hiilesma VK. Malformations and minor anomalies in the children of epileptic mothers: preliminary results of the prospective Helsinki study. In: *Epilepsy, Pregnancy, and the Child*. JAnz D, Dam M, Richens A et al, eds. Raven Press, New York, 1982.
- Gratzl R, Sodeck G, Platzer P, et al. Treatment of toxoplasmosis in pregnancy: concentrations of spiramycin and neospiramycin in maternal serum and amniotic fluid. *Eur J Clin Microbiol Infect Dis* 2002; 21: 12-16.
- Grauwiler J, Schon H. Teratological experiments with ergotamine in mice, rats, and rabbits. *Teratology* 1973; 7: 227-235.
- Gray MJ. Use and abuse of thiazides in pregnancy. *Clin Obstet Gynecol* 1968; 11: 568-578.
- Gray MS. *Trichomonas vaginalis* in pregnancy: the results of metronidazole therapy on the mother and child. *J Obstet Gynaecol Br Commonw* 1961; 68: 723-729.

- Greco P, Vimercati A, Angelici MC, et al. Toxoplasmosis in pregnancy is still an open subject. *J Perinat Med* 2003;31:36-40.
- Green JAG. Hypervitaminosis A induced teratogenesis. *Crit Rev Toxicol* 1979;6:351-357.
- Green DM, Fiorello A, Zevon MA et al. Birth defects and childhood cancer in offspring of survivors of childhood cancer. *Arch Pediatr Adolesc Med* 1997;151:379-383.
- Greenberg F. Choanal atresia and athelia: methimazole teratogenicity or a new syndrome? *Am J Med Genet* 1987;28:931-934.
- Greenberg F. Possible metronidazole teratogenicity and clefting. *Am J Med Gen* 1985;22:825.
- Greenberg G, Inman WH, Weatherall JA, Adelstein AM. Hormonal pregnancy tests and congenital malformations. *Br Med J* 1975;2:191-192.
- Greenberg G, Inman WHW, Weatherall JAC, et al. Maternal drug histories and congenital abnormalities. *Brit Med J* 1977;2:853-856.
- Greenberg LH, Tanaka KR. Congenital anomalies probably induced by cyclophosphamide. *JAMA* 1964;188:423-426.
- Greenberg PA, Patterson R. Beclomethasone dipropionate for severe asthma during pregnancy. *Ann Intern Med* 1983;98:478-480.
- Greenberger P, Patterson R. Safety of therapy for allergic symptoms during pregnancy. *Ann Intern Med* 1978; 89:234-237.
- Greenblatt RB. Induction of ovulation with Clomiphene. In "Ovulation, Stimulation, Suppression, Detection". JB Lippincott Co., Philadelphia, 1966.
- Greenland S, Ackerman DL. Clomiphene citrate and neural tube defects: a pooled analysis of controlled epidemiologic studies and recommendations for future studies. *Fertil Steril* 1995;64:936-941.
- Greer FR, Hollis BW, Napoli JL. High concentrations of vitamin D2 in human milk associated with pharmacologic doses of vitamin D2. *J Pediatr* 1984;105:61-64.
- Greer IA, Johnston J, Tulloch I, Walker JJ. Effect of maternal ketorolac administration on platelet function in the newborn. *Eur J Obstet Gynecol Reprod Biol* 1988;29:257-260.
- Gregory MC, Mansell MA. Pregnancy and cystinuria. *Lancet* 1983;2:1158-1160.
- Grella P, Zanor P. Premature labor and indomethacin. *Prostaglandins* 1978;16:1007-1017.
- Gresser I, Aguet M, Morel-Maroger L et al. Electrophoretically purified mouse interferon inhibits growth, induces liver and kidney lesions, and kills suckling mice. *Am J Pathol* 1981;102:396-402.
- Gresser I, Maury C, Tovey M et al. Progressive glomerulonephritis in mice treated with interferon preparations at birth. *Nature* 1976;263:420-422.
- Gresser I, Morel-Maroger L, Chatelet F et al. Delay in growth and the development of nephritis in rats treated with interferon preparations in the neonatal period. *Am J Pathol* 1979;95:329-346.
- Gresser I, Tovey MG, Maury C, Chouroulinkov I. Lethality of interferon preparations for newborn mice. *Nature* 1975;258:76-78.
- Griffith DN, Ross EJ. Pregnancy after cyproheptadine treatment for Cushing's disease. *N Engl J Med* 1981;305:893-894.
- Griffith RW, Turkalj I, Braun P. Outcome of pregnancy in mothers given bromocriptine. *Br J Clin Pharmacol* 1978;5:227-231.
- Griffith RW, Turkalj I, Braun P. Pituitary tumours during pregnancy in mothers treated with bromocriptine. *Br J Clin Pharmacol* 1979; 7:393-396.
- Groll M. Endometriosis and spontaneous abortion. *Fertil Steril* 1984;41:933-935.
- Gronlund LA. Treatment of intrahepatic cholestasis of pregnancy with ursodeoxycholic acid. *Ugeskr Laeg* 1999;161:5433-5434.
- Gross S, Librach C, Cecutti A. Maternal weight loss associated with hyperemesis gravidarum: a predictor of fetal outcome. *J Obstet Gynecol* 1989;160:906-909.
- Grote WD, Harms D, Jänig U, Kietzmann H, et al. Malformation of fetus conceived four months after termination of maternal retinoid treatment. *Lancet* 1985;1:1276.

- Grove KL, Mayo RJ, Forsyth CS et al. Fosinopril treatment of pregnant rats: developmental toxicity, fetal angiotensin-converting enzyme inhibition and fetal antiotensin II receptor regulation. *Toxicology Letters* 1995;80:85-95.
- Grover L, Kane J, Kravitz J, Cruz A. Systemic acyclovir in pregnancy: a case report. *Obstet Gynecol* 1985;65:284-287.
- Grumbach MM, Ducharme JR, Moloshok RE. On the fetal masculinizing action of certain oral progestins. *J Clin Endocrinol Metab* 1959;19:1369-1380.
- Grumbach MM, Ducharme JR. The effects of androgens on fetal sexual development. Androgen induced female pseudohermaphroditism. *Fertil Steril* 1960;11:157-180.
- Grunewald C, Kublickas M, Carlstrom K, et al. Effects of nitroglycerin on the uterine and umbilical circulation in severe preeclampsia. *Obstet Gynecol* 1995;86:600-604.
- Grush LR, Nierenberg A, Keefe B, Cohen LS. St. John's wort during pregnancy. *JAMA* 1998;280:1566.
- Gueguen J. *Presse Med* 1962;70:2441, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Guidozi F. Pregnancy in patients with prosthetic cardiac valve. *S Afr Med J* 1984;65:961-963.
- Guignard JP, Burgener F, Calame A. Persistent anuria in a neonate: a side effect of captopril? (Abstract). *Int J Pediatr Nephrol* 1981;2:133.
- Guignon AM, Mallaret MP, Jouk PS. Carbimazole-related gastroschisis. *Ann Pharmacother* 2003; 37: 829-831.
- Guikontes E, Spantideas A, Diakakis J. Ondansetron and hyperemesis gravidarum. *Lancet* 1992;340:1223.
- Gulati SC, Van Poznak C. Pregnancy after bone marrow transplantation. *J Clin Oncol* 1998;16:1978-1985.
- Gummerus M, Halonen O. Prophylactic long-term oral tocolysis of multiple pregnancies. *Br J Obstet Gynaecol* 1987;94:249-251.
- Gunnarskog JG, Kallen AJB, Lindelof BG, Sigurgeirsson B. Psoralen Photochemotherapy (PUVA) and pregnancy. *Arch Dermatol* 1993;129:320-323.
- Gunter H, Frei U, Niesert S. Pregnancies following kidney transplantation and in immunosuppression with cyclosporin A. *Geburtshilfe Frauenheilkd* 1989;49:155-159.
- Guntheroth WG, Cyr DR, Mack LA et al. Hydrops from reciprocating atrioventricular tachycardia in a 27 week fetus requiring quinidine for conversion. *Obstet Gynecol* 1985;66:29-33.
- Gutierrez-Alvarez AM. Use of anticonvulsive drugs during pregnancy and the risk of malformations in the newborn: a meta-analysis. *Rev Neurol* 2003;37:1022-1028.
- Guttman D. Cephalexin in Urinary Tract Infections. Preliminary Results, Proceedings of a Symposium on the Clinical Evaluation of Cephalexin. Royal Society of Medicine, London 02/03-07/1969.
- Gysler M, March CM, Mishell DR, Bailey EJ. A decade's experience with an individualized clomiphene treatment regimen including its effects on the postcoital test. *Fertil Steril* 1982;37:161-167.