

- Haagsma EB, Visser GH, Klompmaker IJ, et al. Successful pregnancy after orthotopic liver transplantation. *Obstet Gynecol* 1989;74:442-443.
- Haan G, van Steen R, Rutten F. Evaluation of in-vitro-fertilisation. Vakgroep Economie van de Gezondheidszorg, Rijksuniversiteit Limburg. Maastricht 1989.
- Habal FM, Hui G, Greenberg GR. Oral 5-aminosalicylic acid for inflammatory bowel disease in pregnancy: safety and clinical course. *Gastroenterology* 1993;105:1057-1060.
- Habersang S, Leuschner F, Schlichtegroll A. Toxicologische Prufung von Reoproterol. *Arzneim Forsch* 1977;27:45-52.
- Habib A, McCarthy JS. Effects on the neonate of propranolol administered during pregnancy. *J Pediatr* 1977;91:808-811.
- Hach M, Brish M, Serr DM et al. Outcome of pregnancy after induced ovulation. Follow-up of pregnancy and children born after Gonadotropin therapy. *J Am Med Assoc* 1970;211:791-797.
- Hack M, Brish M, Serr DM et al. Outcome of pregnancy after induced ovulation: followup of pregnancies and children born after Clomiphene therapy. *JAMA* 1972;220:1329.
- Hack M, Lunenfeld B. The influence of hormone induction of ovulation on the fetus and newborn. *Pediatr Adolesc Endocrinol* 1979;5:191.
- Hadar A, Sheiner E, Press F, Katz A, Katz M. Dilated cardiomyopathy in a pregnant woman after doxorubicin and radiotherapy for Hodgkin's disease: a case report. *J Reprod Med*. 2004; 49: 401-403.
- Hadar A, Sheiner E, Press F, Katz A, Katz M. Dilated cardiomyopathy in a pregnant woman after doxorubicin and radiotherapy for Hodgkin's disease: a case report. *J Reprod Med*. 2004; 49: 401-403.
- Hadders-Algra M, Touwen BC, Huisjes HJ. Long-term follow-up of children prenatally exposed to ritodrine. *Br J Obstet Gynaecol* 1986;93:156-161.
- Hadsall FJ, Acquarelli MJ. Disseminated coccidioidomycosis presenting as facial granulomas in pregnancy: a report of two cases and a review of the literature. *Laryngoscope* 1973;83:51-58.
- Haerr RW, Pratt AT. Multiagent chemotherapy for sarcoma diagnosed during pregnancy. *Cancer* 1985;56:1028-1033.
- Haffaiee Holt DW, Tucker GT, Jackson PR, Storey GCA. Amiodarone pharmacokinetics. *Am Heart J* 1983;106:840-847.
- Hagell P, Odin P, Vinge E. Pregnancy in Parkinson's disease: a review of the literature and a case report. *Mov Disord* 1998;13:34-38.
- Hager H, Welt SI, Cardasis JP, Alvarez S. Disseminated blastomycosis in a pregnant woman successfully treated with amphotericin-B. A case report. *J Reprod Med* 1988; 33:485-488.
- Hagler S, Schultz A, Hankin H, Kunstandter RH. Fetal effects of steroid therapy during pregnancy. *Am J Dis Child* 1963;106:586-590.
- Hague WM. Treatment of endocrine diseases. *Br Med J* 1987;294:297-300.
- Hahn G, Lehmann HD, Kurten M, et al. On the pharmacology and toxicology of silymarin, an antihepatotoxic active principle from *Silybum marianum*. *Arzneimittelforschung* 1968;18:698-704.
- Haibach H, Akhter JE, Muscato MS, et al. Acetaminophen overdose with fetal demise. *Am J Clin Pathol* 1984;82:240-242.
- Halal F, Attendu CA, Theoret G. Megauretere, hypospadias et anus imperfore chez un nouveau-ne: role possible du Clomiphene pris par la mere. *CMA J* 1980;122:1159-1160.
- Halbrecht I, Komlos L, Shabtay F et al. Triploidy 69, XXX in a stillborn girl. *Clin Genet* 1973;4:210-212.
- Hall BD. Methimazole as a teratogenic etiology of choanal atresia/multiple congenital anomaly syndrome. *Am J Hum Genet* 1999;83:43-46.
- Hall BD. Warfarin embryopathy and urinary tract anomalies: possible new association. *Am J Med Gen* 1989;34: 292-293.
- Hall G. A case of phocomelia of the upper limbs. *Med J Austr* 1963;1:449-450.
- Hall JG, Pauli RM, Wilson KM. Maternal and fetal sequelae of anticoagulation during pregnancy. *Am J Med* 1980;68:122-140.

- Hall JG. Arthrogryposis (AMC) associated with unsuccessful attempts at termination of pregnancy. *Am J Med Genet* 1996;63:293-300.
- Hall JG. Embryopathy associated with oral anticoagulant therapy. *Birth Defects Orig Artic Ser* 1976;12:33-37.
- Hallak M, Reiter AA, Ayres NA et al. Indomethacin for preterm labor: fetal toxicity in a dizygotic twin gestation. *Obstet Gynecol* 1991;78:911-913.
- Haller J. Hormonal contraception and the growth of neoplasm. *Med Klin* 1974;69:272-286.
- Hamada H, Neuman F, Junkman K. Intra-uterine influence of rat fetuses by a potent progestational steroid. *Acta Endocrinol* 1963;44:380-388.
- Hamada Y, Imanishi M. Fertility study of etizolam in rats. *Oyo Yakuri* 1979;17:781-785.
- Hamada Y, Imanishi M. Perinatal and postnatal study of etizolam in rats. *Oyo Yakuri* 1979; 17:787-797.
- Hamada Y, Imanishi M. Reproduction study of mezlocillin in rats. (II) Teratogenicity study. *Iyakuin Kenkyu* 1978;9:986-996.
- Hamada Y, Imanishi M. Teratogenicity study of etizolam (P-INN) in mice, rats and rabbits. *Oyo Yakuri* 1979;17:763-779.
- Hamel P, Febbraro W, Barjot P, et al. Fetal supraventricular tachycardia with anasarca complicating benign extrasystole: treatment with flecainide. Apropos of a case. *Arch Mal Coeur Vaiss* 1997;90:407-410.
- Hamel P, Febbraro W, Barjot P, et al. Flecainide: drug of choice for supraventricular tachycardias with anasarca. A case report. *J Gynecol Obstet Biol Reprod* 1997;26:37-39.
- Hamer JW, Beard MEJ, Duff GB. Pregnancy complicated by acute myeloid leukemia. *Austr NZ Med J* 1979;89:212-216.
- Hamlyn AN, Douglas AP, James O. The spectrum of paracetamol (acetaminophen) overdose: clinical and epidemiological studies. *Postgrad Med J* 1978;54:400-404.
- Hammond CB, Haney AF, Land MR, Van der Merwe JV, et al. The outcome of pregnancy in patients with treated and untreated prolactin-secreting pituitary tumors. *Am J Obstet Gynecol* 1983;147:148-157.
- Hammond DC, Silidoff IJ, Robitzek EH. Isoniazid therapy in relation to later occurrence of cancer in adults and in infants. *Brit Med J* 1967;2:792-795.
- Hammond JE, Toseland PA. Placental transfer of chlorpromazine. *Arch Dis Child* 1970;45:139-140.
- Hanan IM, Kirsner JB. Inflammatory bowel disease in the pregnant woman. *Clin Perinatol* 1985;12:669-682.
- Hancock PJ, Setzer ES, Beydoun SN. Physiologic and biochemical effects of ritodrine therapy on the mother and perinate. *Am J Perinatol* 1985;2:1-6.
- Hankey GR, Bucens MR, Chambers JSW. Herpes simplex encephalitis in third trimester of pregnancy: successful outcome for mother and child. *Neurology* 1987;37:1534-1537.
- Hansen LM, Megerian G, Donnenfeld AE. Haloperidol overdose during pregnancy. *Obstet Gynecol* 1997;90:659-661.
- Hanson IC, Antonelli TA, Sperling RS, et al. Lack of tumors in infants with perinatal HIV-1 exposure and fetal/neonatal exposure to zidovudine. *J Acquir Immune Defic Syndr Hum Retrovirol* 1999;20:463-467.
- Hanson JW, Ardinger HH, Di Liberti J, et al. Effects of valproic acid on the fetus. *Pediatr Res* 1984;18:306A.
- Hanson JW, Oakley GP. Haloperidol and limb deformity. *JAMA* 1975;231:26.
- Hanson TJ, Balonoff LB, Northcutt RC. Aminoglutethimide and pregnancy. *Jama* 1974;230:963-964.
- Hanssens M, Keirse MJNC, Vankelecom F, Van Assche FA. Fetal and neonatal effects of treatment with angiotensin-converting enzyme inhibitors in pregnancy. *Obstet Gynecol* 1991;78:128-135.
- Happle R, Traupe H, Bounameaux Y, Fisch T. Teratogene wirkung von etrinat beim menschen. *Deutsch Med Wochensh* 1984;109:1476-1480.
- Harada S, Tawara K, Autissier C et al. Reproductive toxicity studies of perindopril in rats and rabbits. *Yakuri to Chiro* 1994;22:1729-1734.
- Haram K. Floppy infant syndrome and maternal diazepam. *Lancet* 1977;ii:612-613.

- Harcourt JK, Jonhson NW, Storey E. In vivo incorporation of tetracycline in the th of man. *Arch Oral Biol* 1962; 7: 431-437.
- Hardin JA. Cyclophosphamide treatment of lymphoma during third trimester of pregnancy. *Obstet Gynecol* 1972; 39: 850.
- Harer WB. Tranquilizers in obstetrics and gynecology. Studies with Trilafon. *Obstet Gynecol* 1958; 11: 273.
- Haring DAJP, Cornel MC, Van der Linden JC. Acardius acephalus after induced ovulation: A case report. *Teratology* 1993; 47: 257-262.
- Harjulehto T, Aro T, Hovi T, Saxen L. Congenital malformations and oral poliovirus vaccination during pregnancy. *Lancet* 1989; 1: 771-772.
- Harjulehto-Mervaala T, Aro T, Hiilesmaa VK, et al. Oral polio vaccination during pregnancy: no increase in the occurrence of congenital malformations. *Am J Epidemiol* 1993; 138: 407-414.
- Harlap S, Davies AM, Baras M. Complications of pregnancy and labor in former oral contraceptive users. *Contraception* 1981; 24: 1-13.
- Harlap S, Davies AM. The pill and births: the Jerusalem study. Bethesda, MD, Center for Population. Research, NICHD, 1978.
- Harlap S, Eldor J. Birth following oral contraceptive failures. *Obstet Gynecol* 1980; 55: 447-452.
- Harlap S, Prywes R, Davies AM. Birth defects and oestrogens and progesterones in pregnancy. *Lancet* 1975; 1: 682-683.
- Harlap S, Shiono PH, Ramcharan S. Congenital abnormalities in the offspring of women who used oral and other contraceptives around the time of conception. *Int J Fertil* 1985; 30: 39-47.
- Harlap S. Ovulation induction and congenital malformation. *Lancet* 1976; 2: 961.
- Harley JD, Farrar JF, Gray JB, Dunlop IC. Aromatic drugs and congenital cataracts. *Lancet* 1964; 1: 472-473.
- Harley JD, Robin H, Robertson SEJ. Thiazide-induced neonatal haemolysis? *Br Med J* 1964; 1: 696-697.
- Harper MA, Mc Veigh JE, Thompson W et al. Successful pregnancy in association with Zollinger-Ellison syndrome. *Am J Obstet Gynecol* 1995; 173 : 863-864
- Harper RG, Solish G, Feingold E et al. Maternal ingested methadone, body fluid methadone, and the neonatal withdrawal syndrome. *Am J Obstet Gynecol* 1977; 129: 417-424.
- Harper RG, Solish GI et al. Effect of metadone treatment program upon pregnant heroin addicts and their newborn infants. *Pediatrics* 1974; 54: 300-305.
- Harpey JP Jaudon MC, Clavel JP, Galli A et al. Cutis laxa and low serum zinc after antenatal exposure to penicillamine. *Lancet* 1983; 2: 858.
- Harpey JP, Darbois Y, Lefebvre G. Teratogenicity of pyrimethamine. *Lancet* 1983; 2: 8346: 399.
- Harris EL. Adverse reactions to oral antidiabetic agents. *Br Med J* 1971; 3: 29-30.
- Harris JWS, Ross IP. Cortisone therapy in early pregnancy: Relation to cleft plate. *Lancet* 1956; 1: 1045-1047.
- Harris LJ. Leukaemia and pregnancy. *Can Med Assoc J* 1953; 68: 234-236.
- Harris RE, Gilstrap LC. Prevention of recurrent pyelonephritis during pregnancy. *Obstet Gynecol* 1974; 44: 637-641.
- Harris RE. Coccidioidomycosis complicating pregnancy. Report of 3 cases and review of the literature. *Obstet Gynecol* 1966; 28: 401-405.
- Harrison EC, Roschke EJ. Pregnancy in patients with cardiac valve prostheses. *Clin Obstet Gynecol* 1975; 18: 107-123.
- Harrison P, Chipping P, Fothergill GA. Successful use of all-trans retinoic acid in acute promyelocytic leukaemia presenting during the second trimester of pregnancy. *Br J Haematol* 1994; 86: 681-682.
- Harsch IA, Hubner RH, Hahn EG, Hensen J. Osteoporosis and multiple pregnancy, a case report with positive outcome. *Med Klin* 2001; 96: 402-407.
- Hart CW, Naunton RF. The ototoxicity of chloroquine phosphate. *Arch Otolaryngol* 1964; 80: 407-412.

- Hartikainen-Sorri AL, Heikkinen JE, Koivisto M. Pharmacokinetics of clonidine during pregnancy and nursing. *Obstet Gynecol* 1987;69:598-600.
- Hartley-Asp B. Chromosomal studies on human lymphocytes exposed to metronidazole in vivo and in vitro. In: Phillips I e Collier J ed: *Metronidazole, Proceedings, Geneva 1979*.
- Hartmann J, Chahoud I, Buerkle B, Neubert D. Testis hypoplasia in rat offspring prenatally exposed to ganciclovir. *Teratology* 1991;44:25A.
- Har-Toov J, Brenner SH, Jaffa A et al. Pregnancy during long-term gonadotropin-releasing hormone agonist therapy associated with clinical pseudomenopause. *Fertil Steril* 1993;59:446-447.
- Hartz SC, Heinonen OP, Shapiro S et al. Antenatal exposure to meprobamate and chlordiazepoxide in relation to malformations, mental development, and childhood mortality. *N Engl J Med* 1975;292:726-728.
- Harvarth JS, Phippard A, Korda A et al. Clonidine hydrochloride- a safe and effective antihypertensive agent in pregnancy. *Obstet Gynecol* 1985;66:634-638.
- Hasegawa Y, Fukiishi Y. Reproduction studies on 7432-s 3 theratology studies in rabbits. *Chemotherapy* 1989;37:972-989/990-1025/1026-1039.
- Hasegawa Y, Takegawa Y, Yoshida T. Reproduction of rats under 6315-S (Flomoxef). (2) Intravenous administration during fetal organogenesis. *Chemotherapy Tokyo, Nippon Kagaku Ryoho Gakkai Zasshi* 1987;35:370-403.
- Hasegawa Y, Takegawa Y. Reproduction studies on 7432-s 2 teratology study in rats. *Chemotherapy* 1989;37:972-1025.
- Hasegawa Y, Yoshida T. A teratology study on 6059-S in rats. *Chemotherapy Tokyo, Nippon Kagaku Ryoho Gakkai Zasshi* 1980;28:1119-1141.
- Haslam RR, Ekert H, Gillam GL. Hemorrhage in a neonate possibly due to maternal ingestion of salicylate. *J Pediatrics* 1974;34:556-557.
- Hastwell G. Salbutamol aereosol in premature labour. *Lancet* 1975;2:1212-1213.
- Hastwell GB, Halloway CP, Taylor TLO. A study of 208 patients in premature labor treated with orally administrated salbutamol. *Med J Aust* 1978;1:465-469.
- Hata T, Asaoka H, Ito M et al. Reproductive and developmental toxicity study of me1207 in rats by oral administration during the period of organogenesis. *Chemotherapy* 1992;40:256-272.
- Hata T, Asaoka H, Ito M, et al. Reproductive and developmental toxicity study of me1207 in rats by oral administration prior to and in the early stages of pregnancy. *Chemotherapy* 1992;40:247-255.
- Hatakeyama Y, Ando K, Iizuka T et al. A reproductive toxicity study by intramuscular administration of OH-6000 during fetal organogenesis period in rats. *Yakuri to Chiryo* 1993;21:3591-3616.
- Hatakeyama Y, Iizuka T, Nishioeda R, Kotosai K. A reproductive toxicity study by intramuscular administration of OH-6000 before and during the early stages of gestation in rats. *Yakuri to Chiryo* 1993;21:3579-3589.
- Hatakeyama Y, Kawakami Y, Shimomura K et al. A reproductive toxicity study by intramuscular administration of OH-6000 during the peripartum and nursing priods in rats. *Yakuri to Chiryo* 1993;21:3629-3649.
- Hattig H, Steinhausen H. Children of epileptic parents: a prospective developmental study. In: Rauh H, Steinhausen H-Ch, eds. *Psychobiology and early development*, Amsterdam: Elsevier 1987:155-169.
- Hattori M, Inoue S, Katano T et al. Reproductive and developmental toxicity study of me1207 of rats by oral administration during the perinatal and lactation period. *Chemotherapy* 1992;40:272-283.
- Hauben M, Amsden GW. The association of erythromycin and infantile hypertrophic pyloric stenosis: causal or coincidental? *Drug Saf* 2002;25:929-942.
- Haugen G, Fauchald P, Sodal G, et al. Pregnancy outcome in renal allograft recipients in Norway. The importance of immunosuppressive drug regimen and health status before pregnancy. *Acta Obstet Gynecol Scand* 1994;73:541-546.

- Hauth JC, Goldenberg RL, Parker R et al. Low-dose aspirin therapy to prevent preeclampsia. *Am J Obstet Gynecol* 1993;168:1083-1093.
- Hawe P, Francis HH. Pregnancy and thyrotoxicosis. *Br Med J* 1962;2:817-822.
- Hawkins DF. Drug treatment of medical disorders in pregnancy. In *Drugs and Pregnancy. Human Teratogenesis and Related Problems*. Hawkins DF Ed. Churchill Livingstone, London 1983.
- Haworth SG, Rei DL. Persistent fetal circulation: newly recognised structures. *J Pediatr* 1976;88:614-620.
- Hayles AB, Nolan RB. Masculinization of the female fetus possibly related to administration of progesterone during pregnancy. *Proceeding of Staff Meeting Mayo Clinic* 1957;32:200-203.
- Heckel GP. Chemotherapy during pregnancy. Danger or fetal injury from sulfanilamide and its derivatives. *JAMA* 1941;117:1314-1316.
- Heel RC, Brogden RN, Speight TM, Avery GS. Buprenorphine. a review of its pharmacological properties and therapeutic efficiency. *Drugs* 1979;17:81-110.
- Heikkinen J, Maentausta O, Ylostalo P et al. Serum bile acid levels in intrahepatic cholestasis of pregnancy during treatment with phenobarbital or cholestyramine. *Eur J Obstet Gynecol Reprod Biol* 1982;14:153-62.
- Heikkinen T, Ekblad U, Kero P, et al. Citalopram in pregnancy and lactation. *Clin Pharmacol Ther* 2002;72:184-191.
- Heim K, Alge A, Marth C. Anaphylactic reaction to ampicillin and severe complication in the fetus. *Lancet* 1991;337:859-860.
- Heinonen OP, Bookman JJ, Nechemias C. Tolbutamide in pregnancy and diabetes. *J Mt Sinai Hosp* 1969;36:471-474.
- Heinonen OP, Shapiro S, Monson RR et al. Immunization during pregnancy against poliomyelitis and influenza in relation to childhood malignancy. *Int J Epidemiol* 1973;2:229-235.
- Heinonen OP, Slone D, Monson RR, et al. Cardiovascular birth defects and antenatal exposure to female sex hormones. *N Engl J Med* 1977;296:67-70.
- Heinonen OP, Slone D, Shapiro S. *Birth Defects and Drugs in Pregnancy*. Publishing Sciences Group, Inc; Littleton, Mass. 1977.
- Hellmeyer L, Schmitz-Ziegler G, Slenczka W, Schmidt S. Q Fever in pregnancy: a case report and review of the literature. *Z Geburtshilfe Neonatol* 2002;206:193-198.
- Hellmuth E, Damm P, Molsted-Pedersen L. Oral hypoglycaemic agents in 118 diabetic pregnancies. *Diabet Med* 2000;17:507-511.
- Hellstrom B, Lindsten J, Nilsson K. Prenatal sex-hormone exposure and congenital limb reduction defects. *Lancet* 1976;2:372-373.
- Helm F, Kretzschmar R, Leuschner F, Neumann W. Investigations on the effect of the combination sulfamoxole/trimethoprim on fertility and fetal development in rats and rabbits. *Arzneimittelforschung* 1976;26:643-651.
- Helmbrecht GD, Hoskins IA. First trimester disulfiram exposure: report of two cases. *Am J Perinatol* 1993;10:5-7.
- Hemminki E, Gissler M, Toukoma H. Exposure to female hormone drugs during pregnancy: effect on malformations and cancer. *Br J Cancer* 1999;80:1092-1097.
- Henderson CE, Elia G, Garfinkel D, et al. Platinum chemotherapy during pregnancy for serous cystadenocarcinoma of the ovary. *Gynecol Oncol* 1993;49:92-94.
- Henderson SR, Lund CJ, Creasman WT. Antepartum pulmonary embolism. *Am J Obstet Gynecol* 1972;112:476.
- Hendrick V, Smith LM, Suri R, Hwang S, Haynes D, Altshuler L Birth outcomes after prenatal exposure to antidepressant medication. *Am J Obstet Gynecol* 2003;188:812-815.
- Hendrick VC, Altshuler LL. Management of breakthrough panic disorder symptoms during pregnancy. *J Clin Psychopharmacol* 1997;17:228-229.
- Hendricks SK, Smith JR, Moore DE, et al. Oligohydramnios associated with prostaglandin synthetase inhibitors in preterm labour. *Am J Obstet Gynaecol* 1990;97:312-316.

- Hengst P. Untersuchungen zur Teratogenität von Daraprin (Primerthamin) beim Menschen. *Zbl Gynak* 1972;94:551-555.
- Hennessy JP, Rottino A. Hodgkin's disease in pregnancy with a report of twelve cases. *Am J Obstet Gynecol* 1952;63:756-764.
- Herbst AL, Selenkov HA. Combined antithyroid-thyroid therapy of hyperthyroidism in pregnancy. *Obstet Gynecol* 1963;21:543-550.
- Herman A, Ron-El R, Golan A, et al. Impaired corpus luteum function and other undesired results of pregnancies associated with inadvertent administration of a long-acting agonist of gonadotrophin-releasing hormone. *Hum Reprod* 1992;7:465-468
- Herman-Bonert V, Seliverstov M, Melmed S. Pregnancy in acromegaly: successful therapeutic outcome. *J Clin Endocrinol Metab* 1998;83:727-731.
- Hermansen MC, Johnson GL. Neonatal supraventricular tachycardia following prolonged maternal ritodrine administration. *Am J Obstet Gynecol* 1984;149:798-799.
- Hernandez E, Angell CS, Johnson JW. Asthma in pregnancy current concepts. *Obstet Gynecol* 1980;55:739-743.
- Hernandez-Diaz S, Mitchell AA. Folic acid antagonists during pregnancy and risk of birth defects. *N Engl J Med* 2001;344:934-935.
- Hernandez-Diaz S, Werler MM, Walker AM, Mitchell AA. Folic acid antagonists during pregnancy and the risk of birth defects. *N Engl J Med*. 2000;343:1608-1614.
- Herr RW, Pratt AT. Multiagent chemotherapy for sarcoma diagnosed during pregnancy. *Cancer* 1985;56:1028-1033.
- Herreros B, Guerro A, Romo E. Colcemid-induced polyploidy. *Lancet* 1966;2:500-501.
- Hewett C, Ellenberger J, Kollmer H et al. Safety assessment of brotizolam. *Arzneim Forsch Drug Res* 1986;36:592-596.
- Hey VMF, Ostick DG. Metoclopramide and the gastro-oesophageal sphincter. *Anaesthesia* 1978;33:462-465.
- Heytmanek G, Salzer H et al. Ambroxol versus betamethasone for the promotion of antepartum lung maturity in pathological pregnancies. *Wien Klin Wochenschr* 1990;102:443-448.
- Heytmanek G, Salzer H, Vityska-Binstorfer E, et al. Ambroxol versus betamethasone for the promotion of antepartum lung maturity in pathological pregnancies. *Wien Klin Wochenschr* 1990;102:443-448.
- Heywood R, Palmer AK, Foll CV et al. Pathological changes in fetal rhesus monkey induced by oral chenodeoxycholic acid. *Lancet* 1973;2:1021.
- Hierl T, Ziegler R, Kasperk C. Pregnancy in persistent acromegaly. *Clin Endocrinol (Oxf)* 2000;53:262-263.
- Higby K, Xenakis EMJ, Pauerstein CJ. Do tocolytic agents stopp preterm labor? A critical and comprehensive review of efficacy and safety. *Am J Obstet Gynecol* 1993;168:1247-1259.
- Hiilesmaa VK, Teramo K, Granstrom ML, Bardy AH. Fetal head growth retardation associated with maternal antiepileptic drugs. *Lancet* 1981;2:165-167.
- Hill LM, Malkasiam GD jr. The use of quinidine sulfate throughout pregnancy. *Obstet Gynecol* 1979;54:366-368.
- Hill RM, Desmond MM, Kay IJ. Extrapyrasidal dysfunction in a infant of a schizophrenic mother. *J Pediatr* 1966;69:589-595.
- Hill RM, Horning EC. Antiepileptic drugs and fetal well-being. In Boreus L, ed. *Fetal Pharmacology*. New York, Raven Press 1973.
- Hill RM, Tennyson LM. Drug-induced malformations in humans. In: *Drug Use in Pregnancy*. L Stern ed. Adis Health Science Press, Balgowlah, Australia, 1984.
- Hill RM, Verinaud WM, Rettig CM, et al. Relationship between antiepileptic drug exposure of the infant and developmental potential. In: Janz D et al. eds. *Epilepsy, pregnancy and the child*. New York: Raven Press, 1982: 409-417.
- Hill RM, Verniaud WM, Horning MG, et al. Infants exposed in utero to antiepileptic drugs. A prospective study. *Am J Dis Child* 1974;127:645-653.
- Hill RM. Ovarian pregnancy; a case report and short review of the literature. *Northwest Med* 1958;57:747-748.

- Hines DC, Goldzieher JW. Large scale study of an oral contraceptive. *Fertil Steril* 1968;19:841-866.
- Hinsberger A, Wingen AM, Hoyer PF. Angiotensin-II-receptor inhibitors in pregnancy. *Lancet* 2001;357:1620.
- Hiramatsu Y, Suzuki T, Okada K, et al. Safet study of etoposide (NK 171).8. Oral administration in pre and post implantation period in rats. *Kiso to Rinsho (Clin Rep)* 1985;19:3885-3896.
- Hiratsuka M, Minakami H, Koshizuka S, Sato I. Administration of interferon-alpha during pregnancy: effects on fetus. *J Perinat Med* 2000;28:372-376.
- Hirayama H, Wada S, Kimura T, Enokuya Y. Reproductive evaluation of staphylococcal phage lysate (SPL). *Oyo yakuri* 1980;20:575-608.
- Hirooka T, Morimoto K, Tadokoro T, Takanashi S et al. Effects of baclofen (CIBA 34647-Ba) administred orally to pregnant rabbits upon pre- and postnatal development of their offspring. *Osaka Daigaku Igaku Zasshi* 1976;28:257-264.
- Hirooka T. Effects of baclofen (CIBA 34, 647-Ba) administred orally to pregnant rats upon pre- and postnatal development of their offspring. *Osaka Daigaku Igaku Zasshi* 1976a; 28:181-194.
- Hirooka T. Effects of baclofen (CIBA 34, 647-Ba) administred orally to pregnant mice upon pre - and postnatal development of the offspring. *Osaka Daigaku Igaku Zasshi* 1976b;28:195-203.
- Hirsch HA. Behandlung von Harnwegsinfektionen in Gynakologic und Geburtshilfe mit Cephalexin. *Int J Clin Pharmacol* 1969;2:121-123.
- Hlinst'ák K, Borovský M, Hlinst'áková S. Pregnancy, labor and early puerperium in a patient with Wilson's disease. *Ceska Gynekol* 1999;64:198-200.
- Ho CK, Kaufman RL, McAlister WH. Congenital malformations: cleft palate, congenital heart disease, absent tibiae and polydactily. *Am J Dis Child* 1975;129:714-716.
- Ho M, Bear RA, Garvey MB. Symptomatic hypophosphatemia secondary to 5-azacytidine therapy of acute non lymphocytic leukemia. *Cancer Treat Rev* 1976;60:1400.
- Hobel CJ. Fetal Thyroid. *Clin Obstet Gynecol* 1980; 23:779-790.
- Hodgkinson R, Glassenberg R, Joyce TH III et al. Comparison of cimetidine (Tagamet) with antacid for safety and effectiveness in reducing gastric acidity before elective caesarean section. *Anesthesiology* 1983;59:86-90.
- Hodgkinson R, Husain FJ. The duration of effect of maternally administered meperidine on neonatal neurobehavior. *Anesthesiology* 1982;56:51-52.
- Hoff DS, Mammel MC. Suspected betamethasone-induced leukemoid reaction in a premature infant. *Pharmacotherapy* 1997;17:1031-1034.
- Hoffman MA, Wiernik PH, Kleiner GJ. Acute promyelocytic leukaemia and pregnancy. A case report. *Cancer* 1995;76:2237-2241.
- Hofmann J, Kortung M, Pustowoit B, et al. Persistent fetal rubella vaccine virus infection following inadvertent vaccination during early pregnancy. *Med Virol* 2000;61:155-158.
- Hofmeyr GJ, Kulier R. Piracetam for fetal distress in labour. *Cochrane Database Syst Rev* 2000;2:CD001064.
- Hofmeyr GJ, Milos D, Nikodem VC, de Jager M. Limb reduction anomaly after failed misoprostol abortion. *S Afr Med J* 1998;88:566-567.
- Hogstedt S, Lindeberg S, Axelsson O, et al. A prospective controlled trial of metoprolol-hydralazine treatment in hypertension during pregnancy. *Acta Obstet Gynecol Scand* 1985;64:505-510.
- Hohlfeld P, Daffos F, Thuilliez P et al. Fetal toxoplasmosisi: outcome of pregnancy and infant follow-up after in utero treatment. *J Pediatrics* 1989;115:765-769.
- Holliday SM, Faulds D, Sorkin EM. Inhaled fluticasone propionate. A review of its pharmacodynamic and pharmacokinetic properties, and therapeutic use in asthma. *Drugs* 1994;47:318-331.
- Holmes LB, Harvey EA, Coull BA, et al. The teratogenicity of anticonvulsant drugs. *N Engl J Med* 2001;344:1132-1138.
- Holmes LB. Teratogenic effects of anticonvulsant drugs. *J Pediatr* 1988;112: 579-581.
- Holmes RP, Stone PR. Severe oligohydramnios induced by cyclooxygenase-2 inhibitor nimesulide. *Obstet Gynecol* 2000;96:810-811.

- Holson RR, Adams J, Ferguson SA. Gestational stage-specific effects of retinoic acid exposure in the rat. *Neurotoxicol Teratol* 1999;21:393-402.
- Holson RR, Cogan JE, Adams J. Gestational retinoic acid exposure in the rat. Effects of sex, strain and exposure period. *Neurotoxicol Teratol* 2001;23:147-156.
- Holson RR, Gazzara RA, Ferguson SA, Adams J. Behavioral effects of low-dose gestational day 11-13 retinoic acid exposure. *Neurotoxicol teratol* 1997;19:355-362.
- Holzgreve W, Carrey JC, Hall BD. Warfarin induced fetal abnormalities. *Lancet* 1976;2:914-915.
- Honein MA, Paulozzi LJ, Erickson JD. Continued occurrence of Accutane-exposed pregnancies. *Teratology* 2001;64:142-147.
- Hoo JJ, Hadro TA, Von Behren P. Possible teratogenicity of sulphasalazine. *N Engl J Med* 1988;1:1128.
- Hook EB, Heinonen OP, Shapiro S, Slone D. Maternal exposure to oral contraceptives and other female sex hormones: relation of birth defects in a prospectively ascertained cohort of 50,282 pregnancies. *Teratology* 1974;9:21-22.
- Hook EB. Cardiovascular birth defects and prenatal exposure to female sex hormones: a reevaluation of data reanalysis from a large prospective study. *Teratology* 1994;49:162-166.
- Hoover BA, Schumacher HR. Acute leukemia in pregnancy. *Am J Obstet Gynecol* 1966;96:316-320.
- Hoper K, Pavel M, Dorr HG, et al. Calcitriol administration during pregnancy in a partial DiGeorge anomaly. *Dtsch Med Wochenschr* 1994;119:1776-1780.
- Hopf G, Mathias B. Teratogenicity of isotretinoin and etretinate. *Lancet* 1988;2:1143.
- Horbelt D, Delmore J, Meisel R, et al. Mixed germ cell malignancy of the ovary concurrent with pregnancy. *Obstet Gynecol* 1994;84:662-664.
- Horimoto M, Ohtsuki I. Reproductive and developmental toxicity studies with doxazosin in rats and rabbits. *Oyo Yakuri* 1990;39:29-38.
- Horimoto M, Sakai T, Ohtsuki I, Noguchi Y. Reproduction studies with sulbactam and combinations of sulbactam and cefoperazone in rats. *Chemotherapy* 1984;32:108-115.
- Horimoto M, Takeuchi K, Iijima M, Tachibana M. Reproductive and developmental toxicity studies with amlodipine in rats and rabbits. *Oyo Yakuri* 1991;42:167-176.
- Horky Z. Oral antidiabetic drugs during pregnancy. *Zentralbl Gynaecol* 1965;87:972-975.
- Horner BD. Congenital malformations. *Clinical Considerations. Med J SW* 1962;77:46.
- Horowitz DA, Jablonski W, Mehta KA. Apnea associated with theophylline withdrawal in a term neonate. *Am J Dis Child* 1982;136:73-74.
- Horton J. The use of antiprotozoan and anthelmintic treatment drugs during pregnancy and contraindications. *J Infect* 1993;26:104-105.
- Hosking SP. Ergotamine use in pregnancy. *Aust N Z J Obstet Gynaecol* 1996;36:159-160.
- Howard FA, Sharp DS. Effect of metoclopramide on gastric emptying during labour. *Br Med J* 1973;1:446-448.
- Howard NJ, Rudd NL. The natural history of aminopterin-induced embryopathy. *Birth Defects* 1977;13:85-93.
- Howe JP, Dundee JW, Moore J et al. Cimetidine: Has it a place in obstetric anaesthesia? *Anaesthesia* 1980;35:421-422.
- Howie RN, Liggins GC. Clinical trial of antepartum betamethasone therapy for prevention of respiratory distress in preterm infants. In Anderson A et al Ed. *Preterm Labour. Proceedings of the Fifth Study Group of the Royal College of Obstetricians and Gynaecologists. Royal College of Obstetricians and Gynaecologists. London 1977.*
- Howorka E, Olasinski R, Wyrzykiewicz T. The effect of EACA administered to female rabbits during pregnancy on the fetuses. *Patol Pol* 1970;21:311-314.
- Hoyme HE, Hauck L, Quinn D. Minor anomalies accompanying prenatal exposure to topiramate. *J Investig Med* 1998;46:119A.
- Hoyt CS, Billson FA. Maternal anticonvulsants and optic nerve hypoplasia. *Br J Ophthalmol* 1978;62:3-6.

- Hsieh FJ, Chen TC, Cheng YT, Huang SC. The outcome of pregnancy after chemotherapy for gestational trophoblastic disease. *Biol Res Pregnancy Perinatalol* 1985;6: 177-180.
- Hsieh YY, Lee CC, Chang CC, et al. Successful prenatal digoxin therapy for Ebstein's anomaly with hydrops fetalis. A case report. *J Reprod Med* 1998;43: 710-712.
- Hsu KF, Chang CH, Chou CY. Sinusoidal fetal heart rate pattern during chemotherapy in a pregnant woman with acute myelogenous leukaemia. *J Formos Med Assoc* 1995;94: 562-565.
- Huaman EJ, Hassoun R, Itashi CM, et al. Results obtained with piracetam in foetal distress during labour. *J Int Med Res* 1983;11: 129-136.
- Hughes HE, Goldstein DA. Birth defects following maternal exposure to ergotamine, beta blockers, and caffeine. *J Med Genet* 1988;25: 396-399.
- Huisjes HJ, Hadders-Algra M, Touwen BC. Is clonidine a behavioural teratogen in the human? *Early Hum Dev* 1986;14: 43-48.
- Huisjes HJ, Touwen BCL. Neonatal outcome after treatment with ritodrine: a controlled study. *Am J Obstet Gynecol* 1983;147: 250-253.
- Hulton SA, Kaplan BS. Renal dysplasia associated with in utero exposure to gentamicin and corticosteroids. *Am J Med Genet* 1995;58: 91-93.
- Hulton SA, Thompson PD, Cooper PA, et al. Angiotensin-converting enzyme inhibitors in pregnancy may result in neonatal renal failure. *S Afr Med J* 1990;78: 637-676.
- Humpel M, Toda T, Oshino N, Pommerenke G: The pharmacokinetics of lisuride hydrogen maleate in rat, rabbit and rhesus monkey. *Eur J Drug Metab Pharmacokinet* 1981;6: 207-219.
- Hurault [De Ligny B](#), [Mintz P](#), [Ryckelynck JP](#), et al. Treatment of severe hypertension using captopril in pregnancy. *J Gynecol Obstet Biol Reprod* 1987;16: 643-648.
- Hurley DM, Brian R, Outch K, et al. Induction of ovulation and fertility in amenorrhoeic women by pulsatile low-dose gonadotropin-releasing hormone. *N Engl J Med* 1984;310: 1069-1074.
- Husemeyer RP, Davenport HT. Prophylaxis for Mendelson's syndrome before elective caesarean sections. A comparison of cimetidine and magnesium trisilicate mixture regimens. *Br J Obstet Gyneacol* 1980;87: 565: 70.
- Husslein P, Kubista E, Egarter C. Obstetrical analgesia with tramadol results of a prospective randomized comparative study with pethidine. *Z Geburtshilfe Perinatalol* 1987;191: 234-237.
- Hvas CL, Henriksen TB, Ostergaard JR. Birth weight in offspring of women with epilepsy. *Epidemiol Rev* 2000;22: 275-282.