

- Kaaja E, Kaaja R, Hiilesmaa V. Major malformations in offspring on women with epilepsy. *Neurology* 2003;60:575-579.
- Kacmar J et al. A randomized trial of azithromycin versus amoxicillin for the treatment of *Chlamydia trachomatis* in pregnancy. *Infect Dis Obstet Gynecol* 2001;9:197-202.
- Kacmar J et al. A randomized trial of azithromycin versus amoxicillin for the treatment of *Chlamydia trachomatis* in pregnancy. *Infect Dis Obstet Gynecol* 2001;9:197-202.
- Kahn SA, Kanis JA, Vasikaran S, et al. Elimination and biochemical responses to intravenous alendronate in postmenopausal osteoporosis. *J Bone Miner Res* 1997;12: 1700-1707.
- Kai S, Kohmura H, Ishikawa K et al. Reproduction studies of carboplatin (II) intravenous administration to rats during the period of fetal organogenesis. *J Toxicol Sci* 1988;13:35-61.
- Kai S, Kohmura H, Ishikawa K, et al. Reproductive and developmental toxicity studies on cefepime dihydrochloride administered subcutaneously to rats during the pre-mating, gestation and lactation periods. *Jpn J Antibiot* 1992;45:642-660.
- Kainz A, Harabacz I, Cowlrick IS, et al. Review of the course and outcome of 100 pregnancies in 84 women treated with tacrolimus. *Transplantation* 2000;70:1718-21.
- Kainz C, Joura E, Obwegeser R, et al. Effectiveness and tolerance of tramadol with or without an antiemetic and pethidine in obstetric analgesia. *Z Geburtshilfe Perinatol* 1992;196:78-82.
- Kajantie E, Somer M. Bilateral cleft lip and palate, hypertelorism and hypoplastic toes. *Clin Dismorphol* 2004;13:195-196.
- Kalb RE, Grossman ME. The association of aplasia cutis congenita with therapy of maternal thyroid disease. *Oediatr Dermatol* 1986;3:327-330.
- Kaler SG, Patrinos ME, Lambert GH, Myers TF et al. Hypertrichosis and congenital anomalies associated with maternal use of minoxidil. *Pediatrics* 1987;79:434-436.
- Kalleen B, Otterblad Olausson P, Danielsson BR. Is erythromycin therapy teratogenic in humans? *Reprod Toxicol* 2005;20:209-214.
- Kallen B, Carlsson SS, Bengtsson BKA. Diabetes insipidus and use of desmopressin (Minitin) during pregnancy. *Eur J Endocrinol* 1995;132:144-146.
- Kallen B, Castilla EE, Kringelbach M, et al. Parental fertility and infant hypospadias: an international case-control study. *Teratology* 1991;44:629-634.
- Kallen B, Lygner PE. Delivery outcome in women who used drugs for migraine during pregnancy with special reference to sumatriptan. *Headache* 2001;41:351-356.
- Kallen B, Olausson P. Maternal drug use in early pregnancy and infant cardiovascular defect. *Reproductive Toxicology* 2003;17:255-261.
- Kallen B, Olausson PO, Nygren KG. Neonatal outcome in pregnancies from ovarian stimulation. *Obstet Gynecol* 2002;100:414-419.

- Kallen B, Rydhstroem H, Aberg A. Congenital malformations after the use of inhaled budesonide in early pregnancy. *Obstet Gynaecol* 1999;93:392-395.
- Kallen B, Tandberg A. Lithium and pregnancy. *Acta Psych Scand* 1983;68:134-139.
- Kallen B, Winberg J. An epidemiological study of hypospadias in Sweden. *Acta Paediatr Scand Suppl* 1982;293:1-21.
- Kallen B. A registry study of maternal epilepsy and delivery outcome with special reference to drug use. *Acta Neurol Scand* 1986;73:253-259.
- Kallen B. Comments on teratogen update: Lithium. *Teratology* 1988; 38: 597.
- Kallen B. Delivery outcome after the use of acid-suppressing drugs in early pregnancy with special reference to omeprazole. *Br J Obstet Gynaecol* 1998;105:877-881.
- Kallen B. Maternal drug use and infant cleft /palate with special reference to corticoids. *Cleft Palate Craniofac J* 2003;40:624-628.
- Kallen B. Maternal epilepsy, antiepileptic drugs and birth defects. *Pathologica* 1986;78: 757-768.
- Kallen B. Use of antihistamine drugs in early pregnancy and delivery outcome. *J Matern Fetal Neonatal Med* 2002; 11: 146-152.
- Kallen B. Use of omeprazole during pregnancy-no hazard demonstrated in 955 infants exposed during pregnancy. *Eur J Obstet Gynecol Reprod Biol* 2001;96:63-68.
- Kaltenbach KA, Finnegan LP. Prenatal narcotic exposure: perinatal and developmental effects. *Neurotoxicology* 1989;10:597-604.
- Kalter H. Retinoic acid vs excess Vitamin A. *Teratology* 1989;39:611-613.
- Kalter H. Teratogenicity, embryoletality, and mutagenicity of drugs of dependence. In Mule SJ, Brill H. *Chemical and Biological Aspects of Drug Dependence*, Cleveland OH, CRC Press, 1972.
- Kaminetzky HA, Baker H. Micronutrients in pregnancy. *Clin Obstet Gynecol* 1977;20: 363-380.
- Kandall SR, Gartner LM. Delayed presentation of neonatal methadone withdrawal. *Pediatr Res* 1973;7:320.
- Kaneko S, Battino D, Andermann E et al. Congenital malformations due to antiepileptic drugs. *Epilepsy Research* 1999;33:145-158.
- Kaneko S, Fukushima Y, Sato T et al. Teratogenicity of antiepileptic drugs. a prospective study. *Jpn J Psychiatry Neurol* 1988;40:447-450.
- Kaneko S, Otani K, Fukushima Y et al. Teratogenicity of antiepileptic drugs. analysis of possible risk factors. *Epilepsia* 1988;29:459-467.
- Kaneko S, Otani K, Kondo T et al. Malformations in infants of mothers with epilepsy receiving antiepileptic drugs. *Neurology* 1992;42(S):68-74.
- Kanto JH. Use of benzodiazepines during pregnancy, labour and lactation, with particular reference to pharmacokinetic considerations. *Drugs* 1982;23:354-380.
- Kantor HI, Sutherland DA, Leonard JT et al. Effect of bilirubin metabolism in the newborn of sulfisoxazole administration to the mother. *Obstet Gynecol* 1961;17:494-500.

- Kaplan BS, Restaino I, Raval DS, et al. Renal failure in the neonate associated with in utero exposure to non-steroidal anti-inflammatory agents. *Pediatr Nephrol* 1994;8:700-704.
- Kaplan LC. Congenital Dandy Walker malformation associated with first trimester warfarin: a case report and literature review. *Teratology* 1985;32:333-337.
- Karabacak RO, Korur C, Celiloglu M. Ovulation induction and neural tube defects. *Lancet* 1989;2:1391-1392.
- Kargas GA, Kargas SA, Bruyere HJ Jr, et al. Perinatal mortality due to interaction of diphenhydramine and temazepam. *N Engl J Med* 1985;313:1417.
- Karkinen-Jaaskelainen M, Saxen L. Maternal influenza, drug consumption, and congenital defects of the central nervous system. *Am J Obstet Gynecol* 1974;118:815-818.
- Karlberg B, Lundberg D, Aberg H. Excretion of propranolol in human breast milk. *Acta Pharmacol Toxicol (Copenh)* 1974;34:222-224.
- Karlsson K, Lindstedt G, Lundberg PA, Selstam U. Transplacental lithium poisoning: reversible inhibition of fetal thyroid. *Lancet* 1975;2:1295.
- Karnofsky VA. Late effects of immunosuppressive anti-cancer drugs. *Fed Proc* 1967;26: 925-933.
- Karow WG, Payne SA. Pregnancy after Clomiphene citrate treatment. *Fertil Steril* 1968; 19: 351.
- Karp GI, Von Oryen P, Valone F et al. Doxorubicin in pregnancy: possible transplacental passage. *Cancer Treat Rep* 1983;67:773-777.
- Karpatkin S, Strick N, Karpatkin MB, Siskind GW. Cumulative experience in the detection of antiplatelet antibody in 234 patients with idiopathic thrombocytopenic purpura, systemic lupus erythematosus and other clinical disorders. *Am J Med* 1972; 52:776-785.
- Kart Koseoglu H, Yucel AE, Kunefeci G, et al. Cyclophosphamide therapy in a serious case of lupus nephritis during pregnancy. *Lupus* 2001; 10:818-820.
- Kasan PN, Andrews J. Oral contraception and congenital abnormalities. *Br J Obstet Gynaecol* 1980;87:545-551.
- Kasperlik-Zaluska A, Migdaska B, Hartwing W, et al. Two pregnancies in a women with Cushing' s syndrome treated with cyproheptadine. *Br J Obstet Gynaecol* 1980;87:1171-1173.
- Kass EH, McCormack WM. Genital mycoplasma infection and perinatal morbidity. *N Engl J Med* 1984;311:258.
- Kataoka M, Yuizono T, Kase Y et al. Teratological studies of clobutinol in mice and rats. *Oyo Yakuri* 1970;4:981-989.
- Katsilambros L. Colchicine in the preventive treatment of the rubella embryopathy. *Arch Inst Pasteur Hellen* 1963;9:97-98.
- Katz V, Blanchard G, Dingman C et al. Atenolol and short umbilical cords. *Am J Obstet Gynecol* 1987;156:1271-1272.
- Katz Z, Lancet M, Borenstein R, Chemke J. Absence of teratogenicity of Indomethacin in ovarian hyperstimulation syndrome. *Int J Fertil* 1984;29:186-188.

- Katz Z, Lancet M, Skornik J, et al. Teratogenicity of progestogens given during the first trimester of pregnancy. *Obstet Gynecol* 1985;65:775-780.
- Kaufman JJ, Dignam W, Goodwin WE et al. Successful normal childbirth after kidney homotransplantation. *J Am Med Assoc* 1967;200:338-341.
- Kaulhausen H, Oney T, Leyendecker G. Inhibition of the renin-aldosterone axis and of prolactin secretion during pregnancy by L- dopa. *Br J Obstet Gynaecol* 1982;89:483-488.
- Kawabata R, Sugimoto T. Perinatal and postnatal study of S-CMC in rats. Effect on function reproductive function of the offspring. *Kiso to Rinsho* 1979;18:1311-1317.
- Kawaguchi T, Goto M, Taki T, et al. Fertility study in rats treated orally with donepezil hydrochloride. *Yakuri To Chiryō* 1998;26(S6):77-90.
- Kawana K, Katoh M, Akutsu S et al. Effect of clebopride malate (LAs) on reproduction. *Kiso to Rinsho* 1982;16:5649-5687.
- Kawanishi H, Igarashi A, Kai S, et al. Reproductive and developmental toxicity studies of sotalol hydrochloride. (I) Oral administration to rats prior to and in the early stages of pregnancy. *Yakuri to Chiryō* 1995;23:157-168.
- Kawanishi H, Igarashi Y, Takeshima T et al. Reproductive and developmental toxicity study of avicatonin. (II) A study on intramuscular administration of avicatonin during the period of organogenesis in rats. *Yakuri to Chiryō* 1994;22:93-105.
- Kawanishi H, Takeshima T, Igarashi N, Tauchi K. Reproductive studies of gliclazide a new sulfonylurea antidiabetic agent. *Yakuri to Chiryō* 1981;9:3551-3571.
- Kawashima K, Nakaura S, Nagao S, Tanaka S, et al. Virilizing activities of various steroids in female rat fetuses. *Endocrinol Japon* 1977;24:77-81.
- Kayemba Kay's S, Beust M, Aboulghit H, et al. Carbamazepine and vigabatrin in epileptic pregnant woman and side effects in the newborn infant. *Arch Pediatr* 1997;4: 975-978.
- Kazuyoshi W, Takashi M, Jiro A. Reproductive and developmental toxicity study of XU62-320. Teratogenicity study by oral administration in rats. *Kiso to Rinsho* 1995;29: 877-885.
- Kazy Z, Puhò E, Czeizel AE. The possible association between the combination of vaginal metronidazole and miconazole treatment and poly-syndactyly population based case-control teratologic study. *Reprod Toxicol* 2005;20:89-94.
- Kazzi NJ, Gross TL, Kazzi GM, Williams TG. Neonatal complications following in utero exposure to intravenous ritodrine. *Acta Obstet Gynecol Scand* 1987;66:65-69.
- Kelly TE, Edwards P, Rein M et al. Teratogenicity of anticonvulsant drugs. II: A prospective study. *Am J Med Genet* 1984;19:435-443.
- Kembal ML, McIver C, Milner RDG, et al. Neonatal Hypoglycaemia in infants of diabetic mothers given sulphonylurea drugs in pregnancy. *Arch Dis Child* 1970;45:696-701.

- Kennedy DS, Evans N, Wang I, Webster WS. Fetal abnormalities associated with high-dose tranylcypromine in two consecutive pregnancies. *Teratology* 2000;61:441.
- Kenny FM, Preeyasombat C, Spaulding JS, Migeon CJ. Cortisol production rate. IV. Infants born of steroid treated mothers, infant with trisomy syndrome and with anencephaly. *Pediatrics* 1966;37:960-966.
- Kent LS, Laidlaw JD. Suspected congenital sertraline dependence. *Br J Psychiatry* 1995; 167:412-413.
- Kerem E, Dollberg S, Paz I, et al. Prenatal ritodrine administration and the incidence of respiratory distress syndrome in premature infants. *J Perinatol* 1997;17:101-106.
- Kern G. Zur Frage der Intrauterinen Streptomycin Schädigung. *Schweiz Med Wochenschr* 1962;92:77-79.
- Kero P, Hirvonen T, Valimaki I.. Perinatal and postnatal isoxsuprine and respiratory distress syndrome. *Lancet* 1973;2: 198.
- Kesim M, Yaris F, Kadioglu M, et al. Mirtazapine use in two pregnant women: is it safe? *Teratology* 2002;66:204.
- Khan K, Chang J. Neonatal abstinence syndrome due to codeine. *Arch Dis Child Fetal Neonatal* 1997;76:59-60.
- Khandelwal SK, Sagar RS, Saxena S. Lithium in pregnancy and still birth: a case report. *Br J Psychiatry* 1989;154;114-116.
- Khir ASM, How J, Bewsher PD. Successful pregnancy after cyproheptadine treatment for Cushing's disease. *Eur J Obstet Gynecol Reprod Biol* 1982;13:343-347.
- Houry MJ, Moore CA, Mulinare J . Vitamin A and birth defects. Letter to the Editor. *Lancet* 1996;347:899.
- Khudr G, Olding L. Cyclopia. *Am J Dis Child* 1973;125:102.
- Kim DS, Moon H, Lee JA, Park MI. Anticancer drugs during pregnancy: are we able to discard them? *Am J Obstet Gynecol* 1992;166:265-266.
- Kim DS, Park MI. Maternal and fetal survival following surgery and chemotherapy of endodermal sinus tumor of the ovary during pregnancy: a case report. *Obstet Gynecol* 1989;73:503-507.
- Kimby E, Sverrisdottir A, Elinder G. Safety of rituximab therapy during the first trimester of pregnancy: a case history. *Eur J Haematol* 2004; 72: 292-295.
- Kimby E, Sverrisdottir A, Elinder G. Safety of rituximab therapy during the first trimester of pregnancy: a case history. *Eur J Haematol* 2004; 72: 292-295.
- Kimya Y, Kucukkomurcu S, Ozan H, Uncu G. Antenatal ambroxol usage in the prevention of infant respiratory distress syndrome. Beneficial and adverse effects. *Clin Exp Obstet Gynecol* 1995;22:204-211.
- King LA, Nevin PC, Williams PP, Carson LF. Treatment of advanced epithelial ovarian carcinoma in pregnancy with cisplatin-based chemotherapy. *Gynecol Oncol* 1991;41: 78-80.
- King VC, Tesh JM, Ross FW et al. Reproductive and developmental toxicity study of avicatonin. /IV) A study on intramuscular administration of avicatonin during the period of organogenesis in rabbits. *Yakuri to Chiryō* 1994;22:119-124.

- King CT, Rogers PD, Cleary JD, Chapman SW. Antifungal therapy during pregnancy. *Clin Infect Dis* 1998;27:1151-1160.
- King JF, Flenady VJ, Papatsonis DN et al. Calcium channel blockers for inhibiting preterm labour. *Cochrane Database Syst Rev* 2002;(2):CD 002255.
- Kirchheiner J et al. Healthy outcome under olanzepine treatment in a pregnant woman. *Pharmacopsychiatry* 2000;33:78-80.
- Kirshon B, Wasserstrum N, Willis R et al. Teratogenic effects of first trimester cyclophosphamide therapy. *Obstet Gynecol* 1988;72:462-464.
- Kitani T, Akaike M, Takayama K, Kobayashi T. Teratological study of cefodizime sodium in mice- intravenous administration during period of organogenesis. *J Toxicol Sci* 1988; 13:191-214.
- Kitao T, Kamishita S, Yoshikawa H et al. Teratogenicity studies of chenodeoxycholic and in rats. *Yakuri to Chiryō* 1982;10:3887-3901.
- Klarr JM, Bhatt-Mehta V, Donn SM. Neonatal adrenergic blockade following single dose maternal labetalol administration. *Am J Perinatol* 1994;11:91-93.
- Klebanoff MA, Berendes HW. Aspirin exposure during the first 20 weeks of gestation and QI at four years of age. *Teratology* 1988;37:249-255.
- Klebanoff MA, Carey JC, Hauth JC et al: Failure of metronidazole to prevent preterm delivery among pregnant women with asymptomatic *Trichomonas vaginalis* infection. *N Engl J Med* 2001;345:487-493.
- Klebanoff MA, Levine RJ, DerSimonian R, et al. Maternal serum paraxanthine, a caffeine metabolite, and the risk of spontaneous abortion. *N Engl J Med* 1999;341:1639-1644.
- Klein V, Repke JT. Supraventricular tachycardia in pregnancy: cardioversion with verapamil. *Obstet Gynecol* 1984;63(S):16-18.
- Kleinebrecht J. Zur Teratogenität von Cumarin-Derivaten. *Dtsch Med Wschr* 1982;107: 1929-1931.
- Kleinhout J, Veth AFL. Placental transfer of ritodrine and its effect on the fetal cardiovascular system. In Eskes TKAB et al Eds. *Aspects of obstetrics today*. Amsterdam: Elsevier 1975.
- Kline AH, Blattner RJ, Lunin M. Transplacental effect of tetracyclines on teeth. *J Am Med Assoc* 1964;188:178-180.
- Klinger G, Morad Y, Westall CA, et al. Ocular toxicity and antenatal exposure to chloroquine or hydroxychloroquine for rheumatic diseases. *Lancet* 2001;358:813-814.
- Klinger H, Glasser M, Kava W. Contraceptives and conceptus. Chromosome abnormalities of the fetus and neonate related to maternal contraceptive history. *Obstet Gynecol* 1976;48:40-48.
- Klintmalm G, Althoff P, Appleby G, Segerbrandt E. Renal function in a newborn baby delivered of a renal transplant patient taking cyclosporine. *Transplantation* 1984;38:198-199.
- Klumpp TG. Safety of Chloroquine in pregnancy. *JAMA* 1965;191:765.
- Knight M, Duley L, Henderson-Smart DJ, King JF. Antiplatelet agents for preventing and treating pre-eclampsia (Cochrane Review). In: *The Cochrane Library*, Issue 2, 2004.

- Knott PD, Thorpe SS, Lamont CAR. Congenital renal dysgenesis possibly due to captopril. *Lancet* 1989;1:451.
- Knudsen LB. No association between Griseofulvin and conjoined twinning. *Lancet* 1987;1:1097.
- Kobayashi H, Kamada S, Shimpo K et al. Teratological study of orally administered fenofibrate in rats. *Yakuri to Chiryō* 1995;23(S):983-999.
- Kobayashi H, Kamada S, Shimpo K et al. Peri- and postnatal study of orally administered fenofibrate in rats. *Yakuri to Chiryō* 1995;23(S):1001-1016.
- Kobayashi N, Matsui I, Tanimura N, Nagahara N et al. Childhood neuroectodermal tumours and malignant lymphoma after maternal ovulation induction. *Lancet* 1991;2: 955.
- Koch S, Hartmann AM, Jager-Roman E, et al. Major malformations in children of epileptic parents – due to epilepsy or erte therapy? In: *Epilepsy, Pregnancy, and the Child*. JAnz D, Dam M, Richens A, et al. Es. Raven Press, New York, 1982.
- Koch S, Losche G, Jager-Roman et al. Major and minor birth malformations and antiepileptic drugs. *Neurology* 1992;42(S):8-88.
- Koch S, Titze K, Zimmermann RB, et al. Long-term neuropsychological consequences of maternal epilepsy and anticonvulsant treatment during pregnancy for school-age children and adolescents. *Epilepsia* 1999;40:1237-1243.
- Kochhar DM, Christian MS. Tretinoin: a review of the nonclinical developmental toxicology experience. *J Am Acad Dermatol* 1997;36:47-59.
- Kochlar DM. Cellular basis of congenital limb deformity induced in mice by vitamin A. *Birth Defects Orig Artic Ser* 1977;13:111-154.
- Kock HCLV, Merkus JMWM. Graves' disease during pregnancy. *Eur J Obstet Gynecol Reprod Biol* 1983;14:323-330.
- Koda S, Anabuki K, Miki T, et al. Reproductive studies on cholestyramine. 2. Teratogenicity study in rats. *Kiso To Rinsho* 1982;6:2050-2069.
- Koda S, Anabuki K, Miki T, et al. Reproductive studies on cholestyramine. 3.teratogenicity study in rabbits. *Kiso To Rinsho* 1982;6:2070-2077.
- Kodama N, Tsubota K, Ezumi Y. Reproductive studies of lisuride hydrogen maleate: *Kiso to Rinsho* 1981;15:2299-2310/2311-2337/2338-2345/ 2346-2371.
- Kofinas AD, Simon NV, Sagel H et al. Treatment of fetal supraventricular tachycardia with flecainide acetate after digoxin failure. *Am J Obstet Gynecol* 1991;165:630-631.
- Kohn FE, Kay DL, Cervenka H, et al. Reproduction studies in guinea pigs and rabbits following clothiapine administration. *Toxicol Appl Pharmacol* 1969;14:641.
- Koizumi K, Aono T. Pregnancy after combined treatment with bromocriptine and tamoxifen in two patients with pituitary prolactinomas. *Fertil Steril* 1986;46:312-314.
- Komai Y, Itoh I, Iriyam K et al. Reproduction study of mesna-teratogenicity study in rats by intravenous administration. *Kiso to Rinsho* 1990A;24:6563-6594.

- Komai Y, Itoh I, Iriyam K et al. Reproduction study of mesna-teratogenicity study in rabbits by intravenous administration. *Kiso to Rinsho* 1990B;24:6596-6602.
- Komatsu T, Uchida M; Nakatsuka T, Matsumoto H. Effects of prenatal retinoic acid on behaviour of rat offspring. *Teratology* 1994;50:22B.
- Kondo T, Kaneko S, Amano Y, Egawa I. Preliminary report on teratogenic effects of zonisamide in the offspring of treated women with epilepsy. *Epilepsia* 1996;37:1242-1244.
- Konopka P, Raymond JP, Merceron RE, Seneze J. Continuous administration of bromocriptine in the prevention of neurological complications in pregnant women with prolactinomas. *Am J Obstet Gynecol* 1983;146:935-938.
- Kopelman AE, McCullar FW, Heggeness L. Limb malformations following maternal use of haloperidol. *JAMA* 1975;231:62-64.
- Kopelman AE. Fetal addiction to pentazocine. *Pediatrics* 1975;55:888-889.
- Kopf-Maier P, Erkenwick P, Merker HJ. Lack of severe malformations versus occurrence of marked embryotoxic effects with treatment of pregnant mice with cis-platinum. *Toxicology* 1985;34:321-331.
- Korbitz BC, Reiquam CW. Busulfan in chronic granulocytic leukaemia - a spectrum of clinical considerations. *Clin Med* 1976;76:16.
- Korda AR, Lynerum RC, Jones WR. The treatment of premature labor with intravenous administered salbutamol. *Med J Aust* 1974;1:744-746.
- Koren G, Demitrakoudis D, Weksberg R et al. Neuroblastoma after prenatal exposure to phenytoin. cause and effect? *Teratology* 1989;40:157-162.
- Koren G, Zemlickis DM. Outcome of pregnancy after first trimester exposure to H2 receptor antagonists. *Am J Perinatol* 1991;8:37-38.
- Koren G. Glyburide and fetal safety; transplacental pharmacokinetic considerations. *Reprod Toxicol* 2001;15:227-229.
- Koren G. In utero exposure to phenytoin or carbamazepine. *Can Fam Physicians* 1995;41:1862-1863.
- Korner WF, Weber F. Zur toleranz hoher Ascorbinsauredosen. In *t J Vitam Nut Res* 1972;42:528-44.
- Kort HI, Cassel GA. An appraisal of warfarin therapy during pregnancy. *S A Med J* 1981; 60:578-579.
- Kotcher E, Frick CA, Giesel LO Jr. The effect of metronidazole on vaginal microbiology and maternal and neonatal hematology. *Am J Obstet Gynecol* 1964;88:184-9.
- Kotzot D, Weigl J, Huk W et al. Hydantoin syndrome with holoprosencephaly: a possible rare teratogenic effect. *Teratology* 1993;48:15-19.
- Koul PA, Wani JI, Wahid A. Ciprofloxacin for multiresistant enteric fever in pregnancy. *Lancet* 1995;346:307-308.
- Kousseff BG. Subcutaneous vascular abnormalities in fetal hydantoin syndrome. *Birth defects* 1982;18:51-54.
- Koutras A, Fisher S. Niikawa-Kuroki Syndrome: a new malformation syndrome of postnatal dwarfism, mental retardation, unusual face and protruding ears. *J Pediatr* 1982;101:417-419.

- Kovatsis A, Dozi-Vassiliades J, Kalogirou M et al. Experimental study on the permeability of placental barrier to cinnarizine in pregnant guinea pigs and its distribution in several tissue. *Pharm Delt Epistem Ekidosis B* 1972; 2: 3-20.
- Koyama N, Komori S, Bessho T, et al. Holoprosencephaly in a fetus with maternal medication of sulfasalazine in early gestation. A case report. *Clin Exp Obstet Gynecol* 1996; 23: 136-140.
- Kozer E, Costei AM, Boskovic R, et al. Effects of aspirin consumption during pregnancy on pregnancy outcomes: meta-analysis. *Birth Defects Res B Dev Reprod Toxicol* 2003; 68: 70-84.
- Kozer E, Nikfar S, Costei A, et al. Aspirin consumption during the first trimester of pregnancy and congenital anomalies: a meta-analysis. *Am J Obstet Gynecol* 2002; 187: 1623-1630.
- Kozlowski R, Steinbrunner JV, Mac Kenzie AH, et al. Outcome of first trimester exposure to low-dose methotrexate in eight patients with reumatic disease. *Am J Med* 1990; 88: 589.
- Kozma C. Valproic acid embryopathy: report of two siblings with further expansion of the phenotypic abnormalities and a review of the literature. *Am J Med Genet* 2001; 98: 168-175.
- Kraemer-Hansen H, Goepel E, Ulmer HU, et al. Pregnancy following organ transplantation. *Geburtshilfe Frauenheilkd* 1990; 50: 798-805.
- Kramer WB, Saade GR, Belfort M et al. A randomized double-blind study comparing the fetal effects of sulindac to terbutaline during the management of preterm labor. *Am J Obstet Gynecol* 1999; 180: 396-401.
- Krapp M, Baschat AA, Gembruch U, et al. Flecainide in the intrauterine treatment of fetal supraventricular tachycardia. *Ultrasound Obstet Gynecol* 2002; 19: 158-164.
- Kraus AM. Congenital cataract and maternal steroid ingestion. *J Pediatr Ophthal* 1975; 12: 107-108.
- Kraus GW, Marchese JR, Yen SSC. Prophylactic use of hydrochlorothiazide in pregnancy. *JAMA* 1966; 198: 1150-1154.
- Krause S, Ebbesen F, Lange AP. Polyhydramnios with maternal lithium treatment. *Obstet Gynecol* 1990; 75: 504-506.
- Krauss CM, Holmes LB, Vanlang QCN, Keith DA. Four siblings with similar malformations after exposure to phenytoin and primidone. *J Pediatr* 1984; 105: 750-755.
- Krayenbuhl M, Huch A, Zimmermann R. Pregnancy after liver transplantation. *Gynakol Geburtshilfliche Rundsch* 1994; 34: 34-36.
- Krcmery S, Hromec J, Demesova D. Treatment of lower urinary tract infection in pregnancy. *Int J Antimicrob Agents* 2001; 17: 279-282.
- Kreft-Jais C, Plouin PF, Tchobroutsky C, Boutroy MJ. Angiotensin-converting enzyme inhibitors during pregnancy: a survey of 22 patients given captopril and nine given enalapril. *Br J Obstet Gynecol* 1988; 95: 420-422.
- Krejci L, Brettschneider I, Triska J. Eye changes due to systemic use of tetracycline in pregnancy. *Ophthalmic Res* 1980; 12: 73-77.
- Krejci L, Brettschneider I, Triska J. Eye changes due to systemic use of tetracycline in pregnancy. *Ophthalmic Res* 1980; 12: 73-77.

- Kremery V Jr, Huttova M, Masar O. Teratogenicity of fluconazole. *Pediatr Infect Dis J* 1996; 15:841.
- Kreutner AK, Del Bene VE, Amstey MS. Giardiasis in pregnancy. *Am J Obstet Gynecol* 1981; 140:895-901.
- Kricker A, Elliott JW, Forrest JM, McCredie J. Congenital limb reduction deformities and use of oral contraceptives. *Am J Obstet Gynecol* 1986; 155:1072-1078.
- Kriplani A, Buckshee K, Bhargava VL, et al. Maternal and perinatal outcome in thyrotoxicosis complicating pregnancy. *Eur J Obstet Gynecol Reprod Biol* 1994; 54:159-163.
- Kroes HY, Reefhuis J, Cornel MC. Is there an association between maternal carbamazepine use during pregnancy and eye malformations in the child? *Epilepsia* 2002; 43:929-931.
- Kruchkovich J, Blickstein I. Autoimmune hepatitis during pregnancy. *Harefuah* 2003; 142:503-507.
- Krueger JA, David RB, Field C. Multiple-drug chemotherapy in the management of acute lymphocytic leukemia during pregnancy. *Obstet Gynecol* 1976; 48:324-327.
- Krupp P, Monka C. Bromocriptine in pregnancy: safety aspects. *Klin Wochenschr* 1987; 65:823-827.
- Krupp P, Ruch R, Turkalj I. Drugs in pregnancy: Assessment of Parlodel. *Prog Clin Biol Res* 1985; 163:211-213.
- Kuenssberg EV, Knox JDE. Imipramine in pregnancy. *Br Med J* 1972; 2:292.
- Kuhn W, Jager-Roman E, Rating D et al. Carbamazepine and Carbamazepine 10,11 epoxide during pregnancy and postnatal period in epileptic mothers and their nursed infants: pharmacokinetics and clinical effects. *Pediatr Pharmacol* 1983; 3:199-208.
- Kulin NA, Pastuszak A, Sage SR et al. Pregnancy outcome following maternal use of the new selective serotonin reuptake inhibitors. *JAMA* 1998; 279:609-610.
- Kullander S, Kallen B. A prospective study of drugs and pregnancy. 2. Antiemetic drugs. *Acta Obstet Gynecol Scand* 1976; 55:105-111.
- Kullander S, Kallen B. A prospective study of drugs and pregnancy. 1. Psychopharmaca. *Acta Obstet Gynecol Scand* 1976; 55:25-33.
- Kullander S, Kallen B. A prospective study of drugs and pregnancy. 3. Hormones. *Acta Obstet Gynecol Scand* 1976; 55:221-224.
- Kullander S, Kallen B. A prospective study of drugs and pregnancy. 4. Miscellaneous Drugs. *Acta Obstet Gynecol Scand* 1976; 55:287-295.
- Kumada S, Watanabe N, Nakai T. Toxicological and teratological studies of 1,1-Diethyl-2-methyl-3-diphenylmethylene-pyrrolidinium bromide (prifinium bromide), a new atropine-like drug. *Arzneim-Forsch* 1972; 22:706-710.
- Kumar RM, Hughes PF, Khurranna A. Zidovudine use in pregnancy: a report on 104 cases and the occurrence of birth defects. *J Acquir Immune Defic Syndr* 1994; 7:1034-1039.
- Kuo D. A case of torulosis of the central nervous system during pregnancy. *Med J Aust* 1962; 1:558-560.

- Kupsch A, Oertel WH. Selegilline, pregnancy, and Parkinson's disease. *Mov Disord* 1998;13:175-194.
- Kurachi K, Aono T, Minagawa J, Miyake A. Congenital malformations of newborn infants after clomiphene induced ovulation. *Fertil Steril* 1983;40:187-189.
- Kuriyama T, Nishigaki K, Ota T et al. Safety studies of prezepam (K-373). VI. Teratological study in rats. *Oyo Yakuri* 1978;15:797-811.
- Kurkinen-Raty M, Vuopala S, Koskela M, et al. A randomised controlled trial of vaginal clindamycin for early pregnancy bacterial vaginosis. *BJOG* 2000;107:1427-1432.
- Kuroiwa M, Gondo H, Ashida K, et al. Interferon-alpha therapy for chronic myelogenous leukemia during pregnancy. *Am J Hematol* 1998;59:101-102.
- Kurppa K, Holmberg PC, Kuosma E, Saxen L. Coffee consumption during pregnancy and selected congenital malformations: a nationwide case-control study. *Am J Public Health* 1983;73:1397-1399.
- Kurshid M, Karp GI, Von Oryen P, Valone F et al. Doxorubicin in pregnancy: possible transplacental passage. *Cancer Treat Rep* 1983;67:773-777.
- Kurshid M, Saleem M. Acute leukaemia in pregnancy. *Lancet* 1978;ii:534.
- Kussef B. Subcutaneous vascular abnormalities in fetal hydantoin syndrome. Regional Genetic Program, South Illinois University, School of Medicine. Springfield, 1981 (unpublished data).
- Kutlay B, Bayramoglu S, Kutlar AI, Yesildagar N. An acardiac acephalic monster following in-utero anti-epileptic drug exposure. *Eur J Obstet Gynecology Reprod Med* 1996;65:245-248.
- Kutscher AH, Zegarelli EV, Tovell HMet al. Discoloration of deciduous teeth induced by administrations of tetracycline antepartum. *Am J Obstet Gynecol* 1966;96:291-292.
- Kwan VW. Pentazocine in pregnancy. *JAMA* 1970;11:1544.