

- Lacher MJ, Yeller W. Cyclophosphamide and vinblastine sulphate in Hodgkins disease during pregnancy. *JAMA* 1966;195:486-488.
- Lacher MJ. Use of vinblastine sulphate to treat Hodgkin's disease during pregnancy. *Ann Intern Med* 1964;61:113-115.
- Laegreid L, Olegard R, Wahlstrom J, Conradi N. Abnormalities in children exposed to benzodiazepines in utero. *Lancet* 1987;1:108-109.
- Laegreid L, Olegard R, Wahlstrom J, Conradi N. Teratogenic effects of Benzodiazepine use during pregnancy. *J Pediatrics* 1989;14:126-131.
- Laegreid L, Olegard R, Conradi N, et al. Congenital malformations and maternal consumption of benzodiazepines: a case control study. *Develop Med Child Neurol* 1990; 32:432-441.
- Laegreid L, Hagber G, Lundberg A. Neurodevelopment in late infancy after prenatal exposure to benzodiazepines - A prospective study. *Neuropediatrics* 1992;23:60-67.
- Lagrew DC Jr, Furlow TG, Hager WD, Yarrish RL. Disseminated herpes simplex virus infection in pregnancy. Successful treatment with acyclovir. *JAMA* 1984;252:2058-2059.
- Lahat E, Raziel A, Friedler S, et al. Long-term follow-up of children born after inadvertent administration of a gonadotrophin-releasing-hormone agonist in early pregnancy. *Hum Reprod* 1999;14:2656-2660.
- Lai CH, Hsueh S, Chao AS, Soong YK. Successful pregnancy after tamoxifen and megestrol acetate therapy for endometrial carcinoma. *Br J Obstet Gynaecol* 1994; 101:547-549.
- Laifer SA, Stiller RJ, Siddiqui DS, et al. Ursodeoxycholic acid for the treatment of intrahepatic cholestasis of pregnancy. *J Matern Fetal Med* 2001;10:131-135.
- Laine K, Heikkinen T, Ekblad U, Kero P. Effects of Exposure to Selective Serotonin Reuptake Inhibitors During Pregnancy on Serotonergic Symptoms in Newborns and Cord Blood Monoamine and Prolactin Concentrations. *Arch Gen Psychiatry* 2003;60:720 – 726.
- Lajeunie E, Barcik U, Thorne JA, et al. Craniosynostosis and fetal exposure to sodium valproate. *J Neurosurg* 2001;95:778-782.
- Lalkin A, Loebstein R, Addis A et al. The safety of omeprazole during pregnancy: a multicenter prospective controlled study. *Am J Obstet Gynecol* 1998;179:727-730.
- Lambert B, Lindblad A, Lindsten MM et al. Genotoxic effects of metronidazole in human lymphocytes in vitro and in vivo. In: Phillips I e Collier J ed: *Metronidazole, Proceedings*, Geneva 1979.
- Lambot M-A, Vermeylen D, Noel J-C. Angiotensin-II-receptor inhibitors in pregnancy. *Lancet* 2001;357:1619-1620.
- Lammer EJ, Chen DT, Hoar RM et al. Retinoic acid embryopathy. *N Engl J Med* 1985; 313:837-841.
- Lammer EJ, Cordero JF. Exogenous sex hormone exposure and the risk for major malformations. *JAMA* 1986;255:3128-3132.
- Lammer EJ, Hayes AM, Schunior A, Holmes LB. Risk for major malformation among human fetuses exposed to isotretinoin (13-cis-retinoic acid). *Teratology* 1987;35:68A.

- Lamont RF, Duncan SL, Mandal D, Bassett P. Intravaginal clindamycin to reduce preterm birth in women with abnormal genital tract flora. *Obstet Gynecol* 2003;101: 516-522.
- Lancaster PAL. Congenital malformations after in vitro fertilisation. *Lancet* 1987;2: 1392-1393.
- Landau D, Shelef I, Polacheck H, et al. Perinatal vasoconstrictive renal insufficiency associated with maternal nimesulide use. *Am J Perinatol* 1999;16:441-444.
- Lander CM, Eadie MJ. Antiepileptic drug intake during pregnancy and malformed offspring. *Epilepsy Res* 1990;7:77-82.
- Landolt AM, Schmid J, Wimpfheimer C, et al. Successful pregnancy in a previously infertile woman treated with SMS-201-995 for acromegaly. *N Engl J Med* 1989;320: 671-672.
- Lane PA, Hathaway WE. Vitamin K in infancy. *J Pediatr* 1985;106:351-359.
- Lang R. The mammalian spot test and its use for testing of mutagenic and carcinogenic potential: experience with the pesticide chlordimeform, its principal metabolites and the drug lisuride hydrogen maleate. *Mutat Res* 1984;135:219-224.
- Langer A, Hung CT, McA'Nulty JA, et al. Adrenergic blockade: a new approach to hyperthyroidism during pregnancy. *Obstet Gynecol* 1974;44:181-186.
- Langer O, Conway DL, Berkus MD, Xenakis EM, Gonzales O. A comparison of glyburide and insulin in women with gestational diabetes mellitus. *N Engl J Med* 2000;343:1134-1138.
- Langer O. Oral hypoglycemic agents in pregnancy: their time has come. *J Matern Fetal Neonatal Med* 2002;12:376-383.
- Laoag-Fernandez JB, Fernandez AM, Maruo T. Antenatal use of ambroxol for the prevention of infant respiratory distress syndrome. *J Obstet Gynaecol Res* 2000;26: 307-312.
- Larmon JE, Ross BS, May WL, et al. Oral nifedipine versus intravenous magnesium sulphate for the treatment of preterm labor. *Am J Obstet Gynecol* 1999;181:1432-1437.
- Laros RK Jr, Kitterman JA, Heilbron DC, et al. Outcome of very-low-birth-weight infants exposed to beta-sympathomimetics in utero. *Am J Obstet Gynecol* 1991;164:1657-1664.
- Larrea JL, Nunez L, Reque A et al. Pregnancy and medical valve prostheses: a high-risk situation for the mother and fetus. *Ann Thor Surg* 1983;36:459-463.
- Larsen H, Nielsen GL, Schonheyder HC, Olesen C, et al. Birth outcome following maternal use of fluoroquinolones. *Int J Antimicrob Agents* 2001;18:259-262.
- Larsson G. The amphetamine addicted mother and her child. *Acta Paediatr Scand* 1980;278(S):7-24.
- Larsson Y, Sterky G. Possible teratogenic effect of trolbutamide in a pregnant prediabetic. *Lancet* 1960;2:1424-1426.
- Laskin C, Ginsberg J, Farine D, et al. Low molecular weight heparin and ASA therapy in women with autoantibodies and unexplained recurrent

- fetal loss (U-RFL). Society of Perinatal Obstetricians abstracts. Am J Obstet Gynecol 1997;176(S):125.
- Latis GO, [Battino D](#), [Boldi B](#), et al. Preliminary data of a neuropsychiatric follow-up of infants born to epileptic mothers. Epilepsy Pregnancy Child (Proc Conf) 1982;1980: 419-423.
 - Latriano L, Tzimas G, Wong F, Wills RJ. The percutaneous absorption of topically applied tretinoin and its effects on endogenous concentration of tretinoin and its metabolites after single doses of long-term use. J Am Acad Dermatol 1997;36(S):37-46.
 - Lau C, Narotsky MG, Lui D et al. Developmental toxicity of 2-chloro-2'-deoxyadenosine in the rat: induction of lumbar hernia. Toxicologist 2001;60:220.
 - Lau RJ, Scott JR. Pregnancy following renal transplantation. Clin Obstet Gynecol 1985; 28:339-350.
 - Lauersen NH, Merkatz IR, Tejani N et al. Inhibition of premature labor: a multicenter comparison of ritodrine and ethanol. Am J Obstet Gynecol 1977;127:837.
 - Laureillard D, Paquet C, Malvy D. Ciprofloxacin in the treatment of dysentery caused by type 1 Shigella dysenteriae during an epidemic in Rwandan refugees in Goma in 1994. Santé 1998;8:303-305.
 - Laurence M, Miller M, Vowles M, et al. Hormonal pregnancy tests and neural tube malformations. Nature 1971;233:495-496.
 - Laurent M, Betremieux P, Biron Y, Le Helloco A. Neonatal hypothyroidism after treatment by amiodarone during pregnancy. Am J Cardiol 1987;60:942.
 - Lauritsen JG. The significance of oral contraceptives in causing chromosome anomalies in spontaneous abortions. Acta Obstet Gynecol Scand 1975;54: 261- 264.
 - Laver [M](#), Fairley KF. D-Penicillamine treatment in pregnancy. Lancet 1971;1:1019-1020.
 - Lavoratti G, Seracini D, Fiorini P et al. Neonatal anuria by ACE inhibitors during pregnancy. Nephron 1997;76:235-236.
 - Le Maire WJ, Cleveland WW, Bejar RL, et al. Aminoglutethimide. A possible cause of pseudohermaphroditism in females. Am J Dis Child 1972;124:421-423.
 - Leake RD, Hobel CJ, Okada DM, et al. Neonatal metabolic effects of oral ritodrine hydrochloride administration. Pediatr Pharmacol (New York) 1983;3:101-106.
 - Leather HM, Humphreys DM, Baker P, Chadd MA. A controlled trial of hypotensive agents in hypertension in pregnancy. Lancet 1968;2:488-490.
 - Leb DE, Weisskopf B, Kanovitz BS. Chromosome aberrations in the child of a kidney transplant recipient. Arch Intern Med 1971;128:441-444.
 - Lechat MF, Borlee I, Bouckaert A, Misson C. Caffeine study. Science 1980;21:1296-1297.
 - Lecuru F, Desnos M, Taurelle R. Anticoagulant therapy in pregnancy: report of 54 cases. Acta Obstet Gynecol Scand 1996;75:217-221.

- Lederman S, Fysh WJ, Tredger M, Gomsu HR. Neonatal paracetamol poisoning: treatment by exchange transfusion. *Arch Dis Child* 1983;58:631-633.
- Lee BE, Feinberg M, Abraham JJ, Murthy AR. Congenital malformations in an infant born to a woman treated with fluconazole. *Pediatr Infect Dis J* 1992;11:1062-1064.
- Lee CN, Wu CC, Lin PY, et al. Pregnancy following cardiac prosthetic valve replacement. *Obstet Gynecol* 1994;83:353-356.
- Lee H and Nagele RG. Neural tube closure defects caused by papaverine in explanted early chick embryos. *Teratology* 1979;20:321-332.
- Lee PK, Wang RYC, Chow JSF, et al. Combined use of warfarin and adjusted subcutaneous heparin during pregnancy in patients with an artificial heart valve. *J Am Coll Cardiol* 1986;8:221-224.
- Lee RA, Johnson CE, Hanlon DG. Leukemia during pregnancy. *Am J Obstet Gynecol*. 1962;84:455-458.
- Leenen FH, Smith DL, Unger WP. Topical minoxidil: cardiac effects in bald man. *Br J Clin Pharmacol* 1988;26:481-485.
- Legator MS, Conner TH, Stoeckel M. Detection of mutagenic activity of metronidazole and niradazole in body fluids of humans and mice. *Science* 1975;188:1118-1119.
- Lehmann KA, Stern S, Breuker KH. Obstetrical peridural anesthesia with bupivacaine and uprenorphine. A randomized double-blind study in comparison with untreated controls. *Anaesthesist* 1992;41:414-422.
- Leighton PH, Tighe H. A critical survey of drugs used in the treatment of hypertensive crises of pregnancy. *Med J Aust* 1974;2:680-682.
- Leikin SL. Thiazide and neonatal thrombocytopenia. *N Eng J Med* 1964;271:161.
- Lejeune B, Barlow P, Puissant F, et al. Use of buserelin acetate in an in vitro fertilization program: a comparison with classical clomiphene citrate-human menopausal gonadotropin treatment. *Fertil Steril* 1990;54:475-481.
- Lemoine T, Lacroix I, Lapeyre-Mestre M, et al. Follow-up of 'medications and pregnancy' at the Midi-Pyrenees Pharmacovigilance Center'. *Therapie* 2001; 56:287-293.
- Lengyel G, Feher R, Gardo S, Feher J. Ursodeoxycholic acid treatment in intrahepatic cholestasis of pregnancy. A case report. *Orv Hetil* 2002;143:2885-2888.
- Lenoir S, Rhabbour M, Grandjean B, et al. Angiotensin-converting enzyme inhibitors and pregnancy. Apropos of 2 cases. *J Gynecol Obstet Biol Reprod* 1994;23:93-95.
- Lenselink DR, Kuhlmann RS, Lawrence JM, Kolesari GL. Cardiovascular teratogenicity of terbutaline and ritodrine in chick embryo. *Am J Obstet Gynecol* 1994;171:501-506.
- Leonard RF, Braun TE, Levy AM. Initiation of uterine contractions by disopyramide during pregnancy. *N Engl J Med* 1978;299:84-85.
- Leonardi MR, Hankins GDV. What's new in tocolytics. *Clin Perinatol* 1992;19:367-384.

- Lepercq J, Conard J, Borel-Derlon A, Darmon JY, et al. Venous thromboembolism during pregnancy: a retrospective study of enoxaparin safety in 624 pregnancies. *BJOG* 2001; 108:1134-1140.
- Lergier JE, Jimenez E, Maldonado N et al. Normal pregnancy in multiple myeloma treated with cyclophosphamide. *Cancer* 1974;34:1018-1022.
- Leroux ML. Exist-t-il une surditè congenital acquisè due a la Streptomycine? *Ann Otolaryng* 1950;67:194-196.
- Letson GW, Little JR, Ottman J, Miller GL. Meningococcal vaccine in pregnancy: an assessment of infant risk. *Pediatr Infect Dis J* 1998;17:261-263.
- Leung D, Venkatesan P, Boswell T, Innes JA, et al. Treatment of typhoid in pregnancy. *Lancet* 1995;346:648.
- Leung HW, Tyl RW, Ballantyne B, Klonne DR. Developmental toxicity study in Fischer 344 rats by whole-body exposure to N,N-dimethylethanolamine vapor. *J Appl Toxicol* 1996;16:533-538.
- Levin DL et al. Morphologic analysis of the pulmonary vascular bed in infants exposed in utero to prostaglandin synthetase inhibitors. *J Pediatr* 1978;92: 478-483.
- Levin DL, Fixler DE, Morriss FC, Tyson J. Morphologic analysis of the pulmonary vascular bed in infants exposed in utero to prostaglandin synthetase inhibitors. *J Pediatr* 1978; 92:478-483.
- Levin DL. Effects of inhibition of prostaglandin synthesis on fetal development, oxygenation, and the fetal circulation. *Semin Perinatol* 1980;4:35-44.
- Levitan AA, Manion JC. Propranolol therapy during pregnancy and lactation. *Am J Cardiol* 1973;32:247.
- Levy EP, Cohen A, Fraser FC. Hormone treatment during pregnancy and congenital heart disease. *Lancet* 1973;1:611.
- Levy G, Garrettson LK. Kinetics of salicylate elimination by newborn infants of mothers who ingested aspirin before delivery. *Pediatrics* 1974;53:201-210.
- Levy H, Buskila D, Gladman DD et al. Pregnancy outcome following first trimester exposure to chloroquine. *Am J Perinatol* 1991;8:174-178.
- Levy M, Koren G. Hepatitis B vaccine in pregnancy: maternal and fetal safety. *Am J Perinatol* 1991;8:227-232.
- Levy M, Pastuszak A, Koren G. Fetal outcome following intrauterine amantadine exposure. *Repr Toxicology* 1991;5:79-81.
- Levy N, Roisman I, Teodor I. Ulcerative colitis in pregnancy in Israel. *Dis Colon Rectum* 1981;24:351-354.
- Levy W, Winsniewski K. Chlorpromazine causing extrapyramidal dysfunction in newborn infant of psychotic mother. *NY State J Med* 1974;74:684-685.
- Lewden B, Vial T, Elefant E, et al. Low dose methotrexate in the first trimester of pregnancy: results of a French collaborative study. *J Rheumatol* 2004;31:2360-2365.
- Lewden B, Vial T, Elefant E, et al. Low dose methotrexate in the first trimester of pregnancy: results of a French collaborative study. *J Rheumatol* 2004;31:2360-2365.

- Lewden B, Vial T, Elefant E, Nelva A, Carlier P, Descotes J. Low dose methotrexate in the first trimester of pregnancy: results of a French collaborative study. *J Rheumatol* 2004; 31:2360 – 2365.
- Lewden B, Vial T, Elefant E, Nelva A, Carlier P, Descotes J. Low dose methotrexate in the first trimester of pregnancy: results of a French collaborative study. *J Rheumatol* 2004; 31:2360 – 2365.
- Lewin PK. Phenytoin associated congenital defects with Y-chromosome variant. *Lancet* 1973;1:559.
- Lewis AM, Patel L, Johnston A, et al. Mexiletine in human blood and breast milk. *Postgrad Med J* 1981;57:546-547.
- Lewis DF, Fontenot MT, Brooks GG et al. Latency period after preterm premature rupture of membranes: A comparison of ampicillin with and without sulbactam. *Obstet Gynecol* 1995;86:392-395.
- Lewis GJ, Lamont CAR, Lee HA, Slapak M. Successful pregnancy in a renal transplant recipient taking Cyclosporin A. *Br Med J* 1983;286:603.
- Lewis JH, Weingold AB. The Committee on FDA-related matters, American College of Gastroenterology. *Am J Gastroenterol* 1980;80:912-923.
- Lewis JH, Weingold AB. The use of gastrointestinal drugs during pregnancy and lactation. *Am J Gastroenterol* 1985;80:912-923.
- Lewis R, Lauresen NJ, Brimbaum S. Malaria associated with pregnancy. *Obstet Gynecol* 1973;42:698.
- Lewis RN, Shulman JD. Influence of Acetylsalicylic Acid, an inhibitor of Prostaglandin synthesis, on the duration of human gestation and labour. *Lancet* 1973;2:1159-1161.
- Lewis WH, Suris OR. Treatment with Lithium Carbonate. Results in 35 cases. *Tex Med* 1970;66:58-63.
- Leyssac PP. Suprarenal steroid in pregnancy. *Ugeskr Laeg* 1959;121:33-39.
- Li DK, Daling JR, Mueller BA, Hickok DE, Fantel AG, Weiss NS. Oral contraceptive use after conception in relation to the risk of congenital urinary tract anomalies. *Teratology* 1995;51:30-36.
- Licata D, Garzena E, Stasionwska B et al. Cardiac malformations in babies born after assisted conception. *Lancet* 1991;1:804.
- Lieberman BA, Stirrat GM, Cohen SI et al. The possible adverse effect of propranolol on the fetus in pregnancies complicated by severe hypertension. *Br J Obstet Gynaecol* 1978;85:678-683.
- Lieberman J, Safferman AZ. Clinical profile of clozapine: adverse reactions and agranulocytosis. London: Royal Society of Medicine 1992.
- Liebgott B, Wiley MJ. Prenatal hamster development following maternal administration of PGE₂ at midterm. *Prostaglandins Leukot Med* 1985;17:309-318.
- Lietman PS, Niebyl JR. The use of mild analgesics in pregnancy. In "Drug Use In Pregnancy". Lea & Febiger Ed. Philadelphia 1982.
- Liggins GC, Vaughan GS. Intravenous infusion of salbutamol in the management of premature labour. *J Obstet Gynaecol Br Commonw* 1973;80:29-32.

- Liggins GS, Howie RN. Clinical trial of antepartum glucocorticoid treatment for prevention of respiratory distress syndrome in premature infants. *Pediatrics* 1972;50:515-525.
- Lightner ES, Allen HD, Loughlin G. Neonatal hyperthyroidism and heart failure : a different approach. *Am J Dis Child* 1977;131:68-70.
- Lilja H, Karlsson K, Lindecrantz K, et al. Treatment of intrauterine supraventricular tachycardia with digoxin and verapamil. *J Perinat Med* 1984;12:151-154.
- Lilleyman JS, Hill AS, Anderton KJ. Consequences of acute myelogenous leukemia in early pregnancy. *Cancer* 1977;40:1300-1303.
- Lilly Company: Cefaclor use in pregnancy and lactation. Medical Response Document 2002.
- Limet R, Grondin SM. Cardiac valve prostheses, anticoagulation, and pregnancy. *Ann Thorac Surg* 1977;23:337-341.
- Lin AE, Peller AJ, Westgate MN, et al. Clonazepam use in pregnancy and the risk of malformations. *Birth Defects Res A Clin Mol Teratol* 2004;70:534-536.
- Linares A, Zarranz JJ, Rodriguez-Alarcon J, Diaz-Perez JL. Reversible cutis laxa due to maternal d-Penicillamine treatment. *Lancet* 1979;2:43.
- Lin CP, Huang MJ, Liu HJ, et al. Successful treatment of acute promyelocytic leukaemia in a pregnant Jehovah's Witness with all-trans retinoic acid, rhG-CSF, and erythropoietin. *Am J Hematol* 1996;51:251-252.
- Lind T, Godfrey KA, Gerrard J, Bryson MR. Continuous salbutamol infusion over 17 weeks to prevent premature labour. *Lancet* 1980;2:1165-1166.
- Lindemann R. Respiratory muscle rigidity in a preterm infant after use of fentanyl during Caesarean section. *Eur J Pediatr* 1998;157:1012-1013.
- Linden S, Rich C. The use of lithium during pregnancy and lactation. *J Clin Psychiatry* 1983;44:358-361.
- Lindhout D, Omtzigt JG, Cornel MC. Spectrum of neural-tube defects in 34 infants prenatally exposed to antiepileptic drugs. *Neurology* 1992;42:111-118.
- Lindhout D, Omtzigt JG. Pregnancy and the risk of teratogenicity. *Epilepsia* 1992;33(S):41-48.
- Lindhout D, Omtzigt JG. Teratogenic effects of antiepileptic drugs: implications for the management of epilepsy in women of childbearing age. *Epilepsia* 1994;35(S):19-28.
- Lindhout D, Schmidt D. In-utero exposure to valproate and neural tube defects. *Lancet* 1986;1:1392-1393.
- Lindhout D. Confirmation of valproic acid as a human teratogen. Presented at the Teratology Society Meeting, Richmond, 7 June 1989.
- Lindstrom P, Harris M, Hoberman AM, et al. Developmental toxicity of orally administered 2',3'-dideoxycytidine in mice. *Teratology* 1990;42:131-136.
- Linn S, Schoenbaum SC, Monson RR et al. Lack of association between contraceptives usage and congenital malformations in offspring. *Am J Obstet Gynecol* 1983;147:923-928.

- Linn S, Schoenbaum SC, Monson RR, et al. No association between coffee consumption and adverse outcomes of pregnancy. *N Engl J Med* 1982;306:141-145.
- Linseman DA, Hampton LA, Branstetter DG. Quinolone-induced arthropathy in the neonatal mouse. Morphological analysis of articular lesions produced by pipemidic acid and ciprofloxacin. *Fundam Appl Toxicol* 1995;28:59-64.
- Linz W, Wiemer G, Gohlke P, Unger T, Scholkens BA. Contribution of kinins to the cardiovascular actions of angiotensin-converting enzyme inhibitors. *Pharmacol Rev* 1995;47:25-49.
- Lip GY, Beevers M, Churchill D et al. Effect of atenolol on birth weight. *Am J Cardiol* 1997;79:1436-1438.
- Lip GYH, Churchill D, Beevers M, et al. Angiotensin-converting-enzyme inhibitors in early pregnancy. *Lancet* 1997;350:1446-1447.
- Lipovsky MM, Biesma DH, Christiaens GC, Petersen EG. Successful treatment of acute promyelocytic leukaemia with all-trans – retinoic-acid during late pregnancy. *Br J Haematol* 1996;94:699-701.
- Lipp RG. *Clin Med* 1963;70:7, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Lipshultz SE, Easley KA, Orav EJ, et al. Absence of cardiac toxicity of zidovudine in infants. *N Engl J Med* 2000;343:759-766.
- Lipson A, Bale P. Ependymoblastoma associated with prenatal exposure to diphenylhydantoin and methylphenobarbitone. *Cancer* 1985;55:1859-1862.
- Lipson AH, Collins F, Webster WS. Multiple congenital defects associated with maternal use of topical tretinoin. *Lancet* 1993;341:1352-1353.
- Lipton JH, Derzko CM, Curtis J. Alpha- interferon and pregnancy in a patient with CML. *Hematol Oncol* 1996;14:119-122.
- Lirette M, Holbrook RH, Katz M. Cardiovascular and uterine blood flow changes during nicardipine HCl tocolysis in the rabbit. *Obstet Gynecol* 1987;69:79-82.
- Little BB. Immunosuppressant therapy during gestation. *Semin Perinatol* 1997;21:143-148.
- Little MA, Abraham KA, Kavanagh J, et al. Pregnancy in Irish renal transplant recipients in the cyclosporine era. *Ir J Med Sci* 2000;169:19-21.
- Littman ML. Cryptococcus (torulosis). Current concepts and therapy. *Am J Med* 1959; 27:976-978.
- Littrell KH, et al. Antipsychotics during pregnancy. *Am J Psychiatry* 2000;157: 1342.
- Litwin A, Fisch B, Tadir Y, et al. Limb-body wall complex with complete absence of external genitalia after in vitro fertilization. *Fertil Steril* 1991;55:634-636.
- Liu C, Tyrrell JB. Successful treatment of a large macroprolactinoma with cabergoline during pregnancy. *Pituitary* 2001;4:179-185.
- Livingstone I, Craswell PW, Bevan EB, et al. Propranolol in pregnancy: three year prospective study. *Clin Exp Hypertens* 1983;2:341-350.

- Lizcano-Gil LA, Garcia-Cruz D, Sanchez-Corona J. Omphalocele-extrophy-imperforate-anus-spina bifida (OEIS) complex in a male prenatally exposed to diazepam. *Arch Med Res* 1995;26:95-96.
- Llanas B, Cavert MH, Apere H, Demarquez JL. Les effets secondaires du kétoprofène après exposition intra-utérine. Intérêt du dosage plasmatique. *Arch Pediatr* 1996; 3:248-253.
- Lloyd ME, Carr M, McElhatton P, et al. The effects of methotrexate on pregnancy, fertility and lactation. *QJM* 1999;92:551-63.
- Locatelli A, Vergani P, Bellini P, et al. Can a cyclo-oxygenase type-2 selective tocolytic agent avoid the fetal side effects of indomethacin? *BJOG* 2001; 108:325-326.
- Loebstein R, Addis A, Ho E, et al. Pregnancy outcome following gestational exposure to fluoroquinolones: a multicenter prospective controlled study. *Antimicrob Agents Chemother* 1998;42:1336-1339.
- Loebstein R, Lalkin A, Addis A, et al. Pregnancy outcome after gestational exposure to terfenadine: a multicenter, prospective controlled study. *J Allergy Clin Immunol* 1999;104: 953-956.
- Loffredo CA, Ferencz C, Rubin JD, et al. A comparative epidemiologic evaluation of risk factors for hypoplastic left heart syndrome, aortic stenosis, and coarctation of the aorta. *Teratology* 1996;53:115.
- Loffredo LC, de Souza JM, Yunes J, et al. Cleft lip and palate: case-control study. *Rev Saude Publica* 1994;28:213-217.
- Lojodice G, Vento R, Dececco C. Female pseudohermaphroditism probably induced by a progestinic administered intramuscularly: 17-alpha-hydroxyprogesterone capronate. *Minerva Pediatr* 1964;16:946-950.
- Loke KH, Salleh R. Electroconvulsive therapy for the acutely psychotic pregnant patient: a review of 3 cases. *Med J Malaysia* 1983;38:131-133.
- Long WA, Willis PW 4th. Maternal lithium and neonatal Ebstein's anomaly: evaluation with cross-sectional echocardiography. *Am J Perinatol* 1984;1:182-184.
- Longmire S, Leduc L, Jones MM, et al. The emodinamic effects of intubation during nitroglycerin infusion in severe preclampsia. *Am J Obstet Gynecol* 1991;164:551-556.
- Lorenzi P, Spicher VM, Laubereau B, et al. Antiretroviral therapies in pregnancy: maternal, fetal and neonatal effects. Swiss HIV Cohort Study, the Swiss Collaborative HIV and Pregnancy Study, and the Swiss Neonatal HIV Study. *AIDS* 1998;12:241-247.
- Losasso TJ, Muzzi DA, Cucchiara RF. Response of fetal heart rate to maternal administration of esmolol. *Anesthesiology* 1991;74:782-784.
- Loughnan PM, Gold H, Vance JC. Phenytoin teratogenicity in man. *Lancet* 1973;1:70-72.
- Louik C, Mitchell AA, Prenatal prescription of Macrolide Antibiotics and Infantile Hypertrophic Pyloric Stenosis. *Obstetrics and Gynecology* 2003;101;4:816.
- Louik C, Werler MM, Mitchell AA. Erythromycin use during pregnancy in relation to pyloric stenosis. *Am J Obstet Gynecol* 2002;187:821-822.

- Louik C, Werler MM, Mitchell AA. Erythromycin use during pregnancy in relation to pyloric stenosis. *Am J Obstet Gynecol* 2002;187:821-822.
- Lovell MA, Karns LB, Ferguson JE, et al. Thymic hypoplasia and multiple malformations in the child of a liver transplant recipient. *Am J Hum Genet* 1999;65(4 S):A333.
- Lovett SM, Weiss JD, Diogo MJ et al. A prospective, double-blind, randomised, controlled clinical trial of ampicillin-sulbactam for preterm premature rupture of membranes in women receiving antenatal corticosteroid therapy. *Am J Obstet Gynecol* 1997;176: 1030-1038.
- Low L, Ratcliffe W, Alexander W. Intrauterine hypothyroidism due to antithyroid-drug therapy for thyrotoxicosis during pregnancy. *Lancet* 1978;2:370-371.
- Lowe CR. Congenital defects among children born to women under supervision or treatment for pulmonary tuberculosis. *Brit J Prev Soc Me* 1964;18:14-16.
- Lowe CR. Congenital malformations among infants born to epileptic women. *Lancet* 1973;1:9-10.
- Lowenstein EJ. Isotretinoin made S.M.A.R.T. and simple. *Cutis* 2002;70:115-120.
- Lowenthal RM, Funnell CF, Hope DM et al. Normal infant after combination chemotherapy including teniposide for Burkitt's lymphoma in pregnancy. *Med Pediatr Oncol* 1982;10:165-169.
- Lower GD, Stevens LE, Najarian JS, Reemtsma K. Problems from immunosuppressives during pregnancy. *Am J Obstet Gynecol* 1971;111:1120-1121.
- Lownes HE, Ives TJ. Mexiletine use in pregnancy and lactation. *Am J Obstet Gynecol* 1987;157:446-447.
- Lozo E, Forster C, Dietz M, et al. Ciprofloxacin and N-methyl-ciprofloxacin induce joint cartilage lesions in immature rats. *Teratology* 1996;53:32A.
- Lubbe WF, Hodge JV. Combined α - and β -adrenoceptor antagonism with prazosin and oxprenolol in control severe hypertension in pregnancy. *NZ Med J* 1981;94:169-172.
- Lubbe WF. Use of diltiazem during pregnancy. *NZ Med J* 1987;100:121.
- Lucerti M, Lazzarin A, Corbella E, Zavattini G. An alternative to steroids for prevention of respiratory distress syndrome (RDS): multicentre controlled study to compare amdroxol and betamethasone. *J Perinat Med* 1987;15:227-238.
- Lucey JF, Driscoll TJ jr. Hazard to newborn infants of administration of long-acting sulfonamides to pregnant women. *Pediatrics* 1959;24:498-499.
- Luchese S, Manica JL, Zielinsky P. Intrauterine ductus arteriosus constriction: analysis of a historic cohort of 20 cases. *Arq Bras Cardiol* 2003; 81; 405 – 410, 399 – 404.
- Luchese S, Manica JL, Zielinsky P. Intrauterine ductus arteriosus constriction: analysis of a historic cohort of 20 cases. *Arq Bras Cardiol* 2003; 81; 405 – 410, 399 – 404.

- Ludlam H, Wreghitt TG, Thornton S, Thomson BJ et al. Q fever in pregnancy. *J Infect* 1997;34:75-78.
- Ludmir J, Main DM, Landon MB, Gabbe SG. Maternal acetaminophen overdose at 15 weeks of gestation. *Obstet Gynecol* 1986;67:750-1
- Ludvigsson JF, Ludvigsson J. Inflammatory bowel disease in mother or father and neonatal outcome. *Acta Paediatr* 2002;91:145-151.
- Luisiri P, Lance NJ, Curran JJ. Wegener's granulomatosis in pregnancy. *Arthritis Rheum* 1997;40:1354-1360.
- Lumley J, Watson L, Watson M, et al. Periconceptional supplementation with folate and/or multivitamins to prevent neural tube defects (Cochrane Review). In: *The Cochrane Library, Issue 4*. Oxford: Update Software, 1998.
- Lunell NO, Garoff L, Grunewald C, et al. Isradipine, a new calcium antagonist: effects on maternal and fetal hemodynamics. *J Cardiovasc Pharmacol* 1991; 18(S3):37-40.
- Lunell NO, Grunewald C, Nisell H. Effect of isradipine on responses to standardized physical stress tests in hypertension of pregnancy. *J Cardiovasc Pharmacol* 1992; 19(S3):99-101.
- Lunell NO, Joelsson I, Larsson A, Persson B. The immediate effect of a B-adrenergic agonist (salbutamol) on carbohydrate and lipid metabolism during the third trimester of pregnancy. *Acta Obstet Gynecol Scand* 1977;56:475-478.
- Lunenfeld B, Blankstein J, Kotev-Emeth S, et al. Drugs used in ovulation induction. Safety of patient and offspring. *Hum Reprod* 1986;1:435-439.
- Lungarotti MS, Marinelli D, Mariani T, Calabro A. Multiple congenital anomalies associated with apparently normal maternal intake of vitamin A: a phenocopy of the isotretinoin syndrome? *Am J Med Genet* 1987;27:245-248.
- Lurie S, Frenakel K, Friedman A. Effect of nifedipine on fetal heart rate in the treatment of severe pregnancy-induced hypertension. *Am J Perinatol* 1990;7:285-286.
- Luther ER, Roux J, Popat R, Gardner A et al. The effect of estrogen priming on induction of labor with prostaglandins. *Am J Obstet Gynecol* 1980;137:351-357.
- Lutz DJ, Noller KL, Spittell JA, et al. Pregnancy and its complications following cardiac valve prostheses. *Am J Obstet Gynecol* 1978;131:460-468.
- Lutz EE, Margolis AJ. Obstetric hepatitis: treatment with cholestyramine and interim response to steroids. *Obstet Gynecol* 1969;33:64-71.
- Lydakis C, Lip GY, Beevers M, Beevers DG. Atenolol and fetal growth in pregnancies complicated by hypertension. *Am J Hypertens* 1999;12:541-547.
- Lyle WH. Penicillamine in pregnancy. *Lancet* 1978;1:606-607.
- Lynberg MC, Khoury MJ, Lu X et al. Maternal flu, fever, and the risk of neural tube defects : a population-based case-control study. *Am J Epidemiol* 1994;140:244-255.
- Lynch CL. *Medical Research-Marketed Products, Clinical Investigation Division, Dista Products*, 1981.

- Lynd PA, Andreasen AC, Wyatt RJ. Intrauterine Salicylate intoxication in a newborn. A case report. Clin Pediatr (Phila) 1976;15:912-913.
- Lyon FA, Sinykin MB, Barr MM. Am J Obstet Gynecol 1963;88,184, in Onnis A, Grella P, Marchesoni D. I Farmaci in Gravidanza. Piccin Ed Padova 1983.
- Lyonnet R, Lucchini G. Metoclopramide in obstetrics. J Med Chir Prat 1967;138:352-355.