

- Mac Allister CB. Placental transfer and neonatal effects of diazepam when administered to women just before delivery. *Br J Anaesth* 1980;52:423-427.
- Mac Arthur BA, Howie RN, Dezoete JA, et al. Cognitive and psychosocial development of 4-year-old children whose mothers were treated antenatally with betamethasone. *Pediatrics* 1982;68:638-643.
- Mac Arthur BA, Howie RN, Dezote JA et al. School progress and cognitive development of 6 year old children whose mothers were treated antenatally with betamethasone. *Pediatrics* 1982;70:99-105.
- Mac Auley DM, Halliday HL, Johnston JR et al. Cimetidine in labour: absence or adverse effect on the high-risk fetus. *Br J Obstet Gynaecol* 1985;92:350-355.
- Mac Auley DM, Moore J, Dundee JW et al. Oral ranitidine in labour. *Anaesthesia* 1984;39:433-438.
- Mac Auley DM, Moore J, Dundee JW et al. Preliminary report on the use of ranitidine as antacid in obstetrics. *Ir J Med Sci* 1982;151:91-92.
- Mac Auley DM, Moore J, Mc Caughey W et al. Ranitidine as an antacid before elective caesarean section. *Anaesthesia* 1983;38:108-114.
- Mac Auley DM, O'Neil MP, More J, Dundee JW. Lorazepam premedication for labour. *Br J Obstet Gynaecol* 1982;89:149-154.
- Mac Bride ML, Van den Steen N, Lamb CW, Gallagher RP. Maternal and gestational factors in cryptorchidism. *Int J Epidemiol* 1991;20:964-970.
- Mac Bride WG. Limb deformities associated with iminodibenzyl hydrochloride. *Med J Aust* 1972;1:492.
- Mac Bride WG. The teratogenic action of drugs. *Med J Austr* 1963;2:689-693.
- Mac Caughey W, Howe JP, Moore J et al. Cimetidine in elective caesarean section. *Anaesthesia* 1981;36:642.
- Mac Clain RM, Hoar RM. The effect of flunitrazepam on reproduction in the rat. *Toxicol Appl Pharmacol* 1980;53:92-100.
- Mac Connell JF, Bhoola R. A neonatal complication of maternal leukaemia treated with 6-mercaptopurine. *Postgrad Med J* 1973;49:211-213.
- Mac Cormack WM, George H, Donner A, Kodgis LF, et al. Hepatotoxicity of erythromycin estolate during pregnancy. *Antimicrob Agent Chemother* 1977;12:630-635.
- Mac Cormack WM, Rosner B, Lee YH, et al. Effect on birth weight of erythromycin treatment of pregnant women. *Obstet Gynecol* 1987;69: 202-207.
- Mac Coy MJ, Ellenberg JF, Killam AP. Coccidioidomycosis complicating pregnancy. *Am J Obstet Gynecol* 1980;137:739-740.
- Mac Credie J, Krickler A, Elliot J et al. Congenital limb defects and the pill. *Lancet* 1983; 2:623.
- Mac Donald AD. Maternal health in early pregnancy and congenital defect. Final report on a prospective inquiry. *Brit J Prev Soc Med* 1961;15:154-166.
- Mac Donald D, Alguire PC. Adult respiratory distress syndrome due to blastomycosis during pregnancy. *Chest* 1990;98:1527-1528.
- Mac Elhatton PR, Bateman DN, Collins A et al. The role of the UK national Teratology Information Service (NTIS) in 1997. *Teratology* 1998;54:18A.
- Mac Elhatton PR, Garbis HM, Elefant E et al. The outcome of pregnancy in 689 women exposed to therapeutic doses of antidepressants. A collaborative study of the European Network of Teratology Information Services (ENTIS). *Reprod Toxicol* 1996;10:285-294.
- Mac Elhatton PR, Sullivan FM, Volans GN, Fitzpatrick R. Paracetamol poisoning in pregnancy: an analysis of the outcomes of cases referred to the Teratology Information Service of the National Poisons Information Service. *Hum Exp Toxicol* 1990;9:147-153.
- Mac Elhatton PR, Sullivan FM, Volans GN. Paracetamol overdose in pregnancy analysis of the outcomes of 300 cases referred to the Teratology Information Service. *Reprod Toxicol* 1997;11:85-94.
- Mac Elhatton PR. The effects of benzodiazepine use during pregnancy and lactation. *Reprod Toxicol* 1994; 8:461-475.
- Mac Garry JM. A double-blind comparison of the anti-emetic effect during labour of metoclopramide and perphenazine. *Br J Anaesth* 1971;43:613-615.

- Mac Gowan WAW. Safety of cimetidine in obstetric patients. *J R Soc Med* 1979;72:902-907.
- Mac Gready R, Thwai KL, Cho T, et al. The effects of quinine and chloroquine antimalarial treatments in the first trimester of pregnancy. *Trans R Soc Trop Med Hyg* 2002;96:180-184.
- Mac Gregor AH, Johnson JE, Bunde CA. Further clinical experience with clomiphene citrate. *Fertil Steril* 1968;19:616.
- Mac Gregor JA, French JI, Reller LB, et al. Adjunctive erythromycin treatment for idiopathic preterm labor: results of a randomized, double-blinded, placebo-controlled trial. *Am J Obstet Gynecol* 1986;154:98-103.
- Mac Gregor JA, Kleinschmidt-DeMasters BK, Ogle J. Meningoencephalitis caused by *Histoplasma capsulatum* complicating pregnancy. *Am J Obstet Gynecol* 1986;154:925-931.
- Mac Gregor JA, Pont A. Contraindication of ketoconazole in pregnancy. *Am J Obstet Gynecol* 1984;150:793-794.
- Mac Groy CH, Radomski JS, Mositz MJ, Armenti VT. Pregnancy outcomes in 10 female pancreas-kidney recipients. *J Transpl Coord*, 1998;8:55-59.
- Mac Keen EA, Mulvihill JJ, Rosner F, Zarrah MH. Pregnancy outcome in Hodgkin's disease. *Lancet* 1979;2:590.
- Mac Kenna DS, Wittber GM, Nagaraja HN, et al. The effects of repeated doses of antenatal corticosteroids on maternal adrenal function. *Am J Obstet Gynecol* 2000;96:287-290.
- [Mac kenna K](#), [Levinson AJ](#), [Einarson A](#), et al. Pregnancy outcome in women receiving atypical antipsychotic drugs: a prospective, multicentre, comparative study. *Birth Defects Res Part A Clin Mol Teratol* 2003;67:391
- Mac Kenna WJ, Harris L, Rowland E et al. Amiodarone therapy during pregnancy. *Am J Cardiol* 1983;51:1231-1233.
- Mac Kenna WJ, Harris L, Rowland E, et al. Amiodarone therapy during pregnancy. *Am J Cardiol* 1983;51:1231-1233.
- Mac Nellis D, McLeod M, Lawson J, Pasquale SA. Treatment of vulvovaginal candidiasis in pregnancy. A comparative study. *Obstet Gynecol* 1977;50:674-678.
- Mac Nellis D, McLeod M, Lawson J, Pasquale SA. Treatment of vulvovaginal candidiasis in pregnancy. *Obstet Gynecol* 1977;50:674-678.
- Mac Parland P, Pearce JM, Chamberlain GVP. Doppler ultrasound and aspirin in recognition and prevention of pregnancy induced hypertension. *Lancet* 1990;335,1552-1555.
- Mac Pherson M, Pipkin F B, Rutter N. The effect of maternal labetalol on the newborn infant. *Br J Obstet Gynaecol* 1986;93:539-542.
- Mac Sherry CK, Morrissey KP, Swarm RL et al. Chenodeoxycholic acid induced liver injury in pregnant and neonatal baboons. *Ann Surg* 1976;184:490-499.
- Maeda H, Yoshifune S, Shimizu Y. Reproductive studies of 10-(3-quinclidinylmethyl) phenothiazine. *Oyo Yakuri* 1982;21:855-898.
- Maeda M, Tyugu H, Okubo T et al. A neonate born to a mother with acute promyelocytic leukemia treated by all-trans retinoic acid. *Rinsho Ketsueki* 1997;38:770-775.
- Maeda T, Ushiroyama T, Okuda K, Fujimoto A, et al. Effective bromocriptine treatment of a pituitary macroadenoma during pregnancy. *Obstet Gynecol* 1983; 61:117-121.
- Magee LA, Downar E, Sermer M, et al. Pregnancy outcome after gestational exposure to amiodarone in Canada. *Am J Obstet Gynecol* 1995;172:1307-1311.
- Magee LA, Duley L. Oral beta-blockers for mild to moderate hypertension during pregnancy. *Cochrane Database Syst Rev* 2003;(3):CD 002863.
- Magee LA, Inocencion G, Kamboj L, et al. Safety of first trimester exposure to histamine H2 blockers. A prospective cohort study. *Dig Dis Sci* 1996;41:1145-1149.
- Magee LA, Mazzotta P, Koren G. Evidence-based view of safety and effectiveness of pharmacologic therapy for nausea and vomiting of pregnancy (NVP). *Am J Obstet Gynecol* 2002;185 (S 5):256-261.
- Magee LA, Schick B, Donnenfeld AE et al. The safety of calcium channel blockers in human pregnancy: a prospective, multicenter cohort study. *Am J Obstet Gynecol* 1996;174:823-828.

- Magee LA, Taddio A, Downar E et al. Pregnancy outcome following gestational exposure to amiodarone. *Teratology* 1994;49:398.
- Magee LA. Treating hypertension in women of child-bearing age and during pregnancy. *Drug Saf* 2001;24:457-474.
- Magee LA; Nulman I, Rovet JF, Koren G. Neurodevelopment after in utero amiodarone exposure. *Neurotoxicol Teratol* 1999;21:261-265.
- [Magnani C](#), [Moretti S](#), [Ammenti A](#). Neonatal chronic renal failure associated with maternal ingestion of Nimesulide as analgesic. *Eur J Obstet Gynecol Reprod Biol* 2004;116:244-245.
- Magnier P. On hyperemesis gravidarum; a therapeutical study of R 1625. *Gynecol Prat* 1964;15:17-23.
- Magnin P, Ambroise-Thomas P, Thoulin JM, Laurent HM. Traitement par le metronidazole de la vaginite a trichomonas de la femme enceinte: Absence d'effets teratogenes. *Rev Fr Gynecol Obstet* 1966;61:861-867.
- Maher JF, Schreiner GE. Treatment of lupus nephritis with azathioprine. *Arch Intern Med* 1970;125:293-298.
- Maheshwari P, Jose R, Seshadri L. Candidal cystitis in pregnancy treated with amphotericin B. *Int J Gynaecol Obstet* 1994;47:57-58.
- Mahomed K. Routine iron and folate supplementation in pregnancy (Cochrane Review). In: *The Cochrane Library, Issue 4*. Oxford: Update Software, 1998.
- Mahon BE, Rosenman MB, Kleiman MB. Maternal and infant use of erythromycin and other macrolide antibiotics as risk factors for infantile hypertrophic pyloric stenosis. *J Pediatr* 2001;139:380-384.
- Major CA, Lewis DF, Harding JA, et al. Tocolysis with indomethacin increases the incidence of necrotizing enterocolitis in the low-birth-weight neonate. *Am J Obstet Gynecol* 1994;170:102-106.
- Malaps P. Foetal malformation and Cortisone therapy. *Br Med J* 1965;1:795.
- Malek-Ahmadi P. Olanzapine in pregnancy. *Ann Pharmacother* 2001;35:1294-1295.
- Malfetano JH, Goldkrand JW. Cis-platinum combination chemotherapy during pregnancy for advanced epithelial ovarian carcinoma. *Obstet Gynecol* 1990;75:545-547.
- Mallow DW, Herrick MK, Gathman G. Fetal exposure to anticonvulsant drugs. *Arch Pathol Lab Med* 1980;104:215-218.
- Malm H, Kajantie E, Kivirikko S, et al. Valproate embryopathy in three sets of siblings: further proof of hereditary susceptibility. *Neurology* 2002;59:630-633.
- Malone JM, Gerhenson DM, Creasy RK, et al. Endodermal sinus tumor of the ovary associated with pregnancy. *Obstet Gynecol* 1986;68(S3):86-89.
- Malzacher A, Engler H, Drack G, Kind C. Lethargy in a newborn: lithium toxicity or lab error? *J Perinat Med* 2003;31:340-342.
- Manchester D, Margolis HS, Sheldon RE. Possible association between maternal indomethacin therapy and primary pulmonary hypertension of the newborn. *Am J Obstet Gynecol* 1976;126:467-469.
- Mancuso A, Ardita FV, Leonardi J, Scuderi M. Interferon alpha-2a therapy and pregnancy. Report of a case of chronic inflammatory demyelinating polyneuropathy. *Acta Obstet Gynecol Scand* 1998;77:869-870.
- Mandel M, Toren A, Rechavi G, et al. Hormonal treatment in pregnancy: a possible risk factor for neuroblastoma. *Med Pediatr Ocol* 1994;23:133-135.
- Mandel SJ, Brent GA, Larsen PR. Review of antithyroid drug use during pregnancy and report of a case of aplasia cutis. *Thyroid* 1994;4:129-133.
- Mandelbrot L, Landreau-Mascaro A, Rekeciewicz C, et al. Lamivudine-zidovudine combination for prevention of maternal – infant transmission of HIV-1. *JAMA* 2001;285:2083-2093.
- Manfredini R, Bariani L, Cecchetti E et al. Treatment of Greaves' disease in pregnancy: a case report. *Curr Ther Research* 1992;51:877-881.
- Mangiameli S. Leukosis and pregnancy. *Min Ginecol* 1961;13:785-792.
- Mangurten HH, Benawra R. Neonatal codeine withdrawal in infants of nonaddicted mothers. *Pediatrics* 1980;65:159-160.
- Mann JM, Cameron AH, Gornall P et al. Transplacental carcinogenesis (adrenocortical carcinoma) associated with Hydroxyprogesterone hexanoate. *Lancet* 1983;2:580.

- Mann JM, Moskowitz R. Plague and pregnancy. A case report. *JAMA* 1977;237:1854-1855.
- Mann R, Mackay F, Pearce G, et al. Losartan: a study of pharmacovigilance data on 14,522 patients. *Hum Hypertens* 1999;13:551-557.
- Manoharan D, Leyden MJ. Acute non lymphocytic leukemia in the third trimester of pregnancy. *Austr NZ J Med* 1979;9:71-74.
- Manson JM, Freyssinges C, Ducrocq MB, Stephenson WP. Postmarketing surveillance of lovastatin and simvastatin exposure during pregnancy. *Reprod-Toxicol* 1996;10: 439-446.
- Maradit H, Geiger JM. Potential risk of birth defects after acitretin discontinuation. *Dermatology* 1999;198: 3-4.
- Marathe MR, Thomas GP. Effects of nonsteroidal anti-inflammatory agents on implantation in rats. *Indian J Pharmacol* 1992;24: 235-237.
- Marazzini F, Macchi L. Two normal pregnancies in patients receiving Cytosan for Hodgkin's disease. *Ann Ostet Ginecol* 1966;88:825-834.
- Marchese E, Moser GP. *Riv Ost Gin Prat* 1966;53: 1, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Marek J, Horky K. Aminoglutethimide administration in pregnancy. *Lancet* 1970;2: 1312-1313.
- Marks TA, Morris DF, Weeks JR. Developmental toxicity of alprostadil in rats after subcutaneous administration or intravenous infusion. *Toxicol Appl Pharmacol* 1987; 91: 341-357.
- Marlettini MG, Crippa S, Morselli-Labate AM et al. Randomized comparison of calcium antagonists and beta-blockers in the treatment of pregnancy-induced hypertension. *Curr Ther Res* 1990;48:684-692.
- Marlynshin MYA, Akhengel'skii AE. Experience in treating early toxicose of pregnancy with metoclopramide. *Akush Ginekol* 1981;57:44-45.
- Marpeau L, Bouillie J, Barrat J, Milliez J. Obstetrical advantages and perinatal risks of indomethacin: a report of 818 cases. *Fetal Diagn Ther* 1994;9: 110-115.
- Marquet P, Chevrel J, Lavignasse P, et al. Buprenorphine withdrawal syndrome in a newborn. *Clin Pharmacol Ther* 1997;62:569-571.
- Marquez-Orozco MC, Marquez-Orozco A, Gazca-Ramirez MV, de la Fuente-Juarez G: Flunitrazepam like diazepam induces histological alterations in fetal retina of mice. *Abstr Soc Neurosci* 2001;27(1):605.
- Marshall JK, Thomson ABR, Armstrong D. Omeprazole for refractory gastroesophageal reflux disease during pregnancy and lactation. *Cn J Gastroenterol* 1998;12:225-227.
- Marteau P, Devaux CB. Mesalazine during pregnancy. *Lancet* 1994;344:1708.
- Marteau P, Tennenbaum R, Elefant E, Lemann M, et al. Foetal outcome in women with inflammatory bowel disease treated during pregnancy with oral mesalazine microgranules. *Aliment Pharmacol Ther* 1998;12:1101-1108.
- Martí Solé JJ, Pazarisas Sala M. A possible association between the maternal administration of metamizole and persistent pulmonary hypertension in a newborn infant. *An Esp Pediatr* 1996;44: 387-388.
- Martin E. *Obstet Gin Lat Am* 1965;34:121, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Martindale 1989. *The Extra Pharmacopoeia*. 29th Edition 1174, London. The Pharmaceutical Press.
- Martindale S, McNeill G, Devereux G, et al. Antioxidant intake in pregnancy in relation to wheeze and eczema in the first two years of life. *Am J Respir Crit Care Med* 2005;171:121-128.
- Martindale S, McNeill G, Devereux G, et al. Antioxidant intake in pregnancy in relation to wheeze and eczema in the first two years of life. *Am J Respir Crit Care Med* 2005; 171:121-128.
- Martindale S, McNeill G, Devereux G, et al. Antioxidant intake in pregnancy in relation to wheeze and eczema in the first two years of life. *Am J Respir Crit Care Med* 2005; 171:121-128.
- Martin-Denavit T, Edery P, Plauchu H, et al. Ectodermal abnormalities associated with methimazole intrauterine exposure. *Am J Med Genet* 2000;94:338-340.

- Martinez A, Kastner B, Taeusch HW. Hyperphagia in neonates withdrawing from methadone. *Arch Dis Child* 1999;80:178-182.
- Martinez F, Barri PN, Coroleu V. Case report: accidental GNRH agonist administration during early pregnancy. *Hum Reprod* 1988;3:669.
- Martinez Frias ML, Cereijo A, Rodriguez-Pinilla E, Urioste M. Methimazole in animal feed and congenital aplasia cutis. *Lancet* 1992;339:742-743.
- Martinez-Frias ML, Rodriguez-Pinilla E, Bermejo E, Prieto. Oral contraceptives and estrogen combinations (excluding progestogens) during the first trimester-clearly increased the risk of overall birth defects. *Teratology* 1998;58:29.
- Martinez-Frias ML, Rodriguez-Pinilla E, Prieto L. Prenatal exposure to salicylates and gastroschisis: a case-control study. *Teratology* 1997;56:241-243.
- Martinez-Frias ML, Rodriguez-Pinilla E, Salvador J. Valproate and spine bifida. *Lancet* 1989;1:611-612.
- Martinez-Frias ML, Rodriguez-Pinilla E. Epidemiologic analysis of prenatal exposure to cough medicines containing dextromethorphan: no evidence of human teratogenicity. *Teratology* 2001;63:38-41.
- Martinez-Frias ML. Clinical manifestation of prenatal exposure to valproic acid using case reports and epidemiologic information. *Am J Med Genet* 1990;37:277-282.
- Martinez-Roman S, Torres PJ, Puerto B. Acardius acephalus after ovulation induction by clomiphene. *Teratology* 1995;51:231-232.
- Martinez-Rueda JO, Arce-Salinas CA, Kraus A et al. Factors associated with fetal losses in severe systemic lupus erythematosus. *Lupus* 1996;5:113-119.
- Martinovic J, Benachi A, Laurent N, et al. Fetal toxic effects and angiotensin-II-receptor antagonists. *Lancet* 2001;358:241-242.
- Martz GJ, Naunton RF. Ototoxicity of chloroquine. *Arch Otolaryngol* 1968;88:370-372.
- Martz GJ, Naunton RF. Ototoxicity of chloroquine. *Arch Otolaryngol* 1968;88:370-372.
- Maruoka H, Kadota Y, Ueshima M et al. Toxicological studies on econazole nitrate 4. *Teratological studies in mice and rabbits. Iyakuin Kenkyu* 1978;9:955-970.
- Marvick C. More cautionary labelling appears on isotretinoin. *JAMA* 1984;251:3208-3209.
- Marx SJ, Swart EG, Hamstra AJ et al. Normal intrauterine development of the fetus of a woman receiving extraordinarily high dose of 1,25-dihydroxyvitamin D3. *J Clin Endocrinol Metabol* 1980;51:1138.
- Marynowsky A, Sianoaz-Ecka E. Comparison of the incidence of congenital malformations in neonates from healthy mothers and from patients treated for tuberculosis. *Gynekol Pol* 1972;43:713-715.
- Mas C, Menahem S. Premature in utero closure of the ductus arteriosus following maternal ingestion of sodium diclofenac. *Aust New Zeland J Obstet Gynaecol* 1999;39:106-107.
- Masiukiewicz US, Burrow GN. Hyperthyroidism in pregnancy: diagnosis and treatment. *Thyroid* 1999;9:647-652.
- Mastroiacovo P, Bertollini R, Licata D. Fetal growth in the offspring of epileptic women: results of an Italian multicentric cohort study. *Acta Neurol Scand* 1988;78:110-114.
- Mastroiacovo P, Bertollini R, Morandini S, Segni G. Maternal epilepsy, valproate exposure, and birth defects. *Lancet* 1983;2:1499.
- Mastroiacovo P, Mazzone T, Addis A et al. High vitamin A intake in early pregnancy and major malformations: a multicenter prospective controlled study. *Teratology* 1999;59:7-11.
- Mastroiacovo P, Mazzone T, Botto LD, et al. Prospective assessment of pregnancy outcomes after first-trimester exposure to fluconazole. *Am J Obstet Gynecol* 1996;175:1645-1650.
- Masuda H, Kimura K, Hirose K. Toxicological studies of CS-1170. II. Reproduction studies of CS-1170 in mice and rats. *Sankyo Kenkyusho Nenpo* 1978;30:148-167.
- Matalon S, Schechtman S, Goldzweig G, Ornoy A. The teratogenic effect of carbamazepine: a meta-analysis of 1255 exposures. *Reprod Toxicol* 2002;16:9-17.

- Maternal and Neonatal Haemostasis Working Party of the Haemostasis and Thrombosis Task: Guidelines on the prevention, investigation and management of thrombosis associated with pregnancy. *J Clin Pathol* 1993;46:489-496.
- Mathews HML, Wilson CM, Thompson EM et al. Combination treatment with ranitidine and sodium bicarbonate prior to obstetric anaesthesia. *Anaesthesia* 1986;41:1202-1206.
- Matorras R, Reque JA, Usandizaga JA, et al. Prosthetic heart valve and pregnancy. A study of 59 cases. *Gynecol Obstet Invest* 1985;19:21-31.
- Matsuaki A, Akutsu M, Mukaikawa H, Kobayashi H. Studies of the possible teratogenicity of cefatrizine (S-640-P). 2. Effects on the embryos when administered to pregnant rabbit. *Jon J Antibiot* 1976;29:144-152.
- Matsuda Y, Ikenoue T, Matsuda K, et al. The effects of nicardipine on maternal and fetal hemodynamics and uterine blood flow in chronically instrumented pregnant goats. *Asia Oceania J Obstet Gynaecol* 1993;19:191-198.
- Matsumura LK, Born D, Kunii IS, Franco DB, et al. Outcome of thyroid function in newborns from mothers treated with amiodarone. *Thyroid* 1992;2:279-281.
- Matsunaga E, Shiota K. Threatened abortion, hormone therapy and malformed embryos. *Teratology* 1979;20:469-480.
- Matsuo A, Honma M, Katsuki S. Oral teratology studies with cimetropium bromide in rabbits. *Oyo Yakuri* 1997;53:139-144.
- Matsuo A, Honma M, Katsuki S. Reproductive and developmental study with cimetropium bromide in rats dosed orally during perinatal and postnatal period. *Oyo Yakuri* 1997;53:145-155.
- Matsuo A, Kats A, Tsunenari Y. Reproduction studies of brotizolam in rats and rabbits. *Iyakuken Kenkyu* 1985;16:818-838.
- Matsuo A, Katsuki S. Fertility studies with cimetropium bromide in rats dosed orally before mating and during early period of gestation. *Oyo Yakuri* 1997;53:109-137.
- Matsuo A, Nishimura M, Uchiyama H et al. Fertility study with meloxicam in rats dosed orally before mating and during early period of gestation. *Oyo Yakuri* 1997;53:51-59.
- Matsuo A, Nishimura M, Lehmann H, Katsuki S. Oral teratology studies with meloxicam in rabbits. *Oyo Yakuri* 1997;53:87-95.
- Matsuo A, Nishimura M, Uchiyama H, et al. Fertility study with meloxicam in rats dosed orally during the period of organogenesis. *Oyo Yakuri* 1997;53:61-73.
- Matsuo A, Nishimura M, Uchiyama H, et al. Reproduction study with meloxicam in rats dosed orally during perinatal and postnatal period. *Oyo Yakuri* 1997;53:75-86.
- Matsuoka R, Gilbert EF, Bruyere H jr et al. An aborted human fetus with truncus arteriosus communis-possible teratogenic effects of Tedral. *Heart Vessels* 1985;1:176-178.
- Matsusaki A, Akutsu S, Shimamura T, Hnda H. Studies on the possible teratogenicity of cefatrizine(S-640-P). *Jpn J Antibiot* 1976;29:812-825.
- Matsusawa K, Tanaka T, Enjo J et al. Reproduction studies on clenbuterol. *Iyakuken Kenkyu* 1984;15:564-596.
- Matsushima M. A study of pulmonary tuberculosis of pregnant woman. Report 7. Effects of chemotherapy during pregnancy on the fetus. *Kekkaku* 1967;42:463-464.
- Matsuura T, Kurio T, Fujishima H et al. Perinatal and postnatal study of trandolapril (RU44570) in rats. *J Tox Sc* 1993;18:133-159.
- Matsuura T, Kurio W, Fujishima H et al. Fertility study of trandolapril (RU44570) in rats. *J Tox Sc* 1993;18:93-105.
- Matsuura T, Kurio W, Maeda H et al. Teratological study of trandolapril (RU44570) in rats. *J Tox Sc* 1993;18:107-132.
- Matsuzaki M, Akutsu S, Mukogawa H, Aizawa T. Teratological studies of amikacin (BB-K8) in rabbits. *Jpn J Antibiot* 1975;28:366-371.
- Matsuzawa k, Tanaka T, Enjo H et al. Reproductive studies on ambroxol (NA 872) 1 nad 2. *Iyakuken Kenkyu* 1981;12:358-387.
- Matter BE, Donatsch P, Racine RR et al. Genotoxicity evaluation of Cyclosporin A, a new immunosuppressive agent. *Mutat Res* 1982;105:257-264.
- Matthews JH, Wood JK. Male fertility during chemotherapy for acute leukemia. *N Engl J Med* 1980;303:1235.

- Mattson SN, Eastvold AD, Jones KL, Harris JA, Chambers CD. Neurobehavioral follow-up of children prenatally exposed to fluoxetine. *Teratology* 1999;59:376.
- Mau G. Progestinis during pregnancy and hypospadias. *Teratology* 1981;24:265-287.
- Mauer MA, DeVaux W, Lahey ME. Neonatal and maternal thrombocytopenic purpura due to quinine. *Pediatrics* 1957;19:84-87.
- Maum AL, Misri S. Selective serotonin-reuptake inhibitors in pregnancy and lactation. *Harv Rev Psychiatry* 1996;4:117-125.
- Maurer LH, Forcier RJ, Mc Intyre OR, Bernirschke K. Fetal group C trisomy after cytosine arabinoside and thioguanine. *Ann Intern Med* 1971;75:809-810.
- Maxwell DJ, Crawford DC, Curry PVM et al. Fetal tachyarrhythmia and maternal antidepressant treatment. *Br Med J* 1989; 298:190.
- Maxwell DJ, Crawford DC, Curry PVM, et al. Obstetric importance, diagnosis, and management of fetal tachycardias. *Br Med J* 1988;297:107-110.
- Mayer JB, Hemmer A. *Arch Kinderheilkd* 1956;153:123-141, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Mayes LC, Carroll KM. Neonatal withdrawal syndrome in infants exposed to cocaine and methadone. *Am J Dis Child* 1993;147:441.
- Mazzella G, Rizzo N, Salzetta A et al. Management of intrahepatic cholestasis in pregnancy. *Lancet* 1991;338:1594-1595.
- Mazzi E. Possible neonatal diazepam withdrawal. A case report. *Am J Obstet Gynecol* 1977;129:586.
- Mazzone T, Celestini E, Fabi R, Pagano M, et al. Oral Typhus vaccine and pregnancy. *Reprod Toxicol* 1994;8:278-280.
- McCormack WM, George H, Donner A, et al. Hepatotoxicity of erythromycin estolate during pregnancy. *Antimicrob Agents Chemother* 1977;12:630-635.
- McEwen LM. Trimethoprim-sulphamethoxazole mixture in pregnancy. *Br Med J* 1971;4:490-491.
- McGready R, Thwai KL, Cho T, et al. The effects of quinine and chloroquine antimalarial treatments in the first trimester of pregnancy. *Trans R Soc Trop Med Hyg* 2002;96:180-184.
- Meadow SR. Anticonvulsant drugs and congenital abnormalities. *Lancet* 1968;ii:1296.
- Medchill MT, Gillum M. Diagnosis and management of tuberculosis during pregnancy. *Obstet Gynecol Surv* 1989;44:81-84.
- Medical Research International, the American Fertility Society Special Interest Group. In vitro fertilisation/embryo transfer in the United States: 1985 and 1986 results from the National IVF-ET Registry. *Fertil Steril* 1988;49:212-215.
- Medical Research International, the American Fertility Society. In vitro fertilisation/embryo transfer in the United States: 1987 results from the National IVF-ET Registry. *Fertil Steril* 1989;51:13-19.
- Medveczky E, Puho E, Czeizel EA. The use of drugs in mothers of offspring with neural-tube defects. *Pharmacoepidemiol Drug Saf* 2004;13:443-455.
- Medveczky E, Puho E, Czeizel EA. The use of drugs in mothers of offspring with neural-tube defects. *Pharmacoepidemiol Drug Saf* 2004;13:443-455.
- Mehamed I, Bujanover Y, Hammer J, Spierer Z. Hepatoblastoma in an infant born to a mother after hormonal treatment for sterility. *Brit Med J* 1982;2:307.
- Meijboom EJ, van Engelen AD, van de Beek EW, et al. Fetal arrhythmias. *Curr Opin Cardiol* 1994;9:97-102.
- Meinardi H. Teratogenicity of anti-epileptic drugs. *Tijdschr Kindergeneesk* 1977;45:87-91.
- Meischenguiser R, D'Giano CH, Ferraro SM. Major malformations in offspring of women with epilepsy. *Neurology* 2003;61:1631.
- Meischenguiser R, D'Giano CH, Ferraro SM. Oxcarbazepine in pregnancy: clinical experience in Argentina. *Epilepsy Behav* 2004;5:163-167.

- Melamed I, Bujanover Y, Hammer J, Spirer Z. Hepatoblastoma in an infant born to a mother after hormonal treatment for sterility. *N Engl J Med* 1982;307:820.
- Melissari E, Parker CJ, Wilson NV, Monte G, et al. Use of low molecular weight heparin in pregnancy. *Thromb Haemost* 1992;68:652-656.
  - Meller ST, Gebhart GF, Maves TJ. Neonatal capsaicin treatment prevents the development of the thermal hyperalgesia produced in a model of neuropathic pain in the rat. *Pain* 1992;51:317-321.
  - Mellin GW, Katzenstein M. Meclozine and foetal abnormalities. *Lancet* 1963;1:222-223.
  - Mellin GW. Drugs in the first trimester of pregnancy and fetal life of Homo Sapiens. *Am J Obstet Gynecol* 1964;90:1169-1180.
  - Mellin GW. Report of prochlorperazine utilization during pregnancy from fetal life study data bank. *Teratology* 1975;11:28.
  - Meltzer HJ. Congenital anomalies due to attempted abortion with 4-aminopteroglutamic acid. *JAMA* 1956;161:1253.
  - Menahem S. Administration of prostaglandin inhibitors to the mother; the potential risk to the fetus and neonate with duct-dependent circulation. *Reprod Fertil Dev* 1991;3:489-494.
  - Mendez LE, Mueller A, Salom E, et al. Paclitaxel and carboplatin chemotherapy administered during pregnancy for advanced epithelial ovarian cancer. *Obstet Gynecol* 2003;102:1200-1202.
  - Mennuti Mt, Shepard Th, Mellman Wj. Fetal renal malformation following treatment of Hodgkin's disease during pregnancy. *Obstet Gynecol* 1975;46:194-196.
  - Menzies DN. Controlled trial of chlorothiazide in treatment of early pre-eclampsia. *Br Med J* 1964;1:739-742.
  - Merck Pregnancy Registry for Maxalt (rizatriptan benzoate). Fourth Annual Report October 2002.
  - Merck Pregnancy Registry for VIOXX (refecoxib). Third Annual Report. September 30, 2003.
  - Merenstein GB, Todd WA, Brown G, et al. Group B B-hemolytic streptococcus: randomized controlled treatment study at term. *Obstet Gynecol* 1980;55:315-318.
  - Merimsky O, Le Cesne A. Soft tissue and bone sarcomas in association with pregnancy. *Acta Oncol* 1998;37:721-727.
  - Merimsky O, Le Chevalier T, Missenard G, et al. Management of cancer in pregnancy: a case of Ewing's sarcoma of the pelvis in the third trimester. *Ann Oncol* 1999;10:345-350.
  - Merksey C, Rigal W. Pregnancy in acute leukaemia treated with 6-mercaptopurine. *Lancet* 1956;2:1268-1269.
  - Merlob P, Levitt O, Stahl B. Oral antihyperglycemic agents during pregnancy and lactation: a review. *Paediatr Drugs* 2002;4:755-760.
  - Merlob P, Litwin A, Mor N. Possible association between acetazolamide administration during pregnancy and metabolic disorders in the newborn. *Eur J Obstet Gynecol Reprod Biol* 1990;35:85-88.
  - Merlob P, Maltz O, Stahl B. Is Fluphenazine a teratogen? 4<sup>o</sup> ENTIS Meeting, Bilthoven 29-31/03/1993.
  - Messina M, Biffignandi P, Ghigo E, et al. Possible contraindication of spironolactone during pregnancy. *J Endocrinol Invest* 1979;2:222.
  - Messner U, Günter HH, Niesert S. Wilson disease and pregnancy. Review of the literature and case report. *Z Geburtshilfe Neonatol* 1998;202:77-79.
  - Mestman JH, Manning PR, Hodgman J. Hyperthyroidism and pregnancy. *Ann Intern Med* 1974;134:434-439.
  - Metha N, Modi N. ACE inhibitors in pregnancy. *Lancet* 1989;2:96.
  - Metneki J, Czeizel A. Griseofulvin teratology. *Lancet* 1987;1:1042.
  - Meut C, Bavoux F, Cynober E, Lebrun F. Necrotizing enterocolitis in a newborn: maternal psychotropic drugs suspected. *Can J Psychiatry* 1994;39:127.
  - Meyer FP, Rimasch H, Blaha B, Banditt P. Tramadol withdrawal in a neonate. *Eur J Clin Pharmacol* 1997;53:159-160.
  - Meyer JG. The teratological effects of anticonvulsivants and the effects on pregnancy and birth. *Eur Neurol* 1973;10:179-190.

- Meyer WB, Randal HW, Graves WL. Nifedipine versus ritrodine for suppressing preterm labor. *J Reprod Med* 1990; 35:649-653.
- Meyer-Wittkopf M, Barth H, Emons G, Schmidt S. Fetal cardiac effects of doxorubicin therapy for carcinoma of the breast during pregnancy: case report and review of the literature. *Ultrasound Obstet Gynecol* 2001; 18:62-66.
- Mhanna MJ, Bennet JB, Izatt SD. Potential fluoxetine CCHloride (Prozac) Toxicity in a Newborn. *Pediatrics* 1997; 100: 158.
- Mhanna MJ, Bennet JB, Izatt SD. Potential fluoxetine CCHloride (Prozac) Toxicity in a Newborn. *Pediatrics* 1997; 100: 158.
- Michael CA, Potter JM. A comparison of labetalol with other antihypertensive drugs in the treatment of hypertensive disease of pregnancy. In: Riley A, Symonds EM, eds. *The investigation of labetalol in the management of hypertension in pregnancy*. Amsterdam: Excerpta Medica 1982:111-122.
- Michaelis J, Michaelis H, Gluck E, Koller S. Prospective study of suspected associations between certain drugs administered during early pregnancy and congenital malformations. *Teratology* 1983; 27:57-64.
- Mick R, Muller-Tyale, Neufeld T. Comparison of the effectiveness of Nystatin and amphotericin B in the therapy of female genital mycoses. *Wien Med Wochenschr* 1975; 125:131-135.
- Mickal A, Panzer JD. The safety of Lincomycin in pregnancy. *Am J Obstet Gynecol* 1975; 121:1071-1074.
- Midgley DY, Harding K. The Mirror Syndrome. *Eur J Obstet Gynecol Reprod Biol* 2000; 88:201-202.
- Migliavacca A, Jurlaro F, Ferrero A. *La Riforma Medica* 1968;82:1629, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Milano V, Gabrielli S, Rizzo N et al. Successful treatment of essential thrombocythemia in a pregnancy with recombinant interferon alpha 2a. *J Matern Med* 1996; 5:74-78.
- Milham S, Elledge W. Maternal methimazole and congenital defects in children. *Teratology* 1972; 5:125.
- Milham S. Scalp defects in infants of mothers treated for hyperthyroidism with methimazole or carbimazole during pregnancy. *Teratoglogy* 1985; 32:321.
- Mili F, Khoury MJ, Lu X. Does maternal Clomiphene citrate use increase the risk of neural tube defects in offsprings? Fourth International Conference of Teratogen Information Services. Chicago 18-20 aprile 1991.
- Millia S, Firinu C, Piras G et al. Assunzione di estroprogestinici in gravidanza e ipospadia. *Min Gin* 1982; 34:1023-1027.
- Milkiewicz P, Gallagher R, Chambers J, et al. Obstetric cholestasis with elevated gamma glutamyl transpeptidase: Incidence, presentation and treatment. *J Gastroenterol Hepatol* 2003; 18:1283-1286.
- Milkovich L, Van den Berg BJ. An evaluation of the teratogenicity of certain antinauseant drugs. *Am J Obstet Gynecol* 1976; 2:244-248.
- Milkovich L, Van den Berg BJ. Effects of prenatal meprobamate and chlordiazepoxide hydrochloride on human embrionic and fetal development. *N Engl J Med* 1974; 1268-1271.
- Millar JA, Wilson PD, Morrison N. Management of severe hypertension in pregnancy by a combined drug regimen including captopril: case report. *NZ Med J* 1983; 96:796-798.
- Millar JHD, Nevin JC. Congenital malformations and anticonvulsant drugs. *Lancet* 1973; i: 328.
- Miller BW, Howard TK, Goss JA, et al. Renal transplantation one week after conception. *Transplantation* 1995; 60:1353-1354.
- Miller DS, Reid RR, Cetel NS, et al. Pulsatile administration of low-dose gonadotropin-releasing hormone. Ovulation and pregnancy in women with hypothalamic amenorrhea. *JAMA* 1983; 250:2937-2941.
- Miller JM. *South Austr Clin* 1968; 3:71, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Miller R. Teratology Society Position Paper: Recommendations for Vitamin A use during pregnancy. *Teratology* 1987; 35:269-275.

- Miller RK, Hendrickx AG, Mills JL, et al. Periconceptional vitamin A use: how much is teratogenic? *Reprod Toxicol* 1998;12: 75-88.
- Milliez, Bloth PH, Sureau C. A case report of maternal death associated with betamimetics and betamethasone administration in premature labour. *Eur J Obstet Gynaecol Reprod Biol* 1980;11: 95-100.
- Mills JL, Holmes LB, Aarons JH, et al. Moderate caffeine use and the risk of spontaneous abortion and intrauterine growth retardation. *JAMA* 1993;269:593-597.
- Mills JL, Simpson JL, Cunningham GC, et al. Vitamin A and birth defects. *Am J Obstet Gynecol* 1997;177: 31-36.
- Mills JL, Simpson JL, Rhoads GG et al. Risk of neural tube defects in relation to maternal fertility and fertility drug use. *Lancet* 1990;336:103-104.
- Mills JL. Clomiphene and neural tube defects. *Lancet* 1991;1:853.
- Mills M. Treatment of fetal supraventricular tachycardia with flecainide acetate after digoxin failure. *Am J Obstet Gynecol* 1992;166:1863.
- Milo R, Neuman M, Klein C et al. Acute intermittent porphyria in pregnancy. *Obstet Gynecol* 1989;73:450-452.
- Milunsky A, Derby LE, Jick H. Ovulation induction and neural tube defects. *Teratology* 1990;42:467.
- Milunsky A, Graef JW, Gaynor MF. Methotrexate-induced congenital malformations. *J Pediatr* 1968;72:790-795.
- Minami J, Hatori M, Tanaka N. Reproduction studies of procaterol. Teratogenicity study in rats. *Iyakuin Kenkyu* 1979;10:102-111.
- Miniero R, Tardivo I, Curtioni ES, et al. Pregnancy after renal transplantation in Italian patients: focus on fetal outcome. *J Nephrol* 2002;15:626-632.
- Minkowitz S, Soloway HB, Hall JE, Yermakov V. Fatal hemorrhagic pancreatitis following chlorothiazide administration in pregnancy. *Obstet Gynecol* 1964;24: 337-342.
- Minsker DH, Manson JM, Peter CP. Effects of the bisphosphonate, alendronate, on parturition in the rat. *Toxicol Appl Pharmacol* 1993;121:217-223.
- Mintz G, Niz J, Gutierrez G, et al. Prospective study of pregnancy in systemic lupus erythematosus. Results of a multidisciplinary approach. *J Rheumatol* 1986;13:732-739.
- Mirer FE, Silverstein MA. Cancer after metronidazole. *N Engl J Med* 1980;302:519-20.
- Mirkes PE. Cyclophosphamide teratogenesis: a review. *Teratog Carcinog Mutag* 1985;5: 75-88.
- Mironiuk M, Kietlinska Z, Jezierska-Kasprzyk K, Piekosz-Orzechowska B. A class of diabetes in mother, glycemic control in early pregnancy and occurrence of congenital malformations in newborn infants. *Clin Exp Obstet Gynecol* 1997;24:193-197.
- Mital P, Garg S, Khueta RP et al. Mefenamic acid in prevention of premature labour. *J R Soc Health* 1992;112:214-216.
- Mitala JJ, Hoberman AM, Thompson EW, Oldham JW. Developmental toxicity of 2-chloro-2'-deoxyadenosine (2-CdA, cladribine). *Teratology* 1996;53:116.
- Mitchell RW, Teare AJ. Amoebic liver abscess in pregnancy. Case reports. *Br J Obstet Gynaecol* 1984;91:393-395.
- Mitzutani M, Izutsu M, Matsuda H. Effects of ipriflavone (TC-80) on peri- and post- natal development in the rat. *Yakuri to Chiryō* 1985c;13:4997-5019.
- Mitzutani M, Izutsu M, Matsuda H. Teratogenic effects of ipriflavone (TC-80) in the rat. *Yakuri to Chiryō* 1985a;13:4967-4985.
- Mitzutani M, Izutsu M, Matsuda H. Teratogenic effects of ipriflavone (TC-80) in the rabbit. *Yakuri to Chiryō* 1985b;13:4987-4995.
- Miyakubo T, Satio S, Tokunaba U et al. Toxicological studies of SC-14266 5. Effects on the pre and postnatal development in mice and rats. *Nochidai Igaku Zasshi* 1977;36: 261-282.
- Miyamoto M, Ohtsu M, Sugisaki T, Tagayama K. Teratological studies of 6-cyclohexyl-1-hydroxy-4-methyl-2 (1H)-pyridone ethanolamine salt (Hoe 296) in mice and rats. *Oyo Yakuri* 1975;9:97-108.
- Miyamoto T, Miyaji S, Horiuchi Y et al. Gold therapy in bronchial asthma with special emphasis upon blood level of gold and its teratogenicity. *J Japanese Soc Int Med* 1974; 63:1190-1197.

- Miyazaki K, Dambrosia JM, Keabian JW. Dopaminergic modulation of the diethylstilbestrol-induced proliferation of the anterior pituitary gland of the Fisher 344 rat. *Neuroendocrinol* 1985;41:405-408.
- Mizrahi EM, Hobbs JF, Goldsmith DI. Nephrogenic diabetes insipidus in transplacental lithium intoxication. *J Pediatr* 1979;94:493-495.
- Mizuno S, Metsuda S, Mori S. Clinical Evaluation of Cephalexin in Obstetrics and Gynaecology. Proceedings of a Symposium on the Clinical Evaluation of Cephalexin. Royal Society of Medicine, London 02/03-07/1969.
- Mjølnerod Ok, Rasmussen K, Dommerud SA, Gjeruldsen ST. Congenital connective-tissue defects probably due to d-Penicillamine treatment in pregnancy. *Lancet* 1971; 1:673-675.
- MMWR. Postmarketing surveillance for angiotensin-converting enzyme inhibitor use during the first trimester of pregnancy – United States, Canada and Israel, 1987-1995. *MMWR Morb Mortal Wkly Rep* 1997;46:240-242.
- Moar VA, Jefferies MA, Mutch LMM et al. Neonatal head circumference and the treatment of maternal hypertension. *Br J Obstet Gynaecol* 1978;85:933-937.
- Moe N. Anticoagulant therapy in the prevention of placental infarction and perinatal death. *Obstet Gynecol* 1982;59:481-483.
- Moerike S, Pantzar JT, De Sa D. Temporal bone pathology in fetuses exposed to isotretinoin. *Pediatr Dev Pathol* 2002;5:405-409.
- Mofenson LM, Lambert JS, Stehm et al. Risk factors for perinatal transmission of human immunodeficiency virus type 1 in women treated with zidovudine. *N Engl J Med* 1999; 341:385-393.
- Mogadam M, Dobbins WO, Korelitz BI, Ahmed SW. Pregnancy in inflammatory bowel disease: effect of sulfasalazine and corticosteroids on fetal outcome. *Gastroenterology* 1981;80:72-76.
- Mogadam M, Dobbins WO, Korelitz BI. The safety of corticosteroids and sulfasalazine in pregnancy associated with inflammatory bowel disease. *Gastroenter* 1980;78:1224.
- Moggi G, Giampietro O. Induzione della gravidanza dopo trattamento con Bromocriptina, Ciclofenile in alcune donne normoprolattinemiche senza ovulazione. *Fertil Steril* 1979;32:289-292.
- Mogilner BM, Ashkenazy M, Borenstein R, Lancet M. Hydrops fetalis caused by maternal indomethacin treatment. *Acta Obstet Gynecol Scand* 1982;61:183-185.
- Mohamed K, Gulmezolug AM. Pyridoxine (vitamin B6) supplementation in pregnancy (Cochrane Review). In: *The Cochrane Library, Issue 1*. Oxford: Update Software, 1999.
- Moise KJ Jr, Carpenter RJ Jr. Methylergonovine-induced hypertonus in term pregnancy. A case report. *J Reprod Med* 1988;33:771-773.
- Moise KJ jr, Huhta JC, Sharif DS et al. Indomethacin in the treatment of premature labor: effects on the fetal ductus arteriosus. *N Engl J Med* 1988;319:327-331.
- Molina G, Holguin E, Teran E. Oral ambroxol supplement in pregnant women induces fetal lung maturation. *Am J Obstet Gynecol* 2004;191:2177.
- Moloney WC. Management of leukaemia in pregnancy. *Ann NY Acad Sci* 1964;114:857-867.
- Momma K, Takao A. In vivo constriction of the ductus arteriosus by nonsteroidal anti-inflammatory drugs in near-term and preterm fetal rats. *Pediatr Res* 1987;22:567-572.
- Momma K, Takeuchi H. Constriction of fetal ductus arteriosus by non-steroidal anti-inflammatory drugs. *Prostaglandins* 1983;26:631-643.
- Momotani N, Ito K, Hamada N et al. Maternal hyperthyroidism and congenital malformations in the offsprings. *Clin Endocrinol (Oxf)* 1984;20:695-700.
- Moncada S, Vane JR. Pharmacology and endogenous roles of prostaglandin endoperoxides, thromboxane A2, and prostacyclin. *Pharmacol Rev* 1978;30:293-331.
- Money J, Mathews D. Prenatal exposure to virilizing progestins: an adult follow-up study of twelve women. *Arch sex Behav* 1982;11:73-83.
- Monkus E et al. Use of nitrofurans in neonates. *So Med J* 1969;61:1559.

- Monnet P, Kalb JC, Pujol M. Doit-on craindre une influence teratogene eventuelle de l'isoniazide? Rev Tuberc Pneumol (Paris) 1967; 31:845-848.
- Monnet P, Kalb JC, Pujol M. Harmful effects of isoniazid on the fetus and infants. Lyon Med 1967; 217: 431-455.
- Monroe SE. Trichomoniasis. Clinical trial of metronidazole (Flagyl). Calif Med 1963; 98: 256-9.
- Monson RR, Rosenberg L, Hartz SC, et al. Diphenylhydantoin and selected congenital malformations. N Engl J Med 1973; 289: 1049-1052.
- Montenegro MA, Palomino H. Induction of cleft lip palate in mice by inhibitors of prostaglandin synthesis. J Craniofac Genet Dev Biol 1990; 10: 83-94.
- Montini M, Pagani G, Gianola D, et al. Acromegaly and primary amenorrhea: ovulation and pregnancy induced by SMS 201-995 and bromocriptine. J Endocrinol Invest 1990; 13: 193.
- Monton S, Ingemarsson I, Marsal K, et al. Randomized controlled trial of atenolol and pindolol in human pregnancy: effects on fetal haemodynamics. Br Med J 1992; 304: 946-949.
- Montouris G. Gabapentin exposure in human pregnancy: results from the Gabapentin Pregnancy Registry. Epilepsy Behav 2003; 4: 310-317.
- Monzonis LM, Perales MA. Josamycin on toxoplasmosis treatment: results. XIII Congr Intern Chemoth 1983.
- Moodley J, Moodley D, Pillay K, et al. Pharmacokinetics and antiretroviral activity of lamivudine alone or when coadministered with zidovudine in human immunodeficiency virus type 1 infected pregnant women and their offspring. J Infect Dis 1998; 178: 327-333.
- Moore J, Flynn RJ, Sampaio M et al. Effect of single-dose omeprazole on intragastric acidity and volume during obstetric anaesthesia. Anaesthesia 1989; 44: 559-562.
- Moore SJ, Turnpenny P, Quinn A, et al. A clinical study of 57 children with fetal anticonvulsant syndromes. J Med Genet 2000; 37: 489-497.
- Morag I, Batash D, Keidar R, et al. Paroxetine use throughout pregnancy: does it pose any risk to the neonate? J Toxicol Clin Toxicol 2004; 42: 97-100.
- Morales WJ, Angel LJ, O'Brien WF, et al. Use of ampicillin and corticosteroids in premature rupture of membranes: a randomized study. Obstet Gynecol 1989; 73: 721-726.
- Morales WJ, Schorr S, Albritton J. Effect of metronidazole in patients with preterm birth in preceding pregnancy and bacterial vaginosis: a placebo-controlled, double-blind study. Am J Obstet Gynecol 1994; 171: 345-349.
- Morales WJ, Smith SG, Angel JL, et al. Efficacy and safety of indomethacin versus ritodrine in the management of preterm labor: a randomized study. Obstet Gynecol 1989; 74: 567-572.
- Moran LR, Almeida PG, Worden S, Huttner KM. Intrauterine baclofen exposure: a multidisciplinary approach. Pediatrics 2004; 114: 267-269.
- Morange I, Barlier A, Pellegrini I, et al. Prolactinomas resistant to bromocriptina: long term efficacy quinagolide and outcome of pregnancy. Eur J Endocrinol 1996; 135: 413-420.
- Morelock S, Hingson R, Kayne H, et al. Bendectin and fetal development. A study of Boston City Hospital. Am J Obstet Gynecol 1982; 142: 209-213.
- Moreno H, Castleberry RP, Mc Cann WP. Cytosine arabinoside and 6-thioguanine in the treatment of childhood acute myeloblastic leukemia. Cancer 1977; 40: 998-1004.
- Moretti ME, Caparra D, Coutinho CJ, et al. Fetal safety of loratadine use in the first trimestre of pregnancy: a multicentre study. J Allergy Clin Immunol 2003; 111: 479-483.
- Morgan I. Metronidazole treatment in pregnancy. Int J Gynaecol Obstet 1978; 15: 501-502.
- Mori N, Sakanove M, Kamata S, et al. Toxicological studies of buprenorphine. II. Teratogenicity in rat. Iyakuin Kenkyu 1982; 13: 509-531.
- Moriarity AJ. Trifluoperazine and congenital malformations. Can Med Assoc J 1963; 88: 97.

- Moriguchi M, Takeda U, Hata T, et al. Effects of midecamycin acetate (miocamycin), a new macrolide antibiotic, on reproductive performances in rats and rabbits. *Jpn J Antibiot* 1984; 37: 1572-1595.
- Morimoto I, Ninomiya H, Komatsu K, Satho M. Pregnancy and penicillamine treatment in a patient with Wilson's disease. *Jpn J Med* 1986; 25: 59-62.
- Morimoto K, Kusumoto S, Tadokoro T, Miyamoto M. A study of reproductive and developmental toxicity in rats administered oxiracetam during fetal organogenesis. *Jpn Pharm Therap* 1991; 19: 3565-3576.
- Morini A, Spina V, Aleandri V, et al. Pregnancy after heart transplant: update and case report. *Hum Reprod* 1998; 13: 749-757.
- Morinobu T, Tamai H, Murata T, et al. Changes in beta-carotene levels by long-term administration of natural beta-carotene derived from *Dunaliella bardawil* in humans. *J Nutr Sci Vitaminol (Tokyo)* 1994; 40: 421-430.
- Morinobu T, Tamai H, Tanabe T, et al. Plasma alpha-tocopherol, beta-carotene, and retinol levels in the institutionalized elderly individuals and in young adults. *Int J Vitam Nutr Res* 1994; 64: 104-108.
- Morishita S, Imai A, Kawabata I, Tamaya T. Acute myelogenous leukemia in pregnancy: fetal blood sampling and early effects of chemotherapy. *Int J Gynaecol Obstet* 1994; 44: 273-277.
- Morison DH. Placental transfer of dantrolene. *Anesthesiology* 1983; 59: 265.
- Morita H, Naito Y, Uchiyama H, Oi A. A reproductive toxicity study by intramuscular administration of OH-6000 during the fetal organogenesis period in rabbits. *Yakuri to Chiryō* 1993; 21: 3617-3627.
- Moriyama I, Kanoh S. Effect of reserpine on the pregnant rat. *Acta Obstet Gynaecol Jpn* 1978; 30: 161-166.
- Morley D, Wooland M, Cuthbertson WFJ. Controlled trial of pyrimethamine in pregnant women in an African Village. *Br Med J* 1964; 1: 667-668.
- Moro M, Andrews M. Prophylactic antibiotics in cesarean section. *Obstet Gynecol* 1974; 44: 688-692.
- Morrell MJ. The new antiepileptic drugs and women: efficacy, reproductive health, pregnancy, and fetal outcome. *Epilepsia* 1996; 37(S): 34-44.
- Morrell P, Sutherland GR, Baumah PK et al. Lithium toxicity in a neonate. *Arch Dis Child* 1983; 58: 539-541.
- Morriss-Kay GM, Ward SJ. Retinoids and mammalian development. *Int Rev Cytol* 1999; 188: 73-131.
- Morrow AW. Limb deformities associated with iminodibenzyl hydrochloride. *Med J Aust* 1972; 1: 658-659.
- Morseth SL, Ihara T. Teratology study in rabbits with manidipine hydrochloride [dv-4093(2hcl)]. *Yakuri to Chiryō* 1989; 17: 1114-1149.
- Morseth SL, Ihara T. Teratology study in rats with manidipine hydrochloride. *Yakuri to Chiryō* 1989; 17: 1119-1139.
- Morton DM. Pharmacology and toxicology of nizatadine. *Scand J Gastroenterol* 1987; 22 (S): 1-8.
- Mosca F, Bray M, Stucchi I, et al. Pulmonary hypertension after ibuprofen prophylaxis in very preterm infants. *Lancet* 2002; 360: 1023-1024.
- Moschovi M, Theodoridou M, Papaevangelou V, Tzortzatos-Stathopoulou F. Acute lymphoblastic leukaemia in an infant exposed to zidovudine in utero and early infancy. *AIDS* 2000; 14: 2410-2411.
- Mosimann W. Antiinfektiose Chemotherapie in der Schwangerschaft. *Schweiz Med Wschr* 1975; 105: 257-263.
- [Mounoud RL, Klein D, Weber F.](#) A case of Goldenhar syndrome: acute vitamin A intoxication in the mother during pregnancy. *J Genet Hum* 1975; 23: 135-154.
- Mozas J, Ocon E, Lopez de la Torre M, et al. Successful pregnancy in a woman with acromegaly treated with somatostatin analog (octreotide) prior to surgical resection. *Int J Gynaecol Obstet* 1999; 65: 71-73.
- Mubarak AA, Kakil IR, Awidi A, et al. Normal outcome of pregnancy in chronic myeloid leukaemia treated with interferon-alpha in 1<sup>st</sup> trimester: report of 3 cases and review of the literature. *Am J Hematol* 2002; 69: 115-118.

- Muirhead N, Sabharwal AR, Rieder MJ et al. The outcome of pregnancy following renal transplantation. The experience of a single center. *Transplantation* 1992;54:429-432.
- Mujtaba O, Burrow GN. Treatment of hyperthyroidism in pregnancy with propylthiouracil and methimazole. *Obstet Gynecol* 1975;46:282-286.
- Muller J, Starup J, Christiansen JS, et al. Growth hormone treatment during pregnancy in a growth hormone-deficient woman. *Eur J Endocrinol* 1995;132:727-729.
- Muller M. Action of clinically utilized 5-nitroimidazoles on microorganisms. *Scand J Infect Dis* 1981;26(S):31.
- Muller PR, James A. Pregnancy with prolonged fetal exposure to an angiotensin-converting enzyme inhibitor. *J Perinatol* 2002;22:582-584.
- Mulvihill JJ, McKeen EA, Rosner F, Zarrabi MH. Pregnancy outcome in cancer patients. Experience in a large cooperative group. *Cancer* 1987;60:1143-1150.
- Mulvihill JJ, McKeen EA, Rosner F, Zarrabi MH. Pregnancy outcomes in women with cancer. *Am J Hum Genet* 1982;34:75A.
- Muñoz FC, Marco DG, Pérez AV, Camacho MM. Pregnancy outcome in a woman exposed to continuous intrathecal baclofen infusion. *Ann Pharmacother* 2000;34:956.
- Munshi UK, Deorari AK, Paul VK, Singh M. Effects of maternal labetalol on the newborn infant. *Indian Pediatr* 1992;29:1507-1512.
- Murphy DF, Nally B, Gardiner J et al. Effect of metoclopramide on gastric emptying before elective and emergency caesarean section. *Br J Anaesth* 1984;56: 1113-1116.
- Murray C, Haverkamp AD, Orleans M, et al. Nifedipine for treatment of preterm labor: a historic prospective study. *Am J Obstet Gynecol* 1992;167:52-56.
- Murray CL, Reichert JA, Anderson J, Twiggs LB. Multimodal cancer therapy for breast cancer in the first trimester of pregnancy. A case report. *JAMA* 1984;252:2607-2608.
- Murray EDS. Nalidixic acid in pregnancy. *Br Med J* 1981;282:224.
- Murray JC, Hill RM, Hegemier S, Hurwitz RL. Lymphoblastic lymphoma following prenatal exposure to phenytoin. *J Pediatr Hematol Oncol* 1996;18:241-243.
- Murray NA, Acolet D, Deane M et al. Fetal marrow suppression after maternal chemotherapy for leukaemia. *Arch Dis Child Fetal Neonatal Ed* 1994;71:F209-F210.
- Mutchinick O, Lisker R, Babinski V. The Mexican program of Registration and Epidemiologic Surveillance of External Congenital Malformations. *Salud Publica Mex* 1988;30:88-100.
- Myerscough PR. Infant growth and development after treatment of maternal hypertension. *Lancet* 1980;2:883.
- Mygind H, Thulstrup AM, Pedersen L, Larsen H. Risk of intrauterine growth retardation, malformations and other birth outcomes in children after topical use of corticosteroid in pregnancy. *Acta Obstet Gynecol Scand* 2002;81:234-239.