

- Nagae Y, Takahashi S, Deguchi J et al. Reproductive and developmental toxicity studies of CGS 1482A (benazepril hydrochloride): Segment III study in rats. *Jpn Pharm Therap* 1991;9: 3471-3490.
- Nagai H. Effects of transplacentally injected alkylating agents upon development of embryos. Appearance of intrauterine death and mesodermal malformation. *Bull Tokyo Dent Coll* 1972;13: 103-119.
- Nagaoka T, Nanama I, Konoha N. Reproductive studies on cisplatin. *Kiso to Rinsho* 1981;5769-5808.
- Nagaoka T, Osuka F, Hatano M. Reproductive studies of dantrolene. Teratogenicity study in rabbits. *Clinical Report* 1977a;11:2212-2217.
- Nagaoka T, Osuka F, Shigemura T, Hatano M. Reproductive test of dantrolene. Teratogenicity tests on rats. *Clinical Report* 1977b;11:2218-2230.
- Nageotte MP, Briggs CG, Towers CV, Astrat T. Droperidol and diphenhydramine in the management of hyperemesis gravidarum. *Am J Obstet Gynecol* 1996;174:1801-1806.
- Nagy A, Tenyi T, Lenard K, et al. Olanzapine and pregnancy. *Orv Hetil* 2001; 142:137-138.
- Nagy S, Bush MC, Berkowitz R, et al. Pregnancy outcome in liver transplant recipients. *Obstet Gynecol* 2003;102:121-128.
- Naidu RC. The effect of L-arginine hydrochloride on the development of rat embryos. *Aust J Exp Biol Med Sci* 1973;51:553-555.
- Naitoh J, Misawa T, Shibata N et al. Reproduction studies of bezafibrate (2nd report) . Teratological study in rats. *Kiso to Rinsho* 1988;22:4415-4431.
- Nakada H, Nakamura S, Inaba J et al. Toxicity test of cefoperazone (T-1551). V. Reproduction study in rats. *Chemotherapy* 1980;28:268-291.
- Nakajima T et al. Effects of metolazone on the reproduction function of rats. 2. Teratogenicity test. *Clin Rep* 1978;12:3394-3406.
- Nakajima T et al. Effects of metolazone on the reproduction function of rabbits. Teratogenicity test. *Clin Rep* 1978;12:3417-3421.
- Nakajima T, Hamada M, Watanabe M, Matsuda K. Studies of Tizanidine administered in organogenesis period in rats. *Kiso To Rinsho* 1985;19:5825-5837.
- Nakajima T, Ishizaka K, Hamada M, Matsuda M. Reproductive studies of HC-20-511 in rats. *Kiso to Rinsho* 1979;13:4096-4114.
- Nakajima W, Ishida A, Takahashi M, et al. Good outcome for infant of mother treated with chemotherapy for ewing sarcoma at 25 to 30 weeks' gestation. *J Pediatr Hematol Oncol* 2004; 26: 308-311.
- Nakajima W, Ishida A, Takahashi M, et al. Good outcome for infant of mother treated with chemotherapy for ewing sarcoma at 25 to 30 weeks' gestation. *J Pediatr Hematol Oncol* 2004; 26: 308-311.
- Nakamura K, Dan K, Iwakiri R, et al. Successful treatment of acute promyelocytic leukaemia in pregnancy with all-trans retinoic acid. *Ann Hematol* 1995;71:263-264.
- Nakamura K, Nagatahira R, Ohtani A, Tanaka M. Reproduction studies of dosulepin hydrochloride. 3.teratogenicity study in rabbits. *Iyakuin Kenkyu* 1983;14:596-601.
- Nakane Y, Okuma T, Takahashi R et al. Multiple-institutional study of the teratogenicity and fetal toxicity of antiepileptic drugs. a report of a collaborative study group in Japan. *Epilepsia* 1980;21:663-680.
- Nakasuka T, Fujii T. Comparative teratogenicity study of diflunisal and aspirin in the rat. *Oyo Yakuri* 1979;17:551-557.
- Nako Y, Tachibana A, Fujiu T, et al. Neonatal thrombocytosis resulting from the maternal use of non-narcotic antischizophrenic drugs during pregnancy. *Arch Dis Child Fetal Neonatal* 2001;84:198-200.
- Nars PW, Girard J. Lithium carbonate intake during pregnancy leading to large goiter in a premature infant. *Arch Pediatr Adolesc Med* 1977;131:924-925.
- Nash HA. Depo-Provera: a review. *Contraception* 1975;12:377-393.
- Nath SP, Miller DA, Muraskas JK. Severe rhinorrhoea and respiratory distress in a neonate exposed to fluphenazine hydrochloride prenatally. *Ann Pharmacother* 1996; 30:35-37.

- National Perinatal Statistics Unit, Fertility Society of Australia. IVF and GIFT pregnancies Australia and New Zealand 1987. National Perinatal Statistics Unit Sydney, 1988.
- Nau H, Chahoud I, Dencker L et al. Teratogenicity of vitamin A and retinoids. In: Blomhoff R. Vitamin A in health and disease. Antioxydants in Helath and Disease Series No. 1. New York. Amrcel Dekker 1994;615-663.
- Nau H. Embriotoxicity and teratogenicity of topical retinoic acid. *Skin Pharmacol* 1993;6 (S1):35-44.
- Navarre- Belhassen C, Blanchet P, Hillaire-Buys et al. Multiple congenital malformations associated with topical tretinoin. *Ann Pharmacother* 1998;32:505-506.
- Naya M, Fujita T, Takahashi H et al. Toxicology study of GKT-beta-Teratogenicity study in rats administered intravenously. *Kiso to Rinsho* 1988;22:137-145.
 - Nayar B, Singhal A, Aggarwal R, Malhotra N. Losartan induced fetal toxicity. *Indian J Pediatr* 2003;70:138-142.
- Neal JM. Successful pregnancy in a woman with acromegaly treated with octreotide. *Endocr Pract* 2000;6:148-150.
- Neiberg AD, Maruomatis F, Dyke J, Fayyad A. Blastomyces dermatitis treated during pregnancy. *Am J Obstet Gynecol* 1977;128:911-912.
- Nelson KB, Ellenberg JH. Maternal seizure disorder, outcome of pregnancy, and neurologic abnormalities in the children. *Neurology* 1982;32:1247-1254.
- Nelson MM, Forfar JO. Association between drugs administered during frequency and congenital abnormalities of the fetus. *Br Med J* 1971;1:523-527.
- Nencioni T, Miragoli A, Antolini C, Polvani F. Induzione della gravidanza con bromocriptina nei microprolattinomi. *Triangolo XVI* 1978;3(S):109-112.
- Netter JC, Choulot JJ, Dagues Bie M, et al. Oligohydramnios and persistent neonatal pulmonary arterial hypertension after use of keftoprofen during pregnancy. *Sem Hop* 1990;66:1953-1954.
- Neu LT. Leukemia complicating pregnancy. *Mo Med* 1962;59:22.
- Neuman MI, Molle Z, Handelsman EL, et al. Neonatal hypoperistalsis associated with perinatal zidovudine administration. *J Perinatol* 1998;18:20-23.
- Neumann F, Elger W, Kramer MM. Development of a vagina in male rats by inhibiting androgen receptors through an anti- androgen during the critical phase of organogenesis. *Endocrinology* 1966;78:628-632.
- Neumann NU, Frasch K. Olanzapine and pregnancy. 2 case reports. *Nervenarzt* 2001;72:876-878.
- Nevin NC, Harley JMG. Clomiphene and neural tube defects. *Ulster Med J* 1976;45:59-64.
- New Zealand Committee on Adverse Drug Reactions. Third annual report. *N Z Med J* 1968;67:635-641.
- Newcomb M, Balducci L, Thigpen JT, Morrison FS: Acute leukemia in pregnancy: successful delivery after cytarabine and doxorubicin. *JAMA* 1978;239:2691-2692.
- Newhouse MT, Dolovich MB. Control of asthma by aerosols. *N Engl J Med* 1986;315:870-874.
- Newman NM, Correy JF, Dudgeon GI. A survey of congenital abnormalities and drugs in a private practice. *Aust NZ J Gynaecol* 1977;17:156-159.
- Newman NM, Correy JF. Possible teratogenicity of sulphasalazina. *Med J Austr* 1983:528-529.
- Newman RG, Bashkow S, Clko D. Results of 313 consecutive live births of infants delivered to patients in the new York City methadone maintenance program. *Am J Obstet Gynecol* 1975;121:233-237.
- Newschaffer CJ, Cocroft J, Anderson CE, et al. Prenatal zidovudine use and congenital anomalies in a medicaid population. *J Acquir Immun Defic Syndr* 2000;24:249-256.
- Ng KH, Sen DK. Hypotension with intravenous salbutamol in premature labour. *Br Med J* 1974;3:275-277.
- Nguyen C, Duhl A, Escallon CS, Blakemore KJ. Multiple anomalies in a fetus exposed to low-dose methotrexate in the first trimester. *Obstet Gynecol* 2002;99: 599 – 602.
- Nguyen HN, Lalonde P. Clozapine and pregnancy. *Encephal* 2003;29:119-124.

- Nicholson HO. Cytotoxic drugs in pregnancy: Review of reported cases. *J Obstet Gynaecol Br Commonw* 1968;75: 307-312.
- Niederhoff H, Zahradnik HP. Analgesics during pregnancy. *Am J Med* 1983;117-120.
- Nielsen GL, Sorensen HT, Larsen H, Pedersen L. Risk of adverse birth outcome and miscarriage in pregnant users of non-steroidal anti-inflammatory drugs: population based observational study and case-control study. *BMJ* 2001;322:266-270.
- Nielsen GL, Sorensen HT, Thulstrup et al. The safety of proton pump inhibitors in pregnancy. *Aliment Pharmacol Ther* 1999;13:1085-1089.
- Nielsen OH, Andreasson B, Bondesen S et al. Pregnancy in Crohn's disease. *Scand J Gastroenterol* 1984;19: 724-732.
- Nielsen OH, Andreasson B, Bondesen S, Jarnum S. Pregnancy in ulcerative colitis. *Scand J Gastroenterol* 1983;18: 735-742.
- Nijhuis IJ, Kok-Van Rooij GW, Bosschaart AN. Withdrawal reactions of a premature neonate after maternal use of paroxetine. *Arch Dis Child Fetal Neonatal* 2001;84: 77.
- Nikfar S, Abdollahi M, Moretti ME et al. Use of proton pump inhibitors during pregnancy and rates of major malformations: a meta-analysis. *Dig Dis Sci* 2002;47: 1526-1529.
- Niki R, Shiota S, Usami M, et al. Studies of toxicity and teratogenicity of ceftazidime. *Chemotherapy* 1976; 24:671-702.
- Nilsson L. Teratogenic studies on mice with an antiphlogistic substance, 5-(2-diethyl-aminoethyl)-3-phnyl-1,2,4-oxadiazole citrate. *Arzneim-Forsch* 1967;17: 781-782.
- Nimrod C, Rambihar V, Fallen E, et al. Pulmonary edema associated with isoxsuprine therapy. *Am J Obstet Gynecol* 1984;148:625-629.
- Nimrod CA, Beresford P, Fraiss M, et al. Hemodynamic observations on pulmonary edema associated with a beta-mimetic agent. A report of two cases. *J Reprod Med* 1984;29: 341-344.
- Ninomiya H, Akitsuki S, Kondo J et al. Reproduction study of celioprolol teratogenicity study in rats. *Oyo Yakuri* 1989;37:201-213/215-229/231-242.
- Ninomiya H, Akitsuki S, Kondo J, et al. Reproduction studies of etodolac. Effect of etodolac administered orally prior to and in the early stage of pregnancy in rats. *Oyo Yakuri* 1990a;40: 647-655.
- Ninomiya H, Akitsuki S, Kondo J et al. Reproduction studies of etodolac. Effect of etodolac administered orally during the period of organogenesis in rats. *Oyo Yakuri* 1990b;40: 657-671.
- Nishikawa S, Hara T, Miyazaki H et al. Safety evaluation of KW-1070. *Chemotherapy* 1981;29: 167-175.
- Nishimura H, Tanimura T. *Clinical Aspects of the Teratogenicity of Drugs*. Excerpta Medica, American Elsevier Publishing Co, NY 1976.
- Nishimura H. *Chemistry and prevention of congenital Anomalies*. Charles C Thomas, Springfield. IL. 1964.
- Nishimura K, Nanto T, Mukumoto K et al. Reproduction studies of pipemidic acid in rats. 2. Teratogenicity study. *Iyakuin Kenkyu* 1976;7: 321-329.
- Nishimura M, Kast A, Tsunenari Y. Reproduction studies of fenoterol (Th 1165°) in rats and rabbits. *Iyakuin Kenkyu* 1981;12: 742-761.
- Niwa N, Goto M, Taki T, et al. Perinatal and postnatal study in rats treated orally with donepezil hydrochloride. *Yakuri To Chiryō* 1998;26: 113-126.
- Noda K, Hirabayashi M, Irikura T, Sugimoto T. Teratological study on flurazepam free base in rabbits. *Oyo Yakuri* 1977; 14:801-4.
- Noda T, Ueda K, Satoyama M. A case of malformed infant born to a mother treated with adrenocorticoids during pregnancy. *Sanfujinka No Shimpo* 1963;15: 189.
- Noguchi Y, Tochibana M, Nabatake H et al. Preclinical safety evaluation of tioconazole. *Yakuri to Chiryō* 1982;10: 3849-3861.
- Noguchi Y, Ito Y, Sakakibara M, Tsuchiya T. Pre-mating and early gestation study or orally administered fenofibrate in rats. *Yakuri to Chiryō* 1995;23(S): 973-981.
- Nojima M, Ihara H, Ichikawa Y, et al. Influence of pregnancy on graft function after renal transplantation. *Transplant Proc* 1996;28: 1582-1585.
- Nolen GA, Buehler EU. The effects of disodium etidronate on the reproductive functions and embryology of albino rats and New Zealand rabbits. *Toxicol Appl Pharmacol* 1971; 18: 548-561.

- Nolen GA. The effects of prenatal retinoic acid on the viability and behavior of the offspring. *Neurobehav Toxicol Teratol* 1986;8:643-654.
- Nomato M, Kaseda S, Iwata S, Osame M, et al. Levodopa in pregnancy. *Mov Disord* 1997;12: 261.
- Nomura A, Furuhashi T, Komuro E, et al. Reproduction study on netilmicin. 1. Teratological study in rats. *Jpn J Antibiot* 1982;35:614-629.
- Nomura T, Kimura S, Kanzaki T et al. Induction of tumors and malformations in mice after prenatal treatment with some antibiotic drugs. *Med J Osaka Univ* 1984;35:13-17.
- Nora AH, Nora JJ, Blu J. Limb-reduction anomalies in infants born to Disulfiram-treated alcoholic mothers. *Lancet* 1977;2:664.
- Nora AH, Nora JJ. Maternal exposure to exogenous progestogen/estrogen as a potential cause of birth defects. *Adv Plan Parent* 1978;12:156-169.
- Nora JJ, Nora AH, Perinchief AG et al. Congenital abnormalities and first trimester exposure to progestagen/oestrogen. *Lancet* 1976;1:313-314.
- Nora JJ, Nora AH, Sommerville RJ, et al. Maternal exposure to potential teratogens. *JAMA* 1967;18;202(12):1065-1069.
- Nora JJ, Nora AH, Toews WH. Lithium, Ebstein's anomaly, and other congenital heart defects. *Lancet* 1974;2:594-595.
- Nora JJ, Nora AH, Way GL. Cardiovascular maldevelopment associated with maternal exposure to amantadine. *Lancet* 1975;2:607.
- Nora JJ, Nora AH. A syndrome of multiple congenital anomalies associated with teratogenic exposure. *Arch Environ Health* 1975;30:17-21.
- Nora JJ, Nora AH. Birth defects and oral contraceptives. *Lancet* 1973;1:941-942.
- Nora JJ, Nora AH. Can the pill cause birth defects? *N Engl J Med* 1974;291:731-734.
- Nordeng H, Lindemann R, Perminov KV, Reikvam A. Neonatal withdrawal syndrome after in utero exposure to selective serotonin reuptake inhibitors. *Acta Paediatr* 2001;90:288-291.
- Norgard B, Czeizel AE, Rockenbauer M, et al. Population-based case control study of the safety of sulfasalazine use during pregnancy. *Aliment Pharmacol Ther* 2001;15:483-486.
- Norgard B, Fonager K, Pedersen L, et al. Birth outcome in women exposed to 5-aminosalicylic acid during pregnancy: a Danish cohort study. *Gut* 2003;52: 243-247.
- Norgard B, Puho E, Czeizel AE et al. Aspirin use during early pregnancy and the risk of congenital abnormalities: a population-based case-control study. *Am J Obstet Gynecol* 2005;192:922-923.
- Norhaya MR, Cheong SK, Hamidah NH, Ainoon O: Pregnancy in a patient receiving busulphan for chronic myeloid leukaemia. *Singapore Med J* 1994;35: 102-103.
- Norjavaara E, De Vedier MG. Normal pregnancy outcome in a population-based study including 2,968 pregnant women exposed to budesonide. *J Allergy Clin Immunol*. 2003;111:736-742.
- Normann EK, Stray-Pedersen B. Warfarin-induced fetal diaphragmatic hernia. Case report. *Br J Obstet Gynecol* 1989;96:729-730.
- Norton M, Merrill J, Cooper BA, et al. Neonatal complications after antenatal indomethacin for preterm labor. *Am J Obstet Gynecol* 1993;168:303.
- Nosten F, Karbwang J, White NJ, et al. Mefloquine antimalarial prophylaxis in pregnancy: dose finding and pharmacokinetic study. *Br J Clin Pharmacol* 1990;30:79-85.
- Nosten F, Vincenti M, Simpson J, et al. The effects of mefloquine treatment in pregnancy. *Clin Infect Dis* 1999;28:808-815.
- Nosten F, Vincenti M, Simpson J, et al. The effects of mefloquine treatment in pregnancy. *Clin Infect Dis* 1999;28:808-815.
- Notelovitz M. Sulphonylurea therapy in the treatment of the pregnant diabetic. *S Afr Med J* 1971;45:226-229.
- Notter A, Theoleyre J. First clinical trials of metoclopramide on gastro-duodeno-jejunal dyskinesia during the gravidopuerperal period. *Rev Fr Gynecol Obstet* 1967;62:60-62.

- Novach V, Damianov L, Tsankova M, Ivanov S. The treatment of acute mycotic colpitis with ciclopiroxolamine (Dafnegin –CSN) in pregnant patients in the 10th lunar month. *Akush Ginekol (Sofia)* 1999;38:54-55.
- Nuchpuckdee P, Brodsky N, Porat R, Hurt H. Ventricular septal thickness and cardiac function in neonates after in utero ritodrine exposure. *J Pediatr* 1986;109:687-691.
- Nuite JA, Kennedy GL, Smith S, et al. Reproductive and teratogenic studies with naltrexone in rats and rabbits. *Toxicol Appl Pharmacol* 1975;33:173-174.
- Nulman I, Rovet J, Stewart DE, et al. Child development following exposure to tricyclic antidepressants or fluoxetine throughout fetal life: a prospective, controlled study. *Am J Psychiatry* 2002;159:1889-1895.
- Nulman I, Rovet J, Stewart DE, et al. Neurodevelopment of children exposed in utero to antidepressant drugs. *N Engl J Med* 1997;336:258-262.
- Numberg HG. Treatment of mania in the last six months of pregnancy . *Hosp Community Psychiatry* 1980;31:122-126.
- Numberg HG. Treatment of mania in the last six months of pregnancy. *Hosp Community Psychiatry* 1980;31:122-126.
- Nunes ML, Friedrich MA, Loch LF. Association of misoprostol, Moebius syndrome and congenital central alveolar hypoventilation. Case report. *Arq Neuropsiquiatr* 1999; 57: 88-91.
- Nunley WC Jr, Bateman BG, Kitchin III JD. Reproductive performance of patients treated with Clomiphene citrate. *Sout Med J* 1985;78:31-33.