

- Pajczyk-Kieszkiewicz T, Krzeminska-Pakula M, Kowalska-Koprek U, et al. Pregnancy in women with valvular prostheses – follo wup observations. *Z Kardiol* 1986;75: 308-311.
- Palacios-Macedo X, Diaz-Devis C, Escudero J. Fetal risk with the use of coumarin anticoagulation agents in pregnant patients with intracardiac ball valve prosthesis. *Am J Cardiol* 1969;24:853-856.
- Palea KMG. The fetal valproate syndrome. *Scot Med J* 1991;36:86.
- Palma J, Reyes H, Ribalita J et al. Effects of ursodeoxycholic acid in patients with intrahepatic cholestasis of pregnancy. *Hepatology* 1992;15:1043-1047.
- Palma J, Reyes H, Ribalita J et al. Management of intrahepatic cholestasis in pregnancy. *Lancet* 1992;339:1478.
- Palma J, Reyes H, Ribalta J, Hernandez I et al. Ursodeoxycholic acid in the treatment of cholestasis of pregnancy: A randomized, double-blind study controlled with placebo. *J Hepat* 1997;27:1022-1028.
- Pandit PB, Chitayat D, Jefferies AL, et al. Tibial hemimelia and tetralogy of Fallot associated with first trimester exposure to amantadine. *Reproductive Toxicology* 1994;8:89-92.
- Paolini M, Sapone A, Valgimigli L. Avoidance of bioflavonoid supplements during pregnancy: a pathway to infant leucemia? *Mutat Res* 2003;527:99-101.
- Pap AG, Tarakhowsky ML. Influence of certain drugs on the fetus. *Akush Ginekol (Mosc)* 1967;43:10-15.
- Pap Z, Gardo S. Effect of exogenous hormones on the fetus. *Lancet* 1971;1:753.
- Papageorgiou AN, Desgranges MF, Masson M, et al. The antenatal use of betamethasone in the prevention of respiratory distress syndrome: a controlled double-blind study. *Pediatrics* 1979;63:73-79.
- Papatsonis DN, Kok JH, van Geijn HP et al. Neonatal effects of nifedipine and ritodrine for preterm labor. *Obstet Gynecol* 2000;95:477-481.
- Paran E, Holzberg G, Mazor M, et al. Beta-adrenergic blocking agents in the treatment of pregnancy-induced hypertension. *Int J Clin Pharmacol Ther* 1995;33:119-123.
- Pardi G, Como ML, De Giambattista M, et al. Epilepsy and pregnancy: obstetrical aspects of a prospective multidisciplinary study. *Ann Ostet Gynecol Med Perinat* 1982;103:254-263.
- Pardini S, Dore F, Murineddu M et al. Alfa-2b interferon therapy and pregnancy - report of a case of essential thrombocythemia. *Am J Hematol* 1993;43:78-79.
- Pardthaisong T, Gray RH. In utero exposure to steroid contraceptives and outcome of pregnancy. *Am J Epidemiol* 1991;134:795-803.
- Pardthaisong T, Gray RH. In utero exposure to steroid contraceptives and survival during infancy. *Am J Epidemiol* 1991;134:804-811.
- Parekh JG, Shah KM, Sharma RS. Acute leukaemia in pregnancy (case report). *J Hosp Grant Med Coll* 1959;4:49.
- Park JM, Schmer V, Myers TJ. Cardiovascular anomalies associated with prenatal exposure to theophylline. *South Med J* 1990;80:1487-1488.
- Park JM, Sridaromont S, Ledbretter EO. Ebstein's anomaly of the tricuspid valve associated with prenatal exposure to lithium carbonate. *Am J Dis Child* 1980;134:703-704.
- Parke A, West B. Hydroxychloroquine in pregnant patients with systemic lupus erythematosus. *J Rheumatol* 1996;23:1715-1718.
- Parke A. Antimalarial drugs and pregnancy. *Am J Med* 1988;85(S4):30-32.
- Parkin DE. Probable Benadryl withdrawal manifestations in a newborn infant. *J Pediatr* 1974;85:580.
- Parkinson CE, Tan JCY. Vitamin A concentrations in amniotic fluid and maternal serum related to neural tube defects. *Br J Obstet Gynaecol* 1982;89:935-939.
- Park-Wyllie L, Mazzotta P, Pastuszak A, et al. Birth defects after maternal exposure to corticosteroids: prospective cohort study and meta-analysis of epidemiological studies. *Teratology* 2000;62:385-392.
- Pastuszak A, Milich V, Chan S, et al. Prospective assessment of pregnancy outcome following first trimester exposure to benzodiazepines. *Can J Clin Pharmacol* 1996;3/4:167-171.

- Pastuszak A, Pinelli M, Koren G. Pregnancy outcome following fetal exposure to tiaprofenic acid in the first trimester. *Am J Perinatol* 1993;10:354-357.
- Pastuszak A, Schick-Boschetto B, Zuber C et al. Pregnancy outcome following first-trimester exposure to fluoxetine (Prozac). *JAMA* 1993;269:2246-2248.
- Pastuszak AL, Milich V, Chan S, et al. Prospective assesment of pregnancy outcome following first trimester exposure to benzodiazepines. *JAMA* 1993;22:2248.
- Pastuszak AL, Schüler L, Coelho KA, et al. Misoprostol use during pregnancy is associated with an increased risk of Möbius sequence. *Teratology* 1997;55:36.
- Pastuszak AL, Schuler L, Speck-Martins CE, et al. Use of misoprostol during pregnancy and Mobius syndrome in infants. *N Engl J Med* 1998;338:1881-1885.
- Patel DA, Patel AR. Clorazepate and congenital malformations. *JAMA* 1980;244:135-136.
- Patel M, Dukes IAF, Hull JC. Use of hydroxyurea in chronic myeloid leukemia during pregnancy: a case report. *Am J Obstet Gynecol* 1991;165:565-566.
- Paternoster DM, Snijders D, Manganelli F, et al. Anhydramnios and maternal thrombocytopenia after prolonged use of nimesulide. *Eur J Obstet Gynecol Reprod Biol* 2003;108:97-98.
- Paterson ML, Henderson A, Lunan CB, McGurk S. Transplacental transfer of cephalexin. *Clin Med* 1972;79:22-24.
- Pati S, Helmbrecht GD. Congenital schizencephaly associated with warfarin exposure. *Reprod Toxicol* 1994;8:115-120.
- Atlas N, Golomb G, Yaffe P, et al. Transplacental effects of bisphosphonates on fetal skeletal ossification and mineralization in rats. *Teratology* 1999;60:68-73.
- Pattison NS, Chamley LW; Birdsall M, et al. Does aspirin have a role in improving pregnancy outocm efor women with the antiphospholipid syndrome? A randomized controlled trial. *Am J Obstet Gynecol* 2000;183:1008-1012.
- Paufique L, Magnard P. Retinal degeneration in two children following preventive antimalarian treatment of the mother during pregnancy. *Bull Soc Ophtalmol Fr* 1969;69:466-467.
- Pauken CM, LaBorde JB, Bolon B. Retonoic acid acts during peri-implantational development to alter axial and brain formation. *Anat Embryol* 1999;200:645-655.
- Pauli RM, Hall JG. Warfarin embryopathy. *Lancet* 1979;2:144.
- Pauli RM, Pettersen BJ. Is reserpine a human teratogen? *J Med Genet* 1986;23:267-268.
- Paulus W, Matt C. Antimalarian prophylaxis in early pregnancy. 5th ENTIS meeting 21-23 march 1994
- Pavankumar P, Venugopal P, Kaul U, et al. Pregnancy in patients with prosthetic cardiac valve: a 10-year experience. *Scnad J Thorac Cardiovasc Surg* 1988;22:19-22.
- Pavy TJG, Kliffer AP, Douglas MJ. Anaesthetic management of labour and delivery in a woman taking long-term MAOI. *Can J Anaesth* 1995;42:618-620.
- Pawlinger DF, Mc Lean FW, Noyes WD. Normal fetus after cytosine arabinoside therapy. *Ann Intern Med* 1971;74:1012.
- Pearce CJ, Gonzalez FM, Wallin JD. Renal failure and hyperkalemia associated with ketorolac tromethamine. *Arch Intern Med* 1993;153:1000-1002.
- Peeden JN, Wilroy RS, Soper RG. Prune perineum. *Teratology* 1979;20:233-236.
- Pekonen F, Teramo K, Makinen T, et al. Prenatal diagnosis and treatment of fetal thyrotoxicosis. *Am J Obstet Gynecol* 1984;150:893-894.
- Pektasides D, Rustin GJ, Newlands ES, et al. Fertility after chemotherapy for ovarian germ cell tumors. *Br J Obstet Gynecol* 1987;94:477-479.
- Peled Y, Friedman S, Hod M, Merlob P. Ofloxacin during the second trimester of pregnancy. *DICP* 1991;25:1181-1182.
- Pendergrass TW, Hanson JW. Fetal hydantoin syndrome and neuroblastoma. *Lancet* 1976;2:150.
- Penn I, Makowski E, Droegemueller W et al. Parenthood in renal homograft recipients. *J Am Med Assoc* 1971;216:1755-1761.
- Penn IM, Barrett PA, Pannikote V et al. Amiodarone in pregnancy. *Am J Cardiol* 1985;56:196-197.

- Perault MC, Favreliere S, Minet P, Remblier C. Benzodiazepines and pregnancy. *Therapie* 2000;55:587-595.
- Pereira CA, Fischman O, Colombo AL, et al. Neurocriptococose durante a gravidez. Revisao da literatura. Relato de dois casos. *Rev Inst Med Trop Sao Paulo* 1993;35:367-371.
- Peress MR, Kreutner AK, Methur RS, Williamson HO. Female pseudohermaphroditism with somatic chromosomal anomaly in association with in utero exposure to danazol. *Am J Obstet Gynecol* 1982;142:708-709.
- Perez-Barrero P, Gil L, Martinez C, et al. Treatment with desmopressin before epidural anesthesia in a patient with type I von Willebrand disease. *Rev Esp Anesthesiol Reanim* 2003;50:526-529.
- Perez-Encinas M, Bello JL, Perez-Crespo S, et al. Familial myeloproliferative syndrome. *Am J Hematol* 1994;46:225-229.
- Perkin RM, Levin DL, Clark R. Serum salicylate levels and right-to-left ductus shunts in newborn infants with persistent pulmonary hypertension. *J Pediatr* 1980;96:721-726.
- Perkins RP. Hydrops fetalis and stillbirth in a male glucose-6-phosphate dehydrogenase-deficient fetus possibly due to maternal ingestion of sulfisoxazole. *Am J Obstet Gynecol* 1971;111:379-381.
- Perl G, Ragazzoni H. *Obstet Gynecol* 1963;24:499, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Perry JC, Ayres NA, Carpenter RJ. Fetal supraventricular tachycardia treated with flecainide acetate. *J Pediatr* 1991;118:303-305.
- Perry SM, Kambam JR. Uso dell'adrenalina in gravidanza. *JAMA ed italiana* 1990;2:268-269.
- Perry WH. Methotrexate and teratogenesis. *Arch Dermatol* 1983; 119:874-875.
- Peruzzi L, Gianoglio B, Porcellini G, et al. Neonatal chronic kidney failure associated with cyclo-oxygenase-2 inhibitors administered during pregnancy. *Minerva Urol Nefrol* 2001; 53:113-116.
- Peruzzi L, Gianoglio B, Porcellini MG, Coppo R. Neonatal end-stage renal failure associated with maternal ingestion of cyclo-oxygenase-type-1 selective inhibitor nimesulide as tocolytic. *Lancet* 1999;354:1615.
- Perz D. A case of congenital anophthalmos in a newborn infant of a mother receiving ethambutol in the first trimestre of pregnancy. *Pediatr Pol* 1987;62:183-184.
- Pescovitz MD. Absence of teratogenicity of oral ganciclovir used during early pregnancy in a liver transplant recipient. *Transplantation* 1999;15;67:758-759.
- Pest R. Pregnancy in a woman with chronic myelocytic leukaemia treated with Myleran. *Pol Tyg Lek* 1960;15:521-522.
- Peterson CM, Johnson SL, Kelly JV, Kelly PC. Coccidioidal meningitis and pregnancy: a case report. *Obstet-Gynecol* 1989;73:835-836.
- Peterson WF, Stauch E, Ryder CD. Metronidazole in pregnancy. *Am J Obstet Gynecol* 1966;94:343-349.
- Peterson WF. Pregnancy following oral contraceptive therapy. *Obstet Gynecol* 1969; 34:363-367.
- Petit JJ, Callis M, Fernandez de Sevilla. A Normal pregnancy in a patient with essential thrombocythemia treated with interferon-alpha 2b [letter] *Am J Hematol* 1992;40:80.
- Petrere JA, Humphrey RR, Sakowski R, et al. Two-phase teratology study with the synthetic prostaglandin ONO-802 given intravaginally to rats. *Teratog Carcinog Mutagen* 1984;4:233-43.
- Pfeifer Y, Sadowsky E, Solman FG. *Obstet Gynecol* 1969;33:709, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Pharmaceuticals 3M. Confidential Internal Correspondence (1990) in Briggs GG, Freeman RK, Yaffe SJ. *Drugs in Pregnancy and Lactation*. Ed Williams & Wilkins Philadelphia, 2002.
- Phillip-Howard PA, Steffen R, Kerr L, et al. Safety of Mefloquine and Other Antimalarial Agents in the First Trimester of Pregnancy. *J Travel Med* 1998;5:121-126.

- Phillip-Howard PA, Steffen R, Kerr L, et al. Safety of Mefloquine and Other Antimalarial Agents in the First Trimester of Pregnancy. *J Travel Med* 1998;5:121-126.
- Philpot CR, Lo D. Cryptococcal meningitis in pregnancy. *Med J Aust* 1972;2:1005-1007.
- Phupong V, Charakorn C, Charoenvidhya D. Oral salbutamol for treatment of preterm labor. *J Med Assoc Thai.* 2004; 87: 1012-1016.
- Phupong V, Charakorn C, Charoenvidhya D. Oral salbutamol for treatment of preterm labor. *J Med Assoc Thai.* 2004; 87: 1012-1016.
- Piacquadio K, Hollingsworth DR, Murphy H. Effects of in-utero exposure to oral hypoglycaemic drugs. *Lancet* 1991;338:866-869.
- Pickering BG, Palahniuk RJ, Cumming M. Cimetidine premedication in elective caesarean section. *Can Anaesth Soc J* 1980;27:33-35.
- Pickrell MD, Sawers R, Michael J. Pregnancy after renal transplantation: severe intrauterine growth retardation during treatment with cyclosporin A. *Br Med J* 1988;296:825.
- Pierson PS, Howard P, Kleber HD. Sudden deaths in infants born to methadone-maintained addicts. *JAMA* 1972;220:1733-1734.
- Pietrement C, Malot L, Santerne B, et al. Neonatal acute renal failure secondary to maternal exposure to telmisartan, angiotensin II receptor antagonist. *J Perinatol* 2003; 23: 254-255.
- Pietropaolo F, Franciolini G, Serrati A. *Quadr Clin Ostet Gin* 1972;27:45, in Onnis A, Grella P, Marchesoni D. *I Farmaci in Gravidanza*. Piccin Ed Padova 1983.
- Pietrzak B, Berndt M, Prokurat A, Marianowski L. Pregnancy and delivery after liver transplantation. *Ann Transplant* 1996;1:67-68.
- Pilishegyi J, Lacza T, Kazy Z, Czeizel E. Genetic counseling and successful pregnancy in patient with Wilson disease. *Orv Hetil* 1993;134:1813-1816.
- Pilotti G, Scorta A. Ipervitaminosi gravidica e malformazioni neonatali dell'apporto urinario. *Min Gin* 1965;17:1103-1108.
- Pinder RM et al. Pimozide: a review of its pharmacological properties and therapeutic uses in psychiatry. *Drugs* 12:1-40, 1976.
- Pinder RM, Brogden RN, Sawyer PR et al. Carbenoxolone: a review of its pharmacological properties. *Drugs* 1976;11:245-307.
- Pinelli JM, Symington A, Cunningham K, Paes BA. Case report and review of perinatal implications of maternal lithium use. *Am J Obstet Gynecol* 2002;187:245-249.
- Pinter R, Hogge WA, McPherson E. Infant with severe penicillamine embryopathy born to a woman with Wilson disease. *Am J Med Genetics* 2004;128A:294-298.
- Pinto W Jr, Gardner LI, Rosenbaum P. Abnormal genitalia as a presenting sign in two male infants with hydantoin embryopathy syndrome. *Am J Dis Child* 1977;131:452-455.
- Piper JM, Mitchel EF, Ray WA. Prenatal use of metronidazole and birth defects: No association. *Obstet Gynecol* 1993;82:348-352.
- Piper JM, Rey WA, Rosa FW. Pregnancy outcome following exposure to angiotensin-converting enzyme inhibitors. *Obstet Gynecol* 1992;80:429-432.
- Pirson Y, Van Lierde M, Ghysen J, et al. Retardation of fetal growth in patients receiving immunosuppressive therapy. *N Engl J Med* 1985;313:328.
- Pitcher D, Leather HM, Storey G, Holt D. Amiodarone in pregnancy. *Lancet* 1983;1:597-598.
- Piton M, Barthe ML, Laloum D et al. Acute lithium intoxication. Report of two cases: mother and her newborn. *Therapie* 1973;28:1123-1133.
- Pizzuto J, Aviles A, Noriega L, et al. Treatment of acute, leukaemia during pregnancy: presentation of nine cases. *Cancer Treat Rep* 1980;64:679-683.
- Platteau P, Gabbe M, Talbot M, Healy D. Two consecutive pregnancies during inadvertent gonadotropin-releasing hormone agonist desensitization. *Fertil Steril* 2000;73:1244-1246.
- Plomp TA, Vulmsa T, De Vijlder JJM. Use of amiodarone during pregnancy. *Eur J Obstet Gynecol Reprod Biol* 1992;43:201-207.
- Plouffe L, Butler WJ, Odom LD. Periconceptional exposure to topical 5-fluoruracil. *Am J Obstet Gynecol* 1992;1:263-264.

- Plows CW: Acute myelomonocytic leukemia in pregnancy: report of a case. *Am J Obstet Gynecol* 1982;143:41-43.
- Polak PE, Stewart PA, Hess J. Complete atrioventricular dissociation and His bundle tachycardia in a newborn: problems in prenatal diagnosis and postnatal management. *Int J Cardiol* 1989; 22:269-271.
- Polednak AP, Janerich DT, Glebatis DM. Maternal exposure to exogenous sex hormones in relation to birth weight of offspring. *Teratology* 1983;27:223-229.
- Polednak AP, Janerich DT. Maternal characteristics and hypospadias. A case-control study. *Teratology* 1983;28:67-73.
- Polowczyk D, Tejani N, Lauersen N, Siddiq F. Evaluation of seven- to nine-year-old children exposed to ritodrine in utero. *Obstet Gynecol* 1984;64:485-488.
- Pomeranz A, Korzets Z, Dolfin Z, et al. Acute renal failure in the neonate induced by the administration of indomethacin as a tocolytic agent. *Nephrol Dial Transplant* 1996;11:1139-1141.
- Poole-Wilson PA. Cardiac failure in a hypertensive woman receiving salbutamol for premature labour. *Br Med J* 1980;281:226.
- Popert AJ. Pregnancy and adrenocortical hormones. Some aspects of their interaction in rheumatic diseases. *Br Med J* 1962;1:967-972.
- Porat S, Anteby EY, Hamani Y, Yagel S. Fetal supraventricular tachycardia diagnosed and treated at 13 weeks of gestation: a case report. *Ultrasound Obstet Gynecol* 2003;21:302-305.
- Porreco RP, Hickok DE, Williams MA, Krenning C. Low dose aspirin and hypertension in pregnancy. *Lancet* 1993;341:312.
- Portert AJ. Pregnancy and adrenocortical hormones. *Br Med J* 1962;2:967-972.
- Potowrowska M, Sianoz Ecka E, Szufladowicz R. Treatment with ethionamide in pregnancy. *Gruzlica* 1966;34:341-347.
- Potts CR, Ullery JC. Maternal and fetal effects of obstetric analgesia. *Am J Obstet Gynecol* 1961;81:1253-1259.
- Powe CE, Kiem IM, Fromhagen C, Cavanagh D. Propiomazine hydrochloride in obstetrical analgesia. *JAMA* 1962;181:290-294.
- Powel RD, DeGowin RL, Alving AS. Nitrofurantoin-induced hemolysis. *J Lab Clin Med* 1963;62:1002-1003.
- Powell HR, Ekert H. Methotrexate-induced congenital malformations. *Med J Aust* 1971;2:1076-1077.
- Powell LC, Seymour RJ. Effects of depomedroxyprogesterone acetate as a contraceptive agent. *Am J Obstet Gynecol* 1971;110:36-41.
- Pradat P, Robert-Gnansia E, Di Tanna GL, et al. First trimester exposure to corticosteroids and oral clefts. *Birth Defects Res Part A Clin Mol Teratol* 2003;7:968-970.
- Prasad N, Gulati S, Jain M, Pewari P. An unusual case of neonatal anuria. *Indian Pediatr* 2003;40:258-260.
- Prasertsawat PO, Herabutya Y, Chaturachinda K. Obstetric analgesia: comparison between tramadol, morphine, and pethidine. *Curr Ther Res Clin Exp* 1986;40:1022-1228.
- Preis O, Choi SJ, Rudolph N. Pentazocine withdrawal syndrome in the newborn infant. *Am J Obstet Gynecol* 1977;127:205-206.
- Prenner BM. Neonatal withdrawal syndrome associated with hydroxyzine hydrochloride. *Am J Dis Child* 1977;131:529-530.
- Prescott LF. Neonatal thrombocytopenia and thiazide drugs. *Br Med J* 1964;1:1438.
- Price HV, Salaman JR, Laurence KM, Langmaid H. Immunosuppressive drugs and the fetus. *Transplantation* 1976;4:98.
- Price R. Pregnancies using conjugated oestrogen therapy. *Med J Aust* 1980;2:341-342.
- Price VH. Androgenetic alopecia in women. *J Investig Dermatol Symp Proc* 2003;8:24-27.
- Prieto L, Martinez-Frias ML. Case-control studies using only malformed infants: are we interpreting the results correctly? *Teratology* 1999;60:1-2.
- Pritchard JA, Walley PJ. Severe hypokalemia due to prolonged administration of chlorothiazide during pregnancy. *Am J Obstet Gynecol* 1961;81:1241-1244.

- Procianoy RS, Pinheiro CEA. Neonatal hyperinsulinism after short-term maternal beta sympathomimetic therapy. *J Pediatr* 1982; 101: 612-614.
- Pruett R. Oculovertebral syndrome. *Am J Ophthalmol* 1965; 60: 926-929.
- Pruyun SC, Phelan JP, Buchanan GC. Long-term propranolol therapy in pregnancy: maternal and fetal outcome. *Am J Obstet Gynecol* 1979; 135: 485-489.
- Pryde PG, Nugent CE, Sedman AB, et al. ACE inhibitor fetopathy. *Am J Obstet Gynecol* 1992; 166: 348.
- Pryde PG, Sedman AB, Nugent CE, Barr M Jr. Angiotensin-converting enzyme inhibitor fetopathy. *J Am Soc Nephrol* 1993; 3: 1575-1582.
- Pujals JM, Figueras G, Puig JM et al. Osseus malformation in baby born to woman on cyclosporin. *Lancet* 1989; 1: 667.
- Pujol-Amat P, Gamissans O, Calaf J, et al. Influence of L-dopa on serum prolactin, human chorionic somatomammotrophin (HCS) and human chorionic gonadotrophin (HCG) during the last trimester of pregnancy. In: *Human Prolactin. Proceedings of the International Symposium on Human Prolactin, Brussels, June 12-14, 1973.*
- Pulik M, Lionnet F, Genet P, et al. Platelet counts during pregnancy in essential thrombocythaemia treated with recombinant α -interferon. *Br J Haematol* 1996; 93: 495.
- Purdy IB, Wiley DJ. Perinatal corticosteroids: A review of research. Part I: Antenatal administration. *Neonatal Netw.* 2004; 23: 15-30.
- Purdy IB, Wiley DJ. Perinatal corticosteroids: A review of research. Part I: Antenatal administration. *Neonatal Netw.* 2004; 23: 15-30.
- Purohit DM, Ellison RC, Zierler S, et al. Risk factors for retrolental fibroplasia: experience with 3,025 premature infants. *National Collaborative Study on Patent Ductus Arteriosus in Premature Infants. Pediatrics* 1985; 76: 339-344.
- Pursley TJ, Blomquist IK, Abraham J, et al. Fluconazole-induced congenital anomalies in three infants. *Clin Infect Dis* 1996; 22: 336-340.